UNIVERSITY OF ILLINOIS

MAR 26 1962

CHICAGO

GeoScience Abstracts

Index

Vol. 3, No. 12, Pt. 2

1961



GEOSCIENCE ABSTRACTS

published by the American Geological Institute

EDITORIAL STAFF

MARTIN RUSSELL, Managing Editor Anne C. Sangree, Editor Lois M. Dane, Assistant Editor

EDITORIAL ADVISORY BOARD to be named

AMERICAN GEOLOGICAL INSTITUTE

IAN CAMPBELL, President
GORDON I. ATWATER, Vice President
RAYMOND C. MOORE, Past President
DONALD H. DOW, Secretary-Treasurer
MICHEL T. HALBOUTY, Finance Chairman
EDWARD B. ESPENSHADE, JR., NAS Representate
ROBERT C. STEPHENSON, Executive Director

MEMBER SOCIETIES

AMERICAN ASSOCIATION OF PETROLEUM GEOLOGISTS
AMERICAN GEOPHYSICAL UNION
AMERICAN INSTITUTE OF MINING, METALLURGICAL
AND PETROLEUM ENGINEERS
ASSOCIATION OF AMERICAN STATE GEOLOGISTS
GEOCHEMICAL SOCIETY
GEOLOGICAL SOCIETY OF AMERICA
MINERALOGICAL SOCIETY OF AMERICA
NATIONAL ASSOCIATION OF GEOLOGY TEACHERS
PALEONTOLOGICAL SOCIETY
SEISMOLOGICAL SOCIETY OF AMERICA
SOCIETY OF ECONOMIC GEOLOGISTS
SOCIETY OF ECONOMIC PALEONTOLOGISTS AND
MINERALOGISTS
SOCIETY OF VERTEBRATE PALEONTOLOGY

The American Geological Institute operates under the National Academy of Sciences. It is governed by an Executive Committee and a Board of Directors composed of two directors from each of the Member Societies.

GeoScience Abstracts is published monthly, beginning with Volume 1, Number 1, January 1959, and replaces Geological Abstracts which was discontinued by the Geological Society of America at the end of 1958. The journal has received a grant in aid from the National Science Foundation to provide initial working funds.

GeoScience Abstracts will work toward complete coverage of all significant North American literature in geology, solid earth geophysics and related areas of science. It will also include abstracts of Soviet literature which has been translated and published in North America. The journal will have a monthly author index and an annual subject index.

To attain the goal of essentially complete coverage of all significant North American literature in the field, GeoScience Abstracts will need the full cooperation and aid of the profession. Suggestions as to additional sources of literature to be covered will be gratefully received by the editorial staff.

SUBSCRIPTION RATES

B. Non-member individuals; colleges and universities; public libraries.

C. Private organizations and government agencies.

Foreign postage: No additional charge to Canada and Mexico; to Pan American Union countries add \$0.50 per year; to all other foreign countries add \$1.00 per year. Single copy prices: A-\$1.50; B-\$3.00; C-\$6.00. Back volumes of Geological Abstracts (Vol. 4-1956; Vol. 5-1957; Vol. 6-1958) available at \$5.00 per volume. Second class postage paid at Washington, D. C.

Address editorial and subscription inquiries to

AMERICAN GEOLOGICAL INSTITUTE
2101 Constitution Avenue, N.W., Washington 25, D. C.


GeoScience Abstracts

published monthly by the AMERICAN GEOLOGICAL INSTITUTE

Vol. 3 1961

CONTENTS

		PAGE
Subject Index		1
Author Index		105
Material which may be used and these indexes, is included	when binding the twelve number	s of Volume 3,



The index headings are, with some modifications, those used in the indexes of the U.S. Geological Survey <u>Bib</u>liography of North American <u>Geology</u> and the <u>Geological Society</u> of America <u>Bibliography</u> and <u>Index of Geology</u> Exclusive of North America. The entries in GeoScience Abstracts, v.3, no.1-12, have been numbered consecutively through the year. The numbers in this index refer to these numbers. Addresses Attributes of geologic profession: 3-4299. Afognak Island, sources phosphorous and nitrogen Future need for geophysics: 3-2961. for lakes: 3-3345. Geological perspectives: 3-2479. Geohydrology. Ground-water resources, development, management: 3-2377. Chugiak area, water wells and springs, data: 3-3426. Impact Soviet oil: 3-4275. Ground-water hydrology: 3-4209. Role specialist: 3-4300. Water resources: 3-4208. Stratigraphic panorama: 3-1801. Geophysics. Years ahead for exploration: 3-4254. Cook Inlet area, aeromagnetic reconnaissance: Aden Protectorates, paleomagnetism volcanics: 3-1547. 3-819. Aerial maps. See Maps. Copper River basin, geologic interpretation, mag-Aerial photography. See Photogeology. netic data: 3-1546. Aerial reconnaissance, Canada, aviation and mining in-dustry: 3-930. Earth currents, activity, College, 1956-1958, 1959: 3-168, 3-169. Africa. Disturbances: 3-1550. Mineral resources and economic development: Effect topography and geology: 3-167. Earthquakes, Apr. 7, 1958: 3-511. 3-2793. Mississippi Valley type ore occurrences: 3-1706. S waves, earthquakes: 3-515. Petroleum, developments, generalized geology, at-<u>Historical Geology</u>.

Devonian-Mississippian, De Long Mountains, northlas: 3-1753.

Developments, 1959, 1960: 3-980, 3-3530.

Geologic conditions, current activity, oil potential: 3-2080. ern: 3-2550. Quaternary, Nome, coastal plain, type section for Bering Strait region: 3-2249. Maps, Geologic.

Admiralty Island: 3-418.

Hagemeister Island quadrangle: 3-3184. Spanish Sahara prospects: 3-4277 Togoland-Dahomey prospects: 3-2081. Age determinations. See Geologic time. Alabama. Maps, Miscellaneous Bibliography geology, 1935-1958: 3-659. Glacier maps: 3-3183. Areas described. Mt. McKinley, topography: 3-2119, 3-2474. Southwest, Cenozoic, guidebook: 3-1763. Maps, Oil and gas. Geohydrology. Kenai Peninsula, oil and gas fields: 3-2490. Autauga County, ground-water resources: 3-2004. Mineralogy. Calhoun County, geology and ground-water resources: 3-611. Shungnak jade project: 3-2720. Paleontology. Colbert County, ground-water study: 3-2005. Amber, Cretaceous, Arctic Coastal Plain: 3-147. Ground-water levels, 1957-1958: 3-610. Ammonites, Jurassic (Bajocian): 3-3283. Madison County, ground-water levels: 3-2747. Seabee formation, Cretaceous, northern: 3-1500. Wilcox County, geology and ground-water resources: 3-612. Ostracoda, Pleistocene, Arctic Coastal Plain: 3-4073. Geophysics: Pelecypods, <u>Inoceramus</u>, Upper Cretaceous: 3-136. Chemical magnetization, rocks: 2-165. Historical geology. Ultramafic complexes, southeastern, correlation Ordovician, Upper, clarification by Bryozoa: with North America and world: 3-2352. 3-1452. Origin: 3-2351. Red Mountain area: 3-4024. Umnak and Bogoslof islands, three volcanic suites: Pennsylvanian, "coal measures," correlation: 3-1273. 3-4031. Physiography. Maps, Geologic. Abandoned cirques, Alaska-Canada Boundary Range: Huntsville quadrangle: 3-3568. 3-3973. Chukchi shelf off Ogotoruk Creek, marine geology and bathymetry: 3-3988. Eolian deposits, Matanuska Valley agricultural area: 3-3229. Paleontology. Dinosaurs, Selma formation, Cretaceous: 3-2274. Jackson Eocene Ostracoda, Cocoa sand: 3-4072. Microforaminifera, Oligocene Marianna limestone, Little Stave Creek: 3-1189. Gulkana Glacier Expedition, 1960: 3-2514. Hydrodynamics, lakes, Pt. Barrow region: 3-456. Lakes, Arctic Coastal Plain, oriented, hydrodynam-Arctic bibliography, v.9: 3-1013. Geology, symposium: 3-3951. ics: 3-1420. Areas described. Northern, hydrodynamic analysis circulation and orientation: 3-3981. Craig C-2 quadrangle, Prince of Wales Island: 3-3953. Mount Chamberlain area, Brooks Range, glacial ge-Kiska Island, Aleutians: 3-3954. Lower Kuskokwim-Bristol Bay region: 3-2498. Shaviovik and Sagavanirktok rivers region: 3-2892. ology: 3-3974. Mud volcanoes, Copper River basin: 3-3991. Muldrow, Black Rapids, Susitna glaciers, exception-al advances: 3-76. Sea level falling or land rising, southeast: Economic Geology. Cassiterite, placer, "Manley tin belt": 3-1708. Div. Mines and Minerals, report, 1960: 3-3456. Petroleum developments, 1960: 3-3487. Geology and possibilities: 3-2433. 3-2909. Alberta. Research Council, annual report, 1960: 3-2098. Areas described. Tin-gold, Tofty tin belt, Manley Hot Springs dis-Athabasca Valley, Rocky Mountain front ranges, trict: 3-2411. Jasper National Park: 3-3588. Banff National Park, guidebook: 3-751. Tin-tungsten, metallization and argillization, Lost River tin mine: 3-951. Cretaceous rocks, Smoky and Pine rivers, Rocky Mountain foothills: 3-427. Engineering geology. Cape Thompson region, geologic investigations, Project Chariot, Phase III: 3-2833. Jasper, guidebook: 3-3586.

Foundations in permafrost: 3-2816.

zebue: 3-2093.

Jet drilling, Fairbanks area: 3-2810. Timber piles in permafrost, radar station, Kot-

McMurray area: 3-750.

Economic geology.

Rock Lake, guidebook: 3-743 through 3-748.

Athabasca tar sands project: 3-312.

Alberta - Continued Riphean, Urals: 3-3666. Coal, Clover Bar coal zone, Edmonton-Morinville Stromatolitic bioherms, Cambrian Maynardville district: 3-2083. Cretaceous, Sheep Creek-Wildhay River: 3-748. limestone, Tennessee: 3-3643. Algarites, U.S.S.R., Azerbaijan: 3-979, 3-3478. Gypsum and anhydrite deposits: 3-3447. Petroleum, Athabasca tar sands, mining and ore Alluvium. Colorado, Quaternary, near Denver: 3-1826.

Nebraska, North Loup River, late Wisconsin: 3-4053.

Texas, Brazos River, degradational stream deposits: disposal: 3-981. Swan Hills oil field, Devonian limestone reef reservoir: 3-4268. 3-1090. Geochemistry. Abee meteorite, June 9, 1952: 3-1596. Athabasca petroleum deposit: 3-3342. West Virginia, Kanawha County, Quaternary, particle-size and permeability studies: 3-4229. Geohydrology. Aluminum. Calgary area, estimating ground-water recharge Australia: 3-2418. from stream hydrographs: 3-2381. Farm water supply from quicksand: 3-1999. New Mexico, Petaca district: 3-957. U.S., southeastern, kyanite, sillimanite, anda-lusite deposits: 3-956. Pembina area, ground-water resources: 3-3424. World outlook: 3-2040. Athabasca Glacier, electrical resistivity studies: Amber, Alaska, Cretaceous, Arctic Coastal Plain: 3-147. 3-835. Ammonoidea. See Cephalopoda. Induction and galvanic resistivity studies: Amphibia. 3-4105. Eorubeta, new frog, Eocene, Nevada: 3-1166. geology. Historical Hesperoherpeton garnettense, Pennsylvanian, Kan-Carboniferous, correlations, Mount Greenock-Box sas: 3-2587. Canyon: 3-3589. Neoscaphiopus and other Pliocene pelobatid frogs: Tunnel Mountain-Rundle relationships: 3-3590. 3-2588. Carboniferous-Permian, Rocky Mountain group, Banff area: 3-2232. Amphiboles. Amphibolite rocks, fluorescent X-ray spectro-Cretaceous, Alberta group, Rocky Mountain foot-hills: 3-2236. graphic analyses: 3-1972. Calciferous amphiboles, oxyhornblende, kaersutite, and barkevikite: 3-2691. Edmonton formation: 3-1139. Devonian, facies analysis, Wabamun group: 3-104. Proto-amphibole, new polytype: 3-579. Jasper basin: 3-745. Andalusite, U.S., southeastern: 3-956. Reef sedimentation, Duhamel area: 3-2549 Angola, descloizite-mottramite series of vanadates, Jurassic-Cretaceous, Minnes formation: 3-747. Minas do Lueca: 3-572. Mississippian-Pennsylvanian boundary: 3-1130. Paleozoic, upper, Banff area, revision nomencla-ture: 3-2557. Annelida. See Worms. Antarctica. Determination past climate by thermoluminescence rocks: 3-897. Permian, Jasper area, stratigraphy, post-Carboniferous unconformity: 3-3591. Mount Terror volcano, McMurdo Sound region, news Precambrian, Jasper region: 3-744. report: 3-593. Jasper-Geikie area: 3-3587. Research programs, geology and geophysics: 3-1745. Triassic, Rock Lake area: 3-746. U.S. scientific programs, geology: 3-1746. Maps, Geologic. Areas described. Fort Fitzgerald: 3-668. Amundsen and Sandau mountains, Queen Mary Land: Maps, Oil and gas 3-1080. Oil and gas fields, discoveries: 3-2111. Bellingshausen Sea region: 3-1416. Paleozoic surface, area no.4, no.5: 3-2, 3-2858. Victoria Land, newly discovered mountain range: Maps, Photogeologic 3-439. Exshaw-Golden: 3-667. West Antarctica: 3-1079. Paleontology. Economic geology. Foraminifera, Cretaceous, Smoky River area: 3-811. Coal, Mackay Glacier region: 3-647. Hadrosaurian ichnite, Cretaceous St. Mary River formation: 3-4058. Geochemistry.

Spherules from ice cap: 3-1602. Petrology. Geohydrology. Cretaceous sandstones, porosity reduction: 3-4196. Devonian limestone bank-atoll reservoirs, Swan Saline lakes and drill-hole brines, McMurdo Sound: 3-282. Hills area: 3-2374. Geophysics. Upper Devonian inter-reef calcareous shales, re-Frozen earth, electrical resistivity: 3-172. sistivity mapping and petrophysical ice, thickness, from gravimetric measurements: study: 3-2372. 3-3685. Physiography. Magnetic declinations, west: 3-2971. Buried valleys, central and southern: 3-2910. Sturgeon Lake area, surficial geology: 3-463. Seismic and gravimetric studies, ice and structure, eastern: 3-865. Seismic observations, crust: 3-3751 Structural geology.

Concentric folding, foothills and mountains: 'Warm' water under ice, lakes: 3-1237. 3-749. Historical geology Interstratal peel, Maverick Hill: 3-3997. Age rocks, east Antarctic platform: 3-3657. Albite. Basal sedimentary section, Windy Gully, Taylor Glacier, Victoria Land: 3-2261. In granitic rocks, origin: 3-1967. Melting temperatures, effects NH3 and HF, H20: Paleozoic, lower, pegmatites and charnockite lens, 3-1242. Lutzow-Holm Bay: 3-2924. Algae. Precambrian, age oldest rocks: 3-2925. Epiphyton, morphology and systematic position: Petrology. 3-3667. Bottom sediments, Indian Ocean sector: 3-1319. Eugonophyllum, new Pennsylvanian and Permian Marine-sediment thickness, eastern Ross Sea: genus: 3-4074. 3-2376. Jurassic, U.S. Gulf Coast: 3-1529.

Physiography.

Pycnoporidium sinuosum, n.sp., Late Cretaceous, Guatemala: 3-1530.

Role in formation beach rock, Caribbean islands:

Recent, ancient analogues, Florida, Bahamas:

3-913. Stromatolites and facies: 3-1528.

3-2283.

Pyritic sediments, sulfate-reducing bacteria,

Little America station, glaciological regime:

Filchner ice shelf, extent: 3-3609.

3-2175.

ogy: 3-88.

McMurdo Sound region: 3-3846.

Marguerite Bay area, Palmer Peninsula, geomorphol-

Antarctica - Continued Multiple glaciation, McMurdo Sound region: 3-453. Valvatidae, early Tertiary: 3-4060. Ross Ice Shelf, deformation near Bay of Whales: 3-3220, Argon.

Ar37, Ar³⁹ in meteorites: 3-213, 3-219.

Ar³⁸ in uranium minerals: 3-3795. Weathering quartz diorite, Marble Point, McMurdo Sound: 3-3980. Diffusion in glauconite, microcline, sanidine, Anthozoa. leucite, phlogopite: 3-533. Ankhelasma, new Mississippian genus, morphology Diffusion in sylvite: 3-3021. In carbonaceous chondrites and ureilites: 3-3767. and ontogeny: 3-1485.
Devonian rugose corals, lower Mackenzie valley, In natural gases: 3-1607. Northwest Territories: 3-4059. Method determining age rocks and minerals: 3-1907. Metriophylloid genera, Devonian Hamilton group, New York: 3-3276. Migration in rocks and minerals: 3-3774. Radiogenic, diffusion in feldspars: 3-1603. Montana, Mississippian Madison group, Williston Loss in micas: 3-1241. basin: 3-1484. Retention in micas: 3-3773. Northwest Territories, Devonian: 3-496. Arid regions, permafrost, surface features, N. Green-Permian, Ellesmere Island: 3-2574. land; 3-3977. Ontario-Quebec, Ordovician-Silurian, Lake Tim-Arizona. iskaming area: 3-3251.
Zaphrentoid corals, Ordovician and Silurian, sys-Gila-San Simon Valley, utilization arid lands project: 3-2110. tematic position: 3-1483. Sunset crater: 3-3391. Anticlines. Areas described. House Rock Valley area: 3-2499 Romania, Surani anticline, oil reservoirs: 3-323. Simple concentric folding, depth of basal shear-ing plane: 3-2200. Lower Bonita Creek area: 3-1758. Safford Valley, Graham County: 3-1759. U.S.S.R., Kassarma anticline, Cretaceous stratig-Late Cenozoic geology: 3-1760. raphy, Aral Sea: 3-118. Sedimentology and stratigraphy, basin-fill sedi-Utah, Lisbon Valley, structure maps, oil and gas wells: 3-738, 3-739, 3-740. ments: 3-1761. Topographic, physiographic, structural subdivi-Antimony, detection dislocation defects by etch methsions: 3-1757. Economic geology.

Barite deposits: 3-1343. od: 3-3060. Apatite. Nebraska, determination in soils: 3-900. Coal, Cretaceous, petrographic study: 3-2084. Oklahoma, Caddo County: 3-1269. Copper resources, exploitation: 3-1338. Roger Mills County: 3-1270. Isopach mapping, photogeologic methods, location Structure and diadochic substitutions, apatite swales and channels, Monument Valley area: 3-933. group: 3-766. Virginia, Morefield pegmatite, Amelia County: Manganese deposits, eastern: 3-4246. 3-901. Natural gas, Black Mesa basin possibilities: Appalachians. 3-3472. Caves, in folded limestone: 3-1423. Petroleum, developments, 1960: 3-3488. Tungsten deposits, Cochise, Pima, Santa Cruz Counties: 3-4242. Terminations passages as evidence shallow phreatic origin: 3-1427. Tectonics: 3-2208. Uranium, geochemical test diabase as ore source, Apparatus. See Instruments and apparatus. Aquifer. See Ground water. Dripping Spring district: 3-2407. Arabia. See Saudi Arabia and other independent coun-Riverview mine, Coconino County: 3-3442. tries. Engineering geology. Archean. <u>See</u> Precambrian. Archeocyathids. Yuma Valley, ground water and drainage: 3-1372. Geohydrology. U.S.S.R., Bazaikh horizon, Kiya river: 3-132. Ground water, 1959-1960: 3-1680. Tersiids, Cambrian, Chitinsk district: 3-131. Red Lake area, Navajo Indian Reservation, ground water: 3-2007. Arctic Ocean. Safford Valley, inner valley alluvium, geology and aquifer characteristics: 3-2006. Arctic basin, origin, history geologic thought: 3-4001. Water use by riparian vegetation, Cottonwood Wash: Arlis II, ice island: 3-2513. 3-921. Beaufort Sea, bathymetry: 3-3989. Dredged gravels: 3-4198. Geophysics. Drift station Bravo, T-3, 1958-1959, geophysical investigations: 3-4128. Crustal structure, Nevada Test Site-Kingman, Arizona: 3-1582. Historical geology. Drift station Charlie, results geological-geo-physical investigations: 3-4129 Cenozoic, geology, Papago Indian Reservation: 3-1823. Exploration, bathymetry, geomagnetic studies: 3-2531. History: 3-1822. Extension mid-oceanic ridge: 3-4002. Fletcher's ice island T-3, origin parallel pattern meltwater lakes: 3-2173. Cretaceous-Tertiary relationships 3-1821. Paleozoic-Cenozoic, Alpine-Nutrioso area: 3-4049. Permian, Concha limestone and Rainvalley formation: 3-4037.
Pleistocene, Ill Ranch beds, Graham County: 3-1825.
Precambrian, rubidium-strontium ages, basement Surface morphology: 3-3965. Geology, symposium: 3-3951. Oceanographic observations: 3-786. Pleistocene climate changes: 3-3962. rocks: 3-1829. Maps, Geologic. Seismic studies, floor: 3-4120. Emmett Wash NW quadrangle: 3-1388. Arctic regions (general). Arctic bibliography, v.9: 3-1013. Geological history: 3-3653. Geology, symposium: 3-3951. Paria Plateau SE quadrangle: 3-2878. Pinal Ranch quadrangle: 3-1389. San Pedro and Aravaipa valleys: 3-2489. Maps, Miscellaneous. Argentina. Grand Canyon National Park: 3-54, 3-3185. Oil and gas map: 3-1056. Mineralogy. Ranquilite, calcium uranyl silicate, Mendoza province: 3-578.
Tertiary teleosts: 3-3290. Allanite, Quijotoa Mountains, Pima County: 3-1947. New occurrences, minerals: 3-1951. Shattuckite, differential thermal analysis: 3-1942. Tierra del Fuego, geology, petroleum possibilities: 3-321. Paleontology. Bibliography, paleontological literature, inverte-Triassic, vertebrate-bearing continental strata, brates: 3-1831.

Mendoza region: 3-114.

Arizona - Continued Dinosaur-bearing section, Cretaceous rocks, Empire
Mountains: 3-1837.

Micropaleobotanical research, late Tertiary sediments: 3-1842.

Palaeohelcura, Permian: 3-1507.

Pleistocene fauna, 111 Ranch area: 3-1844. Rampart Cave coprolite, ecology Shasta ground sloth: 3-1176.

Petrology.

Diabase, Magma mine, Superior: 3-1963. Probability assimilation rocks intruded by: 3-1964.

Diatremes and ring intrusion, San Carlos Indian Reservation: 3-1957.

Glen-San Juan Canyon region, gravel analysis: 3-1987.

Obsidian in perlite flows, Superior region: 3-3083. Volcanic rocks, Santa Cruz County, correlation: 3-1958.

Physiography.

Drainage, origin: 3-1781.
Pleistocene cinder dunes, Cameron area: 3-3618.
Sonoran desert, early Pleistocene paleoclimatic
record: 3-777.

White Mountains, multiple Pleistocene glaciation: 3-3975.

Structural geology.

Jointing, Comb Ridge-Navajo Mountain area: 3-1110. Meteor Crater, penetration mechanics: 3-2204. Precambrian structures: 3-1797.

Arkansas.

Areas described.

Ouachita Mountain core area, Montgomery County: 3-1065.

Southwest, Cretaceous; oil-field papers; guidebook: 3-2500.

Economic geology.

Coal resources, 1954: 3-328.

Gold and silver in manganese ore, Polk County: 3-1704.

Metals in hypogene veins, zonal arrangement: 3-938.

Nickel in soapstone, Saline County: 3-1707. Petroleum, Arkoma basin growth: 3-2073. Developments, 1960: 3-3489.

Selenium, rubidium, yttrium, mineral veins: 3-952.

Engineering geology.

Red River at Garland City, bridge protection:
3-4289.

Mineralogy.

Kimzeyite, zirconium garnet, Magnet Cove: 3-4171. Arthropoda. See also Eurypterida; Insecta; Ostracoda. Eurypterida, Phyllocarida, Decapoda: 3-487. New York Silurian Syracuse formation: 3-1502 Palaeohelcura Gilmore, Permian, Arizona: 3-1507.

Oil and gas developments, 1959, 1960: 3-980, 3-3531, 3-3532.

Exploration, west Central Asia: 3-3529.

Asphalt. <u>See also</u> Bituminous rocks and sands. <u>Separation n-octadecane-l-C¹⁴ from asphaltic mix-</u> tures by elution chromatography: 3-1587.

U.S.S.R., pebbles, Pliocene, Apsheron peninsula: 3-3899.

Uranium and trace element content: 3-1609.

Associations, etc.

A.A.A.S. reports, China's mineral resources, Mohole plans: 3-664.

Arctic Institute of North America: 3-4296.

California Association of Engineering Geologists, 1960 annual meeting, program and abstracts: 3-994.

Carnegie Institution of Washington, Dept. of Terrestrial Magnetism, annual report: 3-4087.

Coastal geography, report of conference, 1961: 3-3987.

Geological Society of America: 3-2850.

Geologists' Association, Great Britain: 3-2105. Great Lakes Research, Third Conference, Proceed-ings, 1959: 3-2472. International Union of Geodesy and Geophysics:

3-815.

Muskeg Research Conference, 6th, 1960, proceedings: 3-3545. National Association of Geology Teachers: 3-3937.

New Zealand Speleological Society: 3-3983. Norsk Polarinstitutt, activities in Svalbard: 3-4295.

State Geologists Journal, Oct. 1960: 3-1014. University Committee on Polar Research, report: 3-3556.

Water for Texas, sixth annual conference: 3-4228. Atlantic Coastal Plain.

Ground water, origin hydrochemical facies: 3-2383. Petroleum, New Jersey-South Carolina, developments, 1960: 3-3483.

Stratigraphic units, catalog type localities: 3-472.

Atlantic Ocean. See also Submarine geology.

Dating deep-sea cores by Pa²³¹/Th²³⁰ me method: 3-1830.

Deep-sea sediment cores; sedimentation, Pleistocene chronology, pre-Pleistocene history: 3-1997.

Heat flow through floor: 3-3757.

Radiocarbon content: 3-200.

Seamount north of Madeira, geophysical investigations: 3-1102.

Sub-bottom reflection measurements, continental shelf, Bermuda banks, West Indies arc, west Atlantic basins: 3-198.

Atolls. See also Reefs.

Alberta, Devonian limestone bank-atoll reservoirs, Swan Hills area: 3-2374.

Alexa Bank, drowned atoll, Melanesian border plateau: 3-1103.

Australia.

Economic geolog

Aluminum: 3-2418. Brown coal, Latrobe Valley, Victoria: 3-2804. Lead ores, trace amounts silver, Broken Hill: 3-3120.

Petroleum, developments, 1960: 3-4278. Discovery, Tara, Queensland: 3-2437. Mineral resources: 3-1729.

Geochemistry.

Alkali elements in australites: 3-229. Anomalous leads, Broken Hill: 3-3049. Carbon isotopic composition marine invertebrates and coals, Permian: 3-4141

Moldavites and similar tektites: 3-1246.

Rare gases in tektites: 3-228.

Geophysics.

Magnetic anisotropy, igneous rocks: 3-163. Thermomagnetic properties basalt, Victoria: 3-164. Historical geology.

Precambrian, geochronology, Proterozoic granites, Northern Territory: 3-2258, 3-2259.

Mineralogy.

Bauxite deposits, Weipa, Queensland: 3-1933. Bertrandite from Mica Creek, Queensland: 3-3378. Ferrimolybdite, dehydration and rehydration, Lowther, New South Wales: 3-3063.

Halloysite, fully-hydrated, Muswellbrook, New South Wales: 3-586.

Nickel hydroxide, natural occurrence, Tasmania: 3-3074.

Telluride deposits, Kalgoorlie, Western Australia: 3-869.

Paleontology.

Brachiopods, lower Carboniferous, Queensland: 3-1491.

Ingelarella and Notospirifer, Permian, Queens-land: 3-1492.

Foraminifera, planktonic, Lakes Entrance oil shaft, Victoria: 3-1190. Megaspores, lower Mesozoic, Tasmania and South

Australia: 3-1204.

Mosasaur remains, upper Cretaceous, Western Australia: 3-1509. Permian ammonoids: 3-4062.

Precambrian animals, Ediacara Hills, South Australia: 3-2262. Terebratuloid, new genera, Permian: 3-3279.

Petrology. Carbonate sedimentation, Heron Island reef, Great

SUBJECT INDEX Australia - Continued Barrier Reef: 3-3413. New Mexico, Chama basin, guidebook: 3-1404 through Layered diatremes, Sydney region, New South Wales: 3-1413. 3-4181. San Juan basin, Dakota sandstone, Mancos shale: Parry group, Upper Devonian-lower Carboniferous, 3-1408. Tamworth-Nundle district, New South Late Cretaceous, early Cenozoic: 3-1409. Wales: 3-1322. Oklahoma, Anadarko and Ardmore basins, Pennsyl-Pyroxenes in differentiated Tasmanian dolerite, vanian Springer sandstone: 3-2554. optical and chemical studies: 3-4182. Arkoma basin, guidebook: 3-3207. Sedimentary xenoliths and dolerite patch pegmatites Marietta basin, Stockton field: 3-2801. from analcite basalt intrusion, Sydney region: 3-1968. gas: 3-2073. Tamworth group, Devonian, New South Wales: 3-1321. Physiography. Paleotemperature analyses, Mesozoic Belemnoidea: 3-2171. ism: 3-3638. Avalanches, California, Lassen Volcanic National Park: 3-455. Aves. Avian skull, mechanical implications, bearing on evolution and classification, birds: 3-802 3-1077. Chendytes, Pleistocene flightless goose, San Diego area, California: 3-2275. Chendytes lawi, Anacapa Island, California: 3-3296. Bacteria, Kansas, Permian Wellington salt: 3-1531, salt domes: 3-1463. 3-1532. Bahamas. Oolitic sand: 3-606. Recent stromatolites, ancient analogues: 3~2283. 3-1064. Barbados. Cosmic dust in Tertiary Oceanic formation: 3-3769. Exploration results, 1950-1958, stratigraphy and 3-3474. structure: 3-2214. Batholiths. Barite. Arizona: 3-1343. U.S.S.R., genesis in Sumsar zinc-lead deposit: trusions: 3-1973. 3-287. Barium, marine geochemistry: 3-2330. 3-2157. Basalt. Anomalous remanent magnetization: 3-1214. 3-2256. Australia, thermomagnetic properties, Victoria: 3-164. Chemical distinctions between three principal se-3-125. ries: 3-600. Explosives in, Project Buckboard: 3-4283. Hawaii, differentiation, lava suites, Kilauean 3-2661. eruptions: 3-2343. Differentiation, Mauna Loa and Kilauea magma: 3-1274. 3-3338. Bauxite. Iceland, eastern, zeolite zones and dike distribution, relation to structure: 3-594. Australia: 3-2418. Magma, relationship between fractionation stage Jamaica, origin: 3-2031. and temperature of beginning of crys-Spain, Paleozoic, Leon: 3-958. tallization: 3-1278. Quebec, petrology, Ahr Lake area, Labrador trough: 3-1608. 3-252. U.S.S.R., Sovgavan formation, Sikhote-Alin: 3-1144. Weathered crust, west Volynya, mineralogy: 3-3783. 3-2725. Ussurite, variety alkali basalt rocks: 3-3827. Washington, Frost Mountain area, Cascades: 3-2366. Basins. 3-271. Arctic basin, extension mid-oceanic ridge: 3-4002. Origin, history geologic thought: 3-4001. Arizona, Black Mesa basin, gas possibilities:

3-3472.

through 3-1761.

ity: 3-3257.

tact: 3-2244.

3-3599.

Safford basin, Graham County, geology: 3-1759

California, Pleistocene lakes, geomorphology,

mineral deposits: 3-3227. Santa Barbara basin, stratification Recent sed-iments: 3-3415. Gulf of Mexico, Orinoco, modern sedimentation: 3-1670.

India, Burhai Gondwana basin, Bihar, Talchir sedimentation: 3-1983.

Kentucky, Illinois basin, clay mineral sequence at

Mexico, Tampico-Misantla, Cretaceous-Tertiary con-

Montana, Three Forks basin, origin and development:

Mississippian-Pennsylvanian unconform-

Oklahoma-Arkansas, Arkoma basin growth, natural Texas, trace and minor elements, Woodbine subsurface waters, east Texas basin: 3-1614. U.S.S.R., Caspian Sea depression, recent tecton-Chelyabinsk lignite basin, stratigraphy and structure: 3-74. Donets, paleogeography, Carboniferous: 3-2922. Kazan-Sergievsk basin, origin: 3-4012 Kuznetsk coal basin, geology and tectonics: Tengiz and Karaganda basins, formation: 3-3639. U.S., Anadarko basin, oil and gas data: 3-1362. Green River basin, gas possibilities: 3-3475. Gulf Coastal basin, Louann salt, relation to Illinois basin, petroleum exploration: 3-2054. Michigan basin, geology and radioactive waste disposal: 3-3163. Paradox basin fold and fault belt, guidebook: Utah-Colorado, Uinta basin, gas exploration: California, Bald Rock batholith, Bidwell Bar, petrologic study: 3-1288. Sierra Nevada batholith, sequences granitic in-Colorado, Pikes Peak, structure, petrology: North America, Cordillera, ages of orogeny: Ontario, Cutler batholith, age measurements: Texas-Colorado, late Precambrian, petrotectonics and petrochemistry: 3-2365. U.S.S.R., Susamyr batholith, geochemistry gallium: U.S., western, Mesozoic, distribution uranium: Mineralogy deposits, Weipa, Queensland: 3-1933. Thorium, uranium, zirconium concentrations in: Titanium mineralogy and parent materials: 3-959. U.S.S.R., Kairak deposit, titanium content: Southern Urals, Mesozoic: 3-2041. U.S.-Europe deposits, comparison: 3-2417. Bay of Bengal, organic matter, marine sediments: Beaches. See also Changes of level; Glacial lakes; Shorelines; Terraces.
California, Santa Barbara, minerals: 3-907. Florida, erosion and protection: 3-1370. Maine, sediments, features: 3-1299. Massachusetts, Cape Cod area, studies, 1953-1960: 3-2187. Pennsylvania, Presque Isle Peninsula, Erie, erosion control: 3-1373. Rhode Island, mineralogy as indicator beach sand movement: 3-1305.
Sand, distinguishing from dune: 3-3406.
Svalbard, Nordaustlandet, radiocarbon dating, raised beaches: 3-4054. Texas, gulf shore Bolivar Peninsula, erosion control: 3-1374. U.S., Gulf Coast, texture and mineralogy, sands: 3-1304. Beaufort Sea, bathymetry: 3-3989. Belgian Congo. See Congo.

GEOSCIENCE ABSTRACTS

Benches. See Terraces.	Ontario, Cambrian-Quaternary geology, theses:
Bentonite.	3-2835. Precambrian geology, theses: 3-2836.
California, Otay deposit, San Diego County: 3-3448.	Pennsylvania geology to 1949: 3-3929.
Clay systems, viscosity of water in: 3-2704.	Petroleum and natural gas: 3-1351.
Drilling fluids, solids concentration effects:	Photointerpretation in geology: 3-348.
3-2711. Quebec, Grande Grève formation, Gaspé, Devonian,	Rare earths and monazite sands: 3-2778.
K-Ar age: 3-2254.	Rock analyses, Ireland: 3-251.
U.S.S.R., Oglanly, Caspian Sea: 3-1345.	Russian serials in translation: 3-3930.
Volcanic rocks, Cretaceous, Podoliya: 3-1639.	Salt domes: 3-1762.
Bering Sea, opal in marine sediments: 3-887.	Snow, ice and permafrost: 3-2902.
Bermuda.	Soils as factor in shoaling processes, literature
Caves, origin: 3-1424.	review: 3-1368.
Foraminifera, Recent planktonic, Sargasso Sea;	Svalbard, structural history: 3-4010.
ecology: 3-1186.	Symmetry concepts, structural analysis deformed
Paleosols: 3-3985.	rocks: 3-3244.
Partially drowned, late mature, Pleistocene karst:	Texas, eastern, middle Eocene: 3-3212.
3-1093.	U.S., Great Basin, Permo-Pennsylvanian strata:
Beryl.	3-4034.
Colorado, Hyatt Ranch pegmatite, Larimer County:	Great Lakes and drainage basins, 1950-1958:
3-1342.	3-2472.
Maine, Moody Mountain, Oxford County: 3-903.	U.S. Geological Survey publications on geology
Structure, position alkali metals: 3-2692.	radioactive deposits, 1942-1960:
Beryllium.	3-3873.
Better source needed: 3-4249.	Vertebrate paleontology: 3-482, 3-3268.
Canada: 3-625.	Washington, geology and mineral resources, 1937-
Field test, Morin fluorescence method: 3-1334.	1956: 3-660.
Greenland, minerals in pegmatites, nepheline sye-	Biogeochemistry.
nites, Ilimaussag: 3-2335.	Biogenic sulfides: 3-2674.
Idaho, prospecting: 3-3127.	Biogeochemical periodic table, data: 3-236.
In coals, U.S.: 3-3340.	Discussion and references: 3-237.
Isomorphous entry into crystalline mineral struc-	Biogeochemical sampling and determination niobium
tures: 3-882.	in plants: 3-3047.
Tanganyika, granitic rocks: 3-1248.	Botanical prospecting, ore deposits: 3-1698.
Transportation, role fluorine compounds: 3-2662.	Calcite in <u>Lesquerella</u> ovalifolia: 3-1615.
Bibliography.	Cobalt migration, importance mud microflora:
Alabama geology, 1935-1958: 3-659.	3-3792.
Arctic bibliography, v.9: 3-1013.	Health and geology: 3-893.
Arizona, ground water: 3-1680.	Organic matter; polypeptides and amino acids in
Paleontological literature, invertebrates:	fossils and sediments in relation to
3-1831.	geothermometry: 3-1616.
California, Cretaceous microfossils: 3-3302.	Origin oil and oil deposits: 3-3468.
Canada, geography, 1959: 3-3555.	U.S.S.R., nickel prospecting, Kola peninsula:
Periglacial phenomena: 3-3979.	3-2767.
Careers in engineering, mathematics, science: 3-2853.	Prospecting ore deposits, Tuva: 3-936.
Chert, origin: 3-3409.	Uranium, prospecting in marshy areas: 3-2766.
China, geological periodicals: 3-3931.	Biography.
Colorado, gold deposits: 3-3116.	Ivan Mikhaylovich Gubkin: 3-3559.
Conodonts, 1949-1958: 3-2947.	Charles Richard Van Hise, 1857-1918: 3-3172.
Dispersion surface waves and crustal structure:	Wesley Newcomb, 1808-1892, conchologist: 3-806.
3-2307.	Bioherms, Tennessee, stromatolitic bioherms, Cambrian Maynardville limestone: 3-3643.
Europe, late Pleistocene climate: 3-3216.	Birds. See Aves.
Exploration geophysics: 3-3314.	Bituminous rocks and sands.
Foraminifera, 1959, 1960: 3-2595, 3-2596, 3-2597.	Alberta, Athabasca tar sands, mining and ore dis-
Index to genera and species, 1890-1950: 3-4068.	posal: 3-981.
Pre-Carboniferous: 3-2598.	Athabasca tar sands project: 3-312.
Fossil vertebrates, 1949-1953: 3-3659.	Natural bitumens, occurrence, properties, uses:
Geobotanical method in geology, historical review	3-4267.
and present status: 3-2846.	U.S.S.R., intrusive massifs, Kola peninsula:
Geochemical prospecting abstracts, 1955-1957:	3-1249.
3-3106.	Black Hills, petrology, pegmatites, Keystone district
Geochemical techniques: 3-2020.	3-254.
Geochemistry carbonate sediments, sedimentary	Black sands. See Heavy minerals.
carbonate rocks: 3-540.	Black Sea, fluctuations in levels, postglacial: 3-82.
Geological periodicals: 3-3554.	Blastoidea.
Geomorphological Abstracts, v.1-in progress:	Deltoblastus, Permian, Timor: 3-2578.
3-1417.	Devonoblastus Reimann, type, Devonian: 3-2576.
Ground water, publications, U.S. Geological Sur-	Globoblastus Hambach, type species: 3-1156.
vey, Ground Water Branch; 1959: 3-607.	Nucleocrinus elegans Conrad: 3-1157.
Hafnium: 3-1341.	Orbitremites and Ellipticoblastus, type species:
Ion supply to inland waters: 3-3344.	3-1158.
Kentucky-Tennessee, Cumberland River valley, geol-	Philadelphia Academy of Natural Sciences, collec-
ogy, resources: 3-2469.	tion: 3-1155.
Microforms in print, guide: 3-2097.	Polydeltoideus, Silurian, Oklahoma: 3-2575.
Micropaleontology, Germany, 1959: 3-1178.	Ptychoblastus, new Mississippian, Missouri: 3-148
Poland: 3-1179.	Tricoelocrinus Meek and Worthen, type: 3-2577.
New York, glacial geology: 3-2903,	Bogs. See Organic terrain.
North American geology, 1958: 3-2468.	Bolivia, upper Yapacani River, geologic reconnaissanc
Ohio, Devonian-Mississippian shale sequence:	3-73.
011 shale and shale oil U.S. Burgan, of Mineral	Borates, U.S.S.R., supergene, in Cambrian dolomites,
Oil shale and shale oil, U.S. Bureau of Mines pub- lications, 1917-1959: 3-2062.	Aldan shield: 3-268.
Oklahoma geology, 1960: 3-2837.	Boron.
5 3da goordgy, 1300; 3-2037,	B ¹¹ B ¹⁰ ratio, Searles Lake borax: 3-3798.

```
Boron - Continued
    California, minerals of Boron: 3-2334.
                                                                                McMurdo Sound: 3-282.
    Geobotanical method prospecting: 3-3108.
                                                                    Kentucky, effect Greensburg oilfield brines on
    Geochemical method determining paleosalinity:
                                                                                streams, wells, springs, upper Green
                3-2707.
                                                                                River basin: 3-609.
     In clay minerals: 3-1901.
In rocks, paleoecological research tool: 3-1150.
                                                                    Manitoba: 3-2784.
                                                                    Oklahoma, salt springs, western: 3-2743.
    Neutron logging in prospecting: 3-861.
                                                                    Texas, Chambers and Richland creeks, Navarro Coun-
    U.S.S.R., distribution and formation conditions in
                                                                                ty: 3-1677.
                 endogenetic borates, skarn deposits:
                                                               British Columbia.
                 3-1344.
                                                                  Areas described.
Atlin map-area: 3-1058.
       Distribution in rocks, Urals: 3-2658.
       In rocks and skarn minerals, Vadimo-Aleksandrovsk
                                                                    Columbia River between Bluewater Creek and Mica
                                                                    Creek: 3-752.
Cretaceous rocks, Smoky and Pine rivers, Rocky
                datolite locality, Urals, U.S.S.R.:
                 3-2657.
Botany, Fossil. See Paleobotany.
                                                                                Mountain foothills: 3-427.
Bottom sediments. See Sediments; Submarine geology.
                                                                    Nelson map-area: 3-2495.
Boudinage, Mexico, sedimentary boudinage, Cretaceous
                                                                  Economic geology.
                limestones, Zimapan: 3-2370.
                                                                    Bannockburn basin, Lardeau-area, ore deposits:
Boulders, Montana, Flint Creek valley deposit: 3-3616.
                                                                                3-2787
Brachiopoda.
                                                                    Copper, Highland Valley, porphyries, breccias,
    Australia, lower Carboniferous faunas, Queensland:
                                                                                mineralization: 3-949.
                 3-1491.
                                                                    Dept. of Mines, annual report, 1959: 3-963
    Desmoinesia muricatina, Pennsylvanian Lenapah
                                                                    Lead-zinc, H.B. mine, Salmo district: 3-2032.
                 limestone, Oklahoma: 3-1163.
                                                                      Mineral King mine, Purcell Range: 3-1336.
    Dinobolus, Silurian, northern British Columbia:
                                                                      Reeves MacDonald operation, Salmo district:
                                                                                3-2033.
                 3-2267.
    Ingelarella and Notospirifer, Permian, Queensland:
                                                                      River Jordan, Revelstoke division: 3-4240. Toby Creek, Mineral King mine: 3-945.
                 3-1492.
                                                                    Magnetite, Lodestone Mountain stock: 3-954.
    <u>Lissatrypoidea</u> concentrica (Hall), Silurian, lec-
    totype: 3-134.
Mineralogy, 018/016 ratios, strontium and mag-
                                                                    Mineral deposits, Queen Charlotte Islands, geol-
                                                                                ogy and setting: 3-2788.
                                                                    Zinc, Revelstoke, Mastodon mine: 3-946.
                 nesium contents; history of oceans:
                                                                    Zinc and copper contents plutonic rocks, southern:
                 3-3347.
    Northwest Territories, Devonian: 3-496, 3-2269.
                                                                                3-2404.
                                                                  Engineering geology.

Landslide problem, highway construction: 3-657,
    Nova Scotia, Rhenish Lower Devonian, implications:
                 3-2268.
    Parathyridina mexicana n.sp., Jurassic, Mexico:
                                                                                3-2094.
                 3-3661.
                                                                  Geohydrology.
                                                                    Sumas, Chilliwack, Kent municipalities, ground-
    Productoidea, morphology, classification, life
                                                                                water resources: 3-2385.
                habits: 3-135.
    Pseudopunctate brachiopods, classification: 3-1490.
                                                                  Geophysics.
                                                                    Southern Rocky Mountain Trench area, gravity meas-
    Reticulatia, Belle City limestone, Pennsylvanian:
                                                                                urements: 3-4082.
                 3-2582.
    <u>Spirifer occiduus</u>, new name, geologic history: 3-1489.
                                                                  Historical geology
                                                                    Cretaceous, Gething and Bluesky formations, north-
    Terebratuloid genera, new, Permian, Australia:
                                                                                eastern: 3-797.
                                                                    Tertiary plant-bearing deposits, radioactive dat-
                3-3279.
                                                                                ing: 3-1828.
      Upper Paleozoic, new genera: 3-3278.
                                                                    Triassic, Rocky Mountains and foothills: 3-4041.
    Vagrania, new genus of family Atrypidae Gill,
                U.S.S.R.: 3-3660.
                                                                  Maps, Geologic.
                                                                    Chilliwack, surficial geology: 3-369.
    Yukon Territory, Permo-Carboniferous, index:
                                                                    Courtenay, surficial geology: 3-2112.
                3-2233.
                                                                    Fernie (west half), Kootenay district: 3-370.
Kechika, Cassiar district: 3-371.
Brazil.
    Early Mesozoic wind patterns from dune bedding,
                                                                    Prince George, Cariboo district: 3-3173.
               Botucatú sandstone: 3-3619.
                                                                    Ouesnel Lake region: 3-372, 3-3560.
    Leveling by rock-floor robbing: 3-458.
    Minor element abundance, Minas Gerais: 3-1606.
                                                                    Rabbit River region: 3-3561.
                                                                  Maps, Oil and gas
    Petroleum, further exploration useless: 3-2077.
                                                                    Oil and gas fields, discoveries: 3-2111.
    Pleistocene-Recent, supposed Pliocene Pebas beds,
                                                                  Mineralogy.
               upper Juruá river: 3-3265.
    Precambrian, age measurements, Minas Gerais: 3-3655.
                                                                    Volborthite, Vancouver Island, Quadra Island:
                                                                                3-3371.
                                                                  Paleontology.
Breccia.
                                                                    Ammonoid faunas, Triassic Pardonet formation:
    British Columbia, Highland Valley, copper mineral-
                                                                                3-3662.
                ization: 3-949.
                                                                    <u>Dinobolus</u>, Sandpile group, Silurian: 3-2267
    Columns associated with epigenetic ore deposits:
                                                                    Hyolithes, operculum and mode of life: 3-1497.
Salterian molting in trilobite Ogygopsis Walc.,
                3-3111.
    Indiana, Mississippian St. Louis limestone:
                3-3401.
                                                                                Cambrian: 3-2586.
                                                                  Petrology.
    Mineralized breccia pipes, significance: 3-2022.
                                                                    Halfway sand, Milligan Creek oil field, primary
    Montana, evaporite solution breccias, Mississippi-
                                                                    structures: 3-3400.
Ice River complex, differentiation trends: 3-1961.
                an: 3-3411.
    Newfoundland, Cow Head breccias: 3-265.
Ontario, Holleford crater, petrographic and geo-
                                                                  Physiography.
    chemical study: 3-3408.
U.S.S.R., Carboniferous limestone, Chernyshev
                                                                    Abandoned cirques, Alaska-Canada Boundary Range:
                                                                                3-3973.
                                                                    Commander Glacier, Purcell Range, advance, 1954-1960: 3-2174.
                ridge: 3-3845.
    Utah, breccia blocks (Mississippian), Welcome
                Spring area: 3-95.
                                                               Brown coal. See Lignite.
    Wyoming, Tertiary volcanic, origin Absaroka Moun-
                                                               Bryozoa.
                                                                    Alabama, Ordovician: 3-1452.
                tains, Yellowstone National Park:
                                                                    Batostoma, Anaphragma, Amplexopora, revision:
                3-2344.
```

Cryptostome, Ordovician and Silurian, Anticosti

Brines.

Antarctica, saline lakes and drill-hole brines,

```
Bryozoa - Continued
     ozoa - Continued
Island, Quebec: 3-1487, 3-2933.
Fenestrate, Mississippian, central Utah: 3-1488.
Mississippian Glen Dean limestone, Indiana:
                                                                              Santa Monica Freeway Viaduct, cast-in-hole piles:
                                                                                           3-2456.
                                                                              Santa Monica palisades slides: 3-336.
                                                                              Subsidence, San Joaquin Valley: 3-3164.
                  3-2581.
                                                                                Santa Clara Valley: 3-3541.
                  . See Construction materials; Granite;
Limestone; Sandstone; Marble.
Building stone.
                                                                                Wilmington subsidence ending: 3-2831.
                                                                           Geochemistry.
Bulgaria.
                                                                              Aqua de Ney, cold spring, chemistry: 3-3046.
B<sup>11</sup>/B<sup>10</sup> ratio, Searles Lake borax: 3-3798.
     Kyanite genesis in quartz veins: 3-4173.
Magmatism and distribution associated ore deposits:
                                                                           Geohydrology.
                  3-2726.
                                                                              Alameda County, salt water intrusion in ground-
     Petroleum, physical properties producing carbonate
                                                                                           water basins: 3-3422.
                   formations, northwestern: 3-3524.
                                                                              Butte Valley region, ground-water features: 3-2748.
Cadmium, U.S.S.R., geochemistry, Almalyk and Altyn-
                                                                              Clear Lake-Cache Creek basin, water resources:
                   Topkan mineralized areas, Karamazar
                                                                                            3-3850.
                  region: 3-3022.
                                                                              Ground-water quality, 1958: 3-3098.
Klamath River basin investigation: 3-924.
Calcite.
     Calcite-dolomite ratio, carbonate rocks, X-
analysis in determining: 3-1988.
                                                                              Lake and Colusa counties, ammoniated thermal wa-
       Sedimentary rocks, rapid determination: 3-2734.
                                                                                           ters: 3-2742.
     California, color centers, Crestmore blue calcite:
                                                                              Middle Mojave Valley area, water-well data: 3-1682.
                                                                              Mill Creek area, San Bernardino County, geology
                  3-1627.
     Colorado, sand-calcite crystals, Stoneham: 3-1262.
                                                                                           and ground-water hydrology: 3-925.
                                                                             Northeastern counties, water resources: 3-2387.
Quality ground water, 1957: 3-1326.
Salt- and fresh-water relationships, terminal
     Crystals, development dislocations: 3-1920.
     Dedolomitization, Permian Tansill formation, Texas-
                  New Mexico: 3-3844.
                                                                                           stream bars: 3-608.
     In carbonate rocks, determination: 3-1654. In <u>Lesquerella ovalifolia</u>: 3-1615.
                                                                              San Joaquin Valley, lower, water quality: 3-3427.
     Reorientation in limestone: 3-1443.
                                                                              Santa Ana River drainage area, land and water use
     Solution in aqueous solutions chlorides at high
                                                                                           survey, 1957: 3-2388.
                                                                              Santa Barbara County, water levels in observation
                  temperatures and pressures: 3-3005.
                                                                                           wells, 1959: 3-283.
     Twinning, formation dislocations: 3-3064.
U.S.S.R., pseudoclastic limestone, lower Carboniferous, Donets basin: 3-1656.
Calcium, determination in ocean water: 3-886.
                                                                              Sea-water intrusion, coastal ground-water basins:
                                                                                            3-3091 through 3-3095.
                                                                              Southern Coast Ranges, mineral composition stream
                                                                                            waters, geologic control: 3-2741
California.
    Basement wells, list: 3-799.
                                                                              Upper Feather River basin development: 3-3099.
     Division of Mines, report, 1958-1959: 3-1742.
                                                                             Willow Springs, Gloster, Chaffee areas, water-
well data: 3-1683.
     Pioneer oceanographic project: 3-2843.
     San Francisco Bay area, scientific resources,
handbook: 3-1376.
                                                                              Yucca Valley-Twentynine Palms area, water wells
                                                                                           and springs: 3-1681.
    Undergraduate research, landslides, Whittier Col-
                  lege: 3~349.
                                                                              Earthquake ground accelerations, El Centro (1934, 1940), Taft (1952): 3-3714.
  Areas described.
    Alvord Mountain quadrangle: 3-2501.
                                                                              Earthquakes, northern coastal region: 3-3712.
    Big Bend quadrangle, southwest quarter, geology
                                                                              Owens Valley, gravity and seismic study subsurface
                 and paleontology: 3-432.
                                                                                           structure: 3-1581.
                                                                             San Andreas fault, horizontal movement, determination: 3-158.
     Butte Valley region: 3-2748.
    Coast Ranges, northern: 3-2147.
And Klamath Mountains: 3-3201.
                                                                           Historical geology.
     Orchard Peak area: 3-433.
                                                                              Devonian-Mississippian, Quartz Spring area, Inyo
  Panoche Hills area, type Panoche, Cretaceous, guidebook: 3-1066.
Rogers Lake and Kramer quadrangles: 3-2502.
San Joaquin Valley, southern border, Kern County, guidebook: 3-3202.
Southern, guidebook: 3-760.
Economic geology.
Ball clays, Sierra foothills: 3-3449.
                                                                                           County: 3-475.
                                                                              Permian, Nosoni and Dekkas formations: 3-480.
                                                                           Maps, Geologic.
                                                                              Bouquet Reservoir quadrangle: 3-3187.
Kingman sheet: 3-3186.
                                                                              Lancaster quadrangle: 3-1034.
                                                                              Ukiah sheet: 3-55.
     Iron deposits, contact metasomatic: 3-2416.
    Mineral production, 1959: 3-2425.
Minerals industry, 1960: 3-3457.
                                                                              Westwood sheet: 3-2120.
                                                                           Maps, Miscellaneous
Yosemite Valley, Y
                                                                                                   Yosemite National Park: 3-2121.
    Otay bentonite deposit, San Diego County: 3-3448.
                                                                           Maps, Oil and gas.
    Petroleum, exploration, application foraminiferal
       paleoecology, San Joaquin Valley: 3-1184.
Oil fields, summary of operations: 3-3141.
                                                                              Oil and gas fields: 3-2490.
                                                                           Mineralogy.
       San Joaquin-Sacramento valleys and northern
                                                                              Boron, minerals: 3-2334.
                 coastal regions, oil and gas fields:
                                                                              Clay mineralogy, Mojave Desert playas: 3-3385.
                  3-3142
                                                                              Compilation mineral species: 3-4156.
    Silica and feldspar, San Diego region: 3-3446.
Uranium, Kern River area: 3-290.
                                                                              Crestmore, aluminian ludwigite, Crestmore: 3-2690.
                                                                                Blue calcite, color centers: 3-1627.
Ettringite ('woodfordite'): 3-3375.
 Engineering geology.
Approved engineer-geologists, Los Angeles Dept. of
                                                                             Mineral assemblage: 3-2722.
Heavy minerals, Lower Tertiary formations, Santa
                 Building and Safety: 3-2440.
    Black Butte dam, Stony Creek: 3-2453.
                                                                                           Cruz Mountains: 3-1266.
    California Association Engineering Geologists,
                                                                              Himalaya mine, tourmaline and pegmatite minerals:
                 program and abstracts, 1960 annual
                                                                                            3-1265.
                 meeting: 3-994.
                                                                              Lapis lazuli, San Bernardino mountains: 3-2721.
    Central Valley, disposal liquid radioactive waste: 3-2461.
                                                                              Lawsonite, pumpellyite, glaucophane schist, North
Berkeley Hills: 3-577.
    Courtwright and Wishon dams, underground outlet
                                                                              Minerals of California, supplement: 3-3822.
                                                                              Nobleite, hydrous calcium borate, Death Valley
                 works: 3-1734.
   Estuarial sediment transport, Mare Island Strait,
San Francisco Bay: 3-3922.
                                                                                            region: 3-4159.
                                                                              Rare earth pegmatite near Nuevo: 3-906.
   Relationship geologists and engineers, pla
public works projects: 3-2088.
                                                                              Santa Barbara, beach minerals: 3-907.
                                                    planning
```

Tephroite, in manganese deposits: 3-1631.

```
California - Continued
                                                                                New York Potsdam sandstone, petrology: 3-1995.
   Paleontology.
     Angiosperm fruit, Early Cretaceous 3-2612.
Bibliography, Cretaceous microfossils: 3-3302.
                                                                                North Dakota, Deadwood formation: 3-2919.
                                                                                Oklahoma, Lukfata sandstone, nature of underlying
      Coccolithophorids and related nannoplankton, Ter-
                    tiary: 3-2940.
      Coyotes, multivariate analysis, Pleistocene and
                   Recent: 3-492.
     Displaced Miocene marine molluscan provinces, San
Andreas fault: 3-466.
     Flightless goose, <u>Chendytes</u>: 3-2275, 3-3296.
Foraminifera, Eocene Sacate formation, Refugio
     Pass area: 3-3304.
Intertidal, coast: 3-2609.
Lacosteina paynei, Cretaceous: 3-2606.
Foraminiferal ecology, Orange County ocean sewer outfall: 3-2945.
      Gastropods, Pliocene, fresh-water, San Mateo Coun-
                   ty: 3-1495.
     Geomys, new Vallecito Creek Pleistocene; 3-3300.
Late Pliocene floras, east of Sierra Nevada: 3-495.
      Orbulina time surface, vindication: 3-2608.
      Paleocene vertebrate fauna, El Paso mountains:
                   3-2618.
      Paleoecologic molluscan geography, Pleistocene:
                    3-3273.
     Quartz Spring area, Devonian and Mississippian: 3-475.
      Rodent genus, new, Miocene Tick Canyon formation: 3-2276.
     Silicified Turbellaria, Miocene, Calico Mountains nodules: 3-2265.
Silicoflagellates, Cretaceous-Tertiary: 3-2279
Silurian trilobites, Klamath Mountains: 3-1505.
      Tortoises, Tertiary, western: 3-3293.
   Petrology.
     Bald Rock batholith, Bidwell Bar: 3-1288.
Charnockitic rocks, Santa Lucia Range: 3-601.
      Independence dike swarm: 3-1973.
      Intrusive ultrabasic rocks, metamorphic relation-
                    ships, Leech Lake Mountain, Mendocino
                    County: 3-2353.
      Jadeite-rocks, glaucophane schists, Angel Island,
                    San Francisco Bay: 3-603.
     Pleistocene algal pinnacles, Searles Lake: 3-1315. Salton Sea, sedimentation: 3-1992.
      Santa Barbara basin sediments, stratification con-
                    trolled by organisms and water charac-
                    ter: 3-3415.
      Sediments, Little Sycamore Beach, marine to non-
                    marine transition: 3-2371.
     Soda metasomatism, East-Shasta copper-zinc dis-
trict: 3-3830.
   Physiography.
      Algodones dunes, southeastern: 3-1777.
      Evolution landscape: 3-783.
      Lassen Volcanic National Park, avalanches, Chaos
                   Jumbles: 3-455.
      Late Pliocene physiographic history, east of
                   Sierra Nevada: 3-495.
     Pleistocene lakes, geomorphology, mineral deposits:
                   3-3227.
     San Joaquin basin, Sierra Nevada, geomorphology and
                   glacial geology: 3-84.
     Sierra Nevada, faulting and Pleistocene glaciation:
3-2177.
     Silt-clay dunes, Clark Dry Lake: 3-3230. Soils, erodibility: 3-2184.
  Structural geology.
     Basin Ranges, problem late Cenozoic structure: 3-2210.
     San Andreas fault, creep: 3-465.
Ecological method slip measurement: 3-466.
        North of San Francisco: 3-1107.
        Southern: 3-2198.
    Sierra Nevada, post-Pliocene uplift: 3-66.
Cambrian.
     Boreal regions, Canada, East Greenland, Svalbard,
                  Europe: 3-2221.
     Colorado, geologic history: 3-2151.
     Greenland, East: 3-4017.
     Indiana, Lawrence County, deep test well: 3-1808.
Montana, Cambrian-Ordovician boundary: 3-2222.
    New Jersey, dolomite, Warren County, petrography,
```

sedimentation: 3-1316.

rocks: 3-1123 Pennsylvania and bordering states: 3-2223. Tennessee, stromatolitic bioherms, Maynardville limes tone: 3-3643. U.S.S.R., ancient metamorphic rocks, metallogeny, Timan region: 3-1804. Yenisey range, stratigraphy and geologic history: 3-1807. U.S., Lake Superior region, paleogeographic evolution: 3-1145. Wisconsin, Franconia formation, cross-lamination studies: 3-1312. Arctic, geology, symposium: 3-3951 Bibliography geography, 1959: 3-3555. Exploration, Canadian Arctic Islands; methods, logistics: 3-4293. Geographical Branch studies, periglacial geomorphology: 3-779. Geological Survey of Canada: 3-341. Field methods and logistics: 3-4292. Geology-geophysics students, colleges and universities, 1959-1960: 3-666. Research in geological sciences, 1959-1960: 3-1377. Economic geology.

Aviation and mining industry: 3-930. Beryllium occurrences: 3-625. Diamond drilling industry, air transport: 3-2764. Geochemical prospecting, Cu, Pb, Zn, glaciated areas, eastern: 3-2406. Methods, glaciated Precambrian terrains: 3-935. Metallogenic provinces: 3-3882. Petroleum, Arctic, economic, physical factors: 3-2796. Developments, 1959, 1960: 3-980, 3-3479, 3-3480. Occurrence, recovery, western: 3-2063. Paleogeomorphology in exploration: 3-973. Pollucite (cesium): 3-2420. Engineering geology. Atlantic provinces, geology, effect on engineering construction: 3-2096. Muskeg, engineering progress: 3-1366. Permafrost investigations: 3-3978. Soil problems in mining, Precambrian Shield: 3-1367. Soils, symposium: 3-3234. Geochemistry. Elements in coexisting calcic pyroxenes, calcic amphiboles, biotites in skarns, Precambrian Shield: 3-1605. Geophysics. Aeromagnetic surveying, diurnal problem: 3-2970. Geophysical survey coverage: 3-2638. Gravity surveys, northern areas, new methods elevation control: 3-1210. Ground motion on arrival reflected longitudinal and transverse waves at wide-angle reflection distances: 3-3744. Meteorite craters, use gravity methods to study underground structure and impact energy: 3-3683. Natural electric and magnetic fields, western: 3-826. Upper mantle project participation: 3-3317. Historical geology.

Carboniferous, Maritime Provinces: 3-3254 Spore genera, Maritime Provinces: 3-3259 Jurassic-Cretaceous boundary, western: 3-2235. Potassium-argon time scale: 3-2253. Precambrian, marbles, "Archean," southern Canadian Shield: 3-2218. Maps, Aeromagnetic.

Gulf of St. Lawrence: 3-1, 3-352 through 3-368. Paleontology. Carboniferous, Maritime Provinces: 3-3254. Eurypterida, Phyllocarida, Decapoda: 3-487. Invertebrates, Cretaceous Mowry shale and contemporary formations, western interior: 3-152. Marine Triassic faunas, western: 3-2959. Micropaleontology, research status: 3-2277.

```
Canada - Continued
                                                                       Montana, evaporite solution breccias, Mississip-
    Mississippian ammonoids, northwestern: 3-1499.
                                                                                   pian: 3-3411.
  Physiography.
                                                                       Radium in carbonate shells: 3-888.
    Arctic, Pleistocene geology: 3-3972.
    Periglacial phenomena, literature review: 3-3979.
                                                                       Reactions produced by grinding: 3-527.
                                                                       Solubility, control by carbonate complexes: 3-1244.
    Permafrost, distribution: 3-780
                                                                       System CaCO<sub>3</sub>-MgCO<sub>3</sub>, subsolidus phase relations: 3-1886.
    Investigations: 3-3978. Soils, symposium: 3-3234.
                                                                       Texas, Recent oolites: 3-1303.
  Structural geology.

Boule and Bosche ranges, Rocky Mountains: 3-2211.
                                                                         Taylor to Glenrose, geologic section, Cretaceous, guidebook: 3-1073.
    Caledonian earth movements, western: 3-2207.
Northern, tectonic framework: 3-4005.
                                                                       U.S.S.R., precipitation hydrous calcium carbon-
                                                                       ate, lake Issyk-Kul: 3-243.
Utah, glacial Lake Bonneville, magnesium carbon-
Carbon, C<sup>14</sup> half life redetermined, news item: 3-894.
                                                                                   ate formation: 3-1990.
    In natural gases: 3-1607.
                                                                       Vein in limestone: 3-1314.
    Isotope fractionation during photosynthesis:
                                                                  Carboniferous. <u>See also</u> Mississippian; Pennsylvanian.
Alberta, correlations, Mount Greenock-Box Canyon:
                3-2331.
    Isotope studies, crude oils and porphyrin aggre-
                gates: 3-4142.
                                                                                    3-3589.
                                                                          Rocky Mountain group, Banff area: 3-2232.
Carbon dioxide.
    Atmosphere and hydrosphere, post-Precambrian geo-
                                                                          Tunnel Mountain-Rundle relationships: 3-3590
                                                                       Australia, Parry group, Tamworth-Nundle district,
New South Wales, petrology: 3-1322.

Canada, Maritime Provinces: 3-3254.

Significance spore genera: 3-3259.
    chemical history: 3-2999.
Geochemistry carbonic acid, granitic intrusions:
                 3-883.
Carbonate rocks.
    Aggregates, effect illitic clay on chemical sta-
                                                                       England, sedimentation, Derbyshire: 3-1306.
                 bility: 3-3538.
                                                                       Europe-North America, Westphalian-Stephanian
                                                                                   boundary, characteristics flora:
       Relationship pore-size distribution, other prop-
                erties to serviceability: 3-997.
                                                                                    3-3258.
    Alberta, Devonian limestone bank-atoli reservoirs,
                                                                       Greenland, central East: 3-4033.
                                                                       India, Talchir sedimentation, Burhai Gondwana
                Swan Hills area: 3-2374.
    Analysis for calcium, magnesium, iron, aluminum
                                                                                   basin, Bihar: 3-1983.
                with EDTA: 3-1989.
                                                                       Ireland, Waulsortian "reefs," carbonate mudbank
    Bulgaria, physical properties producing forma-
                                                                                   complex: 3-1816.
                 tions: 3-3524.
                                                                       Japan, lower and upper boundary: 3-478.
    Calcite-dolomite in, determination: 3-1654,
                                                                       North America and Europe, marine, correlation:
                3-1988.
                                                                                    3-3253.
    Canada, marbles, "Archean," southern Shield: 3-2218,
                                                                       Northwest Territories, Mackenzie District: 3-2921.
                                                                       Nova Scotia, Port Hawkesbury area: 3-3196.
    CO2 content, determination: 3-1252.
                                                                       Oklahoma, Boktukola syncline area, Ouachita
    Geochemistry, mineralogy: 3-536 through 3-540.
                                                                                    Mountains: 3-2508.
    Geophysical exploration, reservoir rocks: 3-3700.
                                                                       Scotland, Oil-Shale group limestones, Lothian and
    Ireland, Waulsortian "reefs," Carboniferous car-
                                                                                   Fifeshire, petrology: 3-1317.
                bonate mudbank complex: 3-1816.
                                                                       Svalbard, palynological reconnaissance, Vestspits-
    Kingston carbonate rock reaction, characteristics:
                                                                                    bergen: 3-1203.
                3-3537.
                                                                       U.S.S.R., Dnepr-Donets depression, paleogeography:
    Logs, carbonate reservoirs: 3-177.
                                                                                    3-2922.
    Microsonde diagrams in sections, interpretation:
                                                                         Donbas, change in thickness, coal measures:
                 3-3323.
                                                                                    3-1799.
    Mineralogical analysis by X-ray diffraction:
                                                                         Donets basin, facies environment coal measures
                 3-1259.
                                                                                   accumulation: 3-1817.
    Montana, columbium-rare earth deposits, southern
                                                                         Kama-Kinel depression: 3-1457.
                Ravalli County: 3-626.
                                                                         Limestone breccia, Chernyshev ridge: 3-3845.
Manrak range, Kazakhstan: 3-3646.
    Nevada Test Site, hydrologic significance core
holes: 3-3854.
                                                                         Northwestern Bashkiria: 3-3645.
    Ontario, niobium-bearing complexes east of Lake
                                                                         Stratigraphic differentiation by microfauna,
Donets basin: 3-1129.
Tuva, stratigraphy and lithology: 3-2553.
                Superior: 3-2419.
    Ore-bearing, uranium mineralization and porosity: 3-2030.
                                                                         Ukrainian crystalline massif, lithologic facies
    Porosity estimates from velocity logs, geological
                                                                                   description, carbonate series: 3-1818.
    factors: 3-2632.
Porosity, permeability, insoluble residue analysis:
                                                                         Volga-Ural district, relationship oil-source and
                                                                                    coal-bearing deposits; 3-3146.
                 3-1991.
                                                                       Yukon Territory, northern: 3-2233.
    Saskatchewan, lower Paleozoic, faunas:
                                                                  Caribbean Sea and region.
    Separation clay minerals by acid: 3-1976.
                                                                       Aruba, Bonaire, Curação, marine terraces: 3-2189. Dating deep-sea cores by Pa<sup>231</sup>/Th<sup>230</sup> method:
    U.S.S.R., Ukrainian crystalline massif, litho-
                 logic facies description, Carboniferous
                                                                                    3-1830.
                 series: 3-1818.
                                                                       Deep-sea sediment cores; sedimentation, Pleistocene
    U.S., central Appalachians, depositional environ-
                                                                                    chronology, pre-Pleistocene history:
                 ments: 3-4195.
                                                                                    3-1997.
Carbonates.
                                                                       Explorer bank, new discovery: 3-3990.
    Australia, sedimentation, Heron Island reef,
Great Barrier Reef: 3-3413.
                                                                       Geophysical measurements, crustal structure:
                                                                                   3-1585.
    California, Pleistocene algal pinnacles, Searles
                                                                       Isla Mona, geologic studies:
                                                                                                        3-3213.
                                                                       Orbitolina, Foraminifera: 3-3308.
Petroleum developments, 1960: 3-3522.
                Lake: 3-1315.
    Carbonate saturometer: 3-1882.
    Carbonate skeletons to limestones, problems:
                                                                       Role algae in formation beach rock, islands:
                 3-2373.
    Concretions, minor element content, arid zone: 3-3784.
                                                                                   3-913.
                                                                  Caroline Islands, Yap islands, military geology:
                                                                                   3-3550.
    Dedolomitization, Permian Tansill formation,
                                                                       tography. <u>See also</u> Geologic mapping.
Alaska, Mt. McKinley, history of cartographic
                                                                  Cartography.
                Texas-New Mexico: 3-3844.
    Germany, concretions, Karlicher loess profile:
                                                                                   project: 3-2474.
```

Azimuth without time: 3-2844. Contour interpolator: 3-1020.

3-1648.

Lattice constants, calcium-magnesium: 3-3361.

Geomorphic mapping: 3-442.	Endoceroid, size: 3-2935.
Landform map, technique: 3-2901.	Eutrephoceras eyerdami, Eocene, Washington:
Lunar charts, photo topography: 3-3932.	3-3282.
Lunar surface, photointerpretation: 3-3933.	Goniatites crenistria, Prolecanites warreni, Mis-
U.S., Public Land Survey Grid: 3-1022.	sissippian, northwestern Canada: 3-149
Western, mapping glaciers: 3-3219.	Major divisions: 3-3281.
atalogs.	Mooreoceras normale, Pennsylvanian, Oklahoma:
Basement wells, California and Nevada: 3-799.	3-2585.
Coastal Plain stratigraphic units, type locali-	Nautiloids, Middle Triassic, Egypt-Israel: 3-1498
ties: 3-472.	Ordovician Gorman and Honeycut, Texas: 3-2936.
Fossil spores and pollen, v.10, v.12: 3-1200,	Orthoceracone, orientation, Illinois: 3-261.
3-1201.	Placenticeras with feather structure, South Dakot
Indiana, well samples, Indiana Geological Survey	3-1501.
3-982.	Cesium.
Meteorites, U.S.S.R., Jan. 1959: 3-875.	Canada, minerals, prospecting possibilities:
Mining World, catalog, survey and directory num-	3~2420.
ber, 1961: 3-2762.	In chondrites: 3-1600.
Mollusks, described by Wesley Newcomb: 3-806.	Ceylon, ekanite, new metamict gem: 3-4176.
Ostracoda, v.14, v.15: 3-1522, 3-1523.	Changes of level. See also Shorelines; Terraces.
aves	Alaska, southeast: 3-2909.
Bermuda, origin: 3-1424,	Black Sea, postglacial: 3-82.
Collecting Pleistocene vertebrate fossils: 3-2938.	Eustatic changes sea level: 3-3313.
Colorado, Fulford cave, origin and development:	Gulf of Mexico, rise of sea level, northwest:
3-1428.	3-1669.
Formation, stream piracy theory: 3-3982.	Louisiana, Quaternary, late, radiocarbon dating
Hungary: 3-2524.	deposits: 3-1146, 3-1147.
Limestone, origin: 3-1422 through 3-1430.	Maine, southwestern, late Pleistocene: 3-2529.
Vertical shafts: 3-2522.	Netherlands Antilles, Aruba, Bonaire, Curação,
Norway, glacier caves, Svartisen: 3-3969.	marine terraces: 3-2189. North America, Great Lakes region, geophysical
Oklahoma, Alabaster Cavern: 3-80, 3-1092.	implications Viking exploration:
Virginia, Breathing Cave, origin and geologic re-	3-2293.
lations: 3-1426.	Prince Edward Island, drowned forests, eastern
West Virginia, Martens Cave, meteorological obser- vations: 3-2523.	coast: 3-3240.
ement materials, Oklahoma, cement company near Pryor:	Quebec, Anticosti Island, postglacial marine
3-1347.	overlap: 3-3222.
ementation, Tuscarora sandstone, Silurian: 3-1308.	Sea-level curves and continental glaciation:
enozoic.	3-3224.
Arizona, Alpine-Nutrioso area, Apache County:	Split bottom lowers seas: 3-3247.
3-4049.	U.S., Gulf Coast barriers: 3-1665.
Papago Indian Reservation: 3-1823.	Chelonia. <u>See</u> Reptilia.
Safford Valley: 3-1760, 3-1761.	Chert.
Stratigraphic and structural history: 3-1822.	Kansas, petrophysical characteristics, Mississip-
Volcanic rocks, Santa Cruz County, correlation:	pian "chat" Glick field: 3-315.
3-1958.	Origin, literature review: 3-3409.
Florida, central peninsula, surficial geology:	Chile.
3-762.	Antofagasta and Atacama provinces: 3-1075.
Post-Eocene rocks, regional lithostratigraphy:	Earthquakes, May 1960: 3-838, 3-1222, 3-1223.
3 - 767.	Jurassic, stratigraphy coastal range, Tarapaca
Italy, Plio-Pleistocene temperature analysis,	province: 3-115.
Calabria: 3-2170.	Late Pleistocene environments, Laguna de San
Mississippi, Pascagoula Valley, guidebook: 3-1068.	Rafael area: 3-451.
Mississippi-Alabama, guidebook: 3-1763.	Magnetite "flow," Laco area: 3-2782.
Montana-North Dakota, history: 3-1431.	Tierra del Fuego, geology, petroleum possibili-
Montana-Wyoming, Yellowstone National Park, stra-	ties: 3-321.
tigraphy and structural geology: 3-4044.	China.
South Carolina, Parris Island area: 3-1466.	Geological periodicals, bibliography: 3-3931. Geology, 1960: 3-1744.
U.S.S.R., Arctic: 3-4038.	Relations Chinese-Russian geologists: 3-4297.
Caucasian geosynclinal province: 3-1982.	Sciences, status of, symposium: 3-3926.
Wyoming-Colorado, Laramie Range: 3-2160. entral America, Middle America trench, topography,	Economic geology.
structure, seismic refraction studies:	Geological surveying and prospecting: 3-640.
3-2190, 3-2191.	Mineral resources: 3-664.
ephalopoda.	Petroleum, resources development: 3-2803.
Actinocamax, belemnites, Cretaceous, Kansas:3-3285.	Geohydrology.
Ammonite, Cretaceous, bitten by mosasaur: 3-143.	North China, ground water: 3-617.
Cretaceous, muscle attachment impressions:	Geophysics.
3-3284.	Intensity earthquakes: 3-842.
Ammonite successions, Cretaceous, Gulf Coast:	Seismic activity: 3-843.
3-2271.	Mineralogy.
Ammonites, Cretaceous, Colombia: 3-1165.	Pyrosmalite, Wafansi deposit: 3-3819.
Cretaceous, northern Alaska: 3-1500.	Paleontology.
Jurassic, Alaska: 3-3283.	Foraminiferal biofacies, south coast: 3-1520.
Canadian Arctic: 3-486.	Physiography.
Ammonoid faunas, Triassic Pardonet formation,	Salt accumulation, Sinkiang soils: 3-3237.
British Columbia: 3-3662.	Structural geology
Ammonoids, Permian, Australia: 3-4062.	Manchuria, north, tectonic system: 3-1448.
Arctoceras, Triassic, Spitsbergen: 3-2937.	China Sea, sediments, shallow portions: 3-2375.
Belemnoidea, Jurassic, paleotemperatures: 3-3217.	Chlorine, geochemistry stable isotopes: 3-3348.
Mesozoic, paleotemperature analyses, Australia	Chromite.
and New Guinea: 3-2171.	Chromium isotope content: 3-1617.
Germany and Poland: 3-1768.	
Binneyitidae Reeside, ammonite family, western	U.S., deposits in Piedmont serpentine, Maryland,

Chromium.
Acoustic relaxation: 3-3733.

3-1345.

```
Chamosite, Kimmeridgian, Caucasus: 3-1652.
Maykop formation, Azerbaijan, petrographic study: 3-1313.
     Geochemistry: 3-1588.
Cirques, Alaska-Canada Boundary Range, abandoned:
                                                                                Mineralogical composition, lower Cretaceous,
                  3-3973.
                                                                                           Caucasus: 3-1635.
Classification. See also Terrain classification.
                                                                                Russian platform, evolution chemical composition:
     Bedding in sedimentary rocks: 3-1977.
Birds, avian skull, mechanical implications,
                                                                                           3-915.
     bearing on evolution and classifica-
tion: 3-80.
Bogs and peats of North America: 3-3239.
                                                                             Washington, Palouse Hills: 3-3451.
                                                                             Wisconsin, chemical weathering layer silicate
                                                                                           clays, loess-derived Tama silt loam:
     Brachiopods, pseudopunctate: 3-1490.
                                                                                           3-2698.
                                                                            Wyoming, refractory-clay deposits: 3-4250.
     Cephalopoda, major divisions: 3-3281.
Coal beds, field description and sampling: 3-2082.
                                                                        Clay minerals and mineralogy.
                                                                             Adsorption non-ionic aliphatic molecules from
     Coals and coal-bearing sediments: 3-3641.
                                                                                           aqueous solutions on montmorillonite:
     Coasts: 3-460.
                                                                                           3-206.
       Florida: 3-1436.
     Cretaceous, U.S.-Mexico, Pacific Coast: 3-117.
Foraminifera, Indo-Pacific camerinids: 3-2602.
                                                                             Analysis, Chlorox used in preparation black shale:
                                                                                           3-1258.
                                                                             A.P.I. reference clay minerals, diffractometer
       Operculina and Operculinella: 3-2601.
     Hyolithids, systematics: 3-1482.
                                                                                          patterns: 3-4154.
                                                                             Bentonite drilling fluids, solids concentration effects: 3-2711.
     Igneous provinces, western U.S.: 3-2363.
     Igneous rocks: 3-1637.
     Aphanitic, for the student: 3-2341. Iron meteorites: 3-876.
                                                                             Bentonites, improving cesium selectivity by heat
                                                                             treatment: 3-3383.
Boron content: 3-1901.
     Landscape, geochemical principles: 3-2185.
                                                                             California, interlayer mixture, three types,
     Mammals, polyphyletic or monophyletic ancestry:
                                                                                          Hector: 3-585.
                  3-804.
                                                                               Mojave Desert playas: 3-3385.
     Ordovician, Cincinnatian beds: 3-1810.
     System, North America: 3-2224.
Pennsylvanian, Illinois: 3-795.
                                                                             Clays and clay minerals, proceedings 8th National
                                                                                          Conference: 3-2693.
     Phosphorite deposits: 3-291.
                                                                             Density separation in thallous formate solutions:
                                                                                          3-4175.
     Productoidea (Brachiopoda): 3-135.
     Pyroclastic flows: 3-3082.
Pyroclastic rocks: 3-1956.
                                                                             Diagenesis, petroleum formation: 3-976.
                                                                             Geochemical method determining paleosalinity:
     Relief forms: 3-3238.
                                                                                          3-2707.
     Reptilia and Mammalia, diagnosis of classes:
                                                                             Gibbsite vermiforms, Pensauken formation, New
                  3-805.
                                                                             Jersey: 3-2715.
Glauconite, nature and origin: 3-2717.
     Rhizopodea, suprageneric: 3-2942.
     Rock types, identification, engineering properties for highway construction: 3-2441.
Rocks, physical properties: 3-2068.
                                                                             Halloysite, fully-hydrated, Muswellbrook, New
                                                                                           South Wales: 3-586.
                                                                             Hawaii, rock weathering and clay formation: 3-912.
                                                                             Hectorite, synthesis: 3-2703.
Hectorite-guanidines and montmorillonite-guani-
     Rocks and mineral deposits, geometric classifica-
                  tion: 3-96.
     Silicates and other minerals with tetrahedral
                                                                                          dines, X-ray and infrared data: 3-2695.
     structures: 3-567.
Stratigraphic, megagroups, Illinois: 3-2260.
Structures on joint surfaces: 3-3630.
Therapsids as mammals: 3-803.
Wisconsin, glacial deposits, northeastern Ohio: 3-449.
                                                                             Homoinic clays and saturating NaCl solutions, dis-
                                                                                          tribution water and electrolyte: 3-2702.
                                                                             Illite and glauconite for dating sedimentary rocks
                                                                                          by potassium-argon method: 3-3052
                                                                             Imbibometry, for rapid identification: 3-2713. lowa, soils: 3-1613.
       Glacial stage, north central U.S.: 3-448.
                                                                             Japan, mica clay minerals, interstratified mix-
ture, Japan: 3-583.
Clay.

California, Otay bentonite deposit, San Diego
Country: 3-3448.

Clay systems, viscosity of water in: 3-2704.
                                                                             Kaolinite, correlations crystallinity with chem-
                                                                                          ical and physical properties: 3-2694.
     Clays and clay minerals, proceedings 8th National Conference: 3-2693.
                                                                               Electron-diffraction determination structure:
                                                                                          3-565.
     Colorado: 3-3880.
                                                                               Water vapor sorption: 3-2700.
       Cretaceous Dakota group, northern Front Range: 3-3263.
                                                                             Kentucky, clay mineral sequence, Mississippian-
                                                                                          Pennsylvanian unconformity, Illinois
     Compacted, mechanisms of swelling: 3-2444.
     Composition, properties, uses: 3-3077.
Device measuring tensions in water: 3-3152.
Evaluating for commercial utilization: 3-628.
Idaho, fireclays, Latah County, geology, mineral-
                                                                                          basin: 3-3257.
                                                                             Lattice expansion, with potassium acetate: 3-1927.
                                                                            Micas, potassium deficient, hydration properties:
                                                                                          3-2705.
       ogy, genesis: 3-2697.
Palouse Hills: 3-3451.
                                                                             Mixed-layer clay mineral associated with evaporite:
    Illinois, ceramic tests: 3-629.
Knox County, Pennsylvanian: 3-630.
Illitic, effect on chemical stability carbonate aggregates: 3-3538.
Indiana, refractory clays: 3-2786.
Kansas, montmorillonite, occurrence and bleaching
                                                                                          3-2709.
                                                                             Montmorillonite, adsorption ethylene glycol and
                                                                                          glycerol: 3-3384.
                                                                               Semiquinone cation adsorption as function of
                                                                                          surface acidity: 3-2710.
                                                                               Thermodynamics water adsorption and desorption:
                 properties: 3-631.
                                                                                          3-2699.
     Kentucky, analyses, 1957-1959: 3-632.
High-refractory, Hart County: 3-961.
                                                                             Muscovite, potassium-depleted: 3-2696.
                                                                             Ohio, Silurian Brassfield limestone: 3-3820.
     Maryland, production, 1960: 3-3905.
                                                                             Oklahoma, authigenic, Roger Mills County: 3-1270.
     Pennsylvania, high-alumina Mercer, relationship to
                                                                              Magnesium clay, Caddo County: 3-1269.
                  stratigraphy and petrography Pottsville
                                                                             Petroleum exploration, uses clay minerals: 3-299,
                  sandstones: 3-962.
                                                                                          3-2708.
     Puerto Rico, clay for lightweight aggregate:
                                                                            Properties, factor in shoaling processes: 3-1368.
                  3-2043.
                                                                             Rheological parameters and thixotropic behavior:
     Soil, mineralogical analysis: 3-2712.
                                                                                          3-3153.
     South Carolina, Coastal Plain: 3-3450.
                                                                            Separation from carbonate rocks by acid: 3-1976.
     Thin sections: 3-2733.
                                                                            Thermal analysis, differential, abnormal effect:
     U.S.S.R., bentonitic clays, Oglanly, Caspian Sea:
                                                                                          3-2714.
```

Three-layer, particle size as factor influencing

```
Clay minerals and mineralogy - Continued expansion: 3-584.
                                                                              Malyy Khingan range, Mesozoic: 3-2085.
     U.S.S.R., Maykop formation, Ozek-Suat region:
                                                                              Volga-Ural district, Carboniferous deposits:
                                                                                         3-3146.
                  3-1636.
       Miocene limestones, Black Sea region: 3-1634.
Odessa coast, Black Sea: 3-2339.
                                                                            U.S., coal fields, map: 3-1033.
                                                                              Future energy market: 3-645.

Minerals yearbook, 1959, v. 2: 3-964.

Reserves and resources, 1850-1975: 3-966.

Reserves to Jan. 1960: 3-4280.
     U.S., sediments desert lakes, Nevada, California,
                  Oregon: 3-2716.
        Upper Mississippi embayment, Cretaceous-Tertiary
                                                                            Utah, Oderville-Glendale area, map: 3-3583.
West Virginia, annual report, Dept. Mines, 1959:
3-343.
                   3-1950.
     Utah, argillic alteration, Helen claim, East Tin-
tic district: 3-2706.
                                                                              Production, 1960: 3-3533.
     Vermiculite-biotite mixtures, cation exchange be-
                                                                            Wyoming, Buffalo-Lake DeSmet area: 3-2511.
                   havior: 3-2701.
     West Indies, genesis soils, Tobago: 3-1434.
                                                                       Coal balls, Kansas, lepidodendrid stem, Pennsylva-
                                                                                        nian: 3-148.
     X-ray spectrochemical analysis, application to light elements: 3-549.
                                                                        Coal measures. <u>See</u> Coal.
                                                                        Coasts. See Shorelines.
 Cleavage, identification minerals: 3-1914.
 Climate. See also Paleoclimatology.
      Morphogenetic climates: 3-3961.
                                                                            In sea water, determination: 3-3040, 3-3041.
                                                                            Migration, importance of mud microflora: 3-3792.
      Role in oil genesis: 3-1356.
 Clinopyroxenes.
                                                                        Coelenterata.
                                                                            Conostichus, scyphomedusid jellyfish: 3-1154.
Hyolithids, systematics: 3-1482.
      Lattice constants: 3-560.
      Optical properties and specific gravity: 3-1949.
      Si-Al relation: 3-580.
                                                                        Coesite.
                                                                            Arabia, Wabar crater, Al Hadida: 3-1632.
 Coal. See also Lignite.
      Alabama, Pennsylvanian "coal measures," correla-
                                                                             In man-made diamonds: 3-3380.
                   tion: 3-4031.
                                                                        Collections.
                                                                            Blastoids, Academy of Natural Sciences, Philadel-
      Alberta, Clover Bar coal zone, Edmonton-Morin-
                                                                                          phia: 3-1155.
                   ville district: 3-2083.
      Cretaceous, Sheep Creek-Wildhay River: 3-748.
Antarctica, Mackay Glacier region: 3-647
                                                                             Foraminifera, Brady collection, British Museum:
                                                                                          3-1182.
                                                                               Challenger and Alfred Issler collections, Brit-
      Anthracite and meta-anthracite, X-ray reflec-
                                                                                         ish Museum: 3-1183.
                    tions: 3-557.
      Arizona, Cretaceous, petrographic study: 3-2084.
Arkansas, resources, 1954: 3-328.
Australia, Permian, carbon isotopic composition:
                                                                             Fossil mammals, Harvard, Museum Comparative Zool-
                                                                                         ogy: 3-2591.
                                                                             Mineral, fossil, and rock exhibits: 3-665.
                    3-4141.
                                                                        Colombia.
                                                                             Ammonites, Lower Cretaceous: 3-1165.
      Beryllium content, U.S.: 3-3340.
      Classification coals and coal-bearing sediments:
                                                                             Native palladium: 3-3813.
                    3-3641.
                                                                        Colorado
      Coal research organizations, activities, publi-
                                                                           Areas described.
                                                                             Colorado, geology, guidebook: 3-2148 through 3-2160.
      cations, directory: 3-4279.
Colorado: 3-646, 3-1716.
      Electrical properties: 3-4104.
Field description and sampling coal beds: 3-2082.
                                                                             Geological road logs: 3-2161.
                                                                             Little Cone quadrangle: 3-1067.
      Formation during Cretaceous: 3-3148.
Free radicals, origin: 3-3341.
Illinois, Anvil Rock sandstone and channel cutouts,
                                                                             Lower and Middle Paleozoic rocks, guidebook:
                                                                                          3-3955.
                                                                             Northquite district: 3-1400.
                                                                             Summitville district, San Juan Mountains: 3-295.
                   Herrin coal: 3-3150.
                                                                             Willow Creek Butte quadrangle: 3-2140.
         Pennsylvanian, Illinois basin: 3-3149.
         Shipping coal mines, map: 3-3571.
Strippable reserves: 3-3151.
                                                                           Economic geology.
                                                                             Beryl, Hyatt Ranch pegmatite, Larimer County:
                                                                                           3-1342.
       Indiana, Brazil quadrangles: 3-993.
                                                                              Clay deposits, uses, future: 3-3880.
          Terre Haute and Dennison quadrangles, map:
                                                                              Coal resources: 3-646.
Fluorspar depósits, Northgate district: 3-1400.
                    3-2122.
       lowa, seam in Cedar Valley formation: 3-1454.
                                                                              Gold deposits, guide; 3-3116.
Gypsum, Cleora mining district, Wellsville area;
       Japan, igneous intrusion into coal-bearing forma-
       tions, thermal metamorphism: 3-602.
Maryland, production, 1960: 3-3905.
Metamorphism, humic coal: 3-327.
                                                                                          3-3881.
                                                                              Mine geologist at Pitch uranium mine: 3-3441.
                                                                              Mineral resources: 3-1716.
       Mineral impurities: 3-326.
                                                                              Natural gas, Uinta basin exploration: 3-3474.
       Minor element content, northern Great Plains:
                                                                              Oil shale, Green River, oil yields: 3-1357.
                    3-3785.
                                                                              Piceance Creek basin: 3-3477.
Petroleum, developments, 1960: 3-3490.
       Montana, Birney-Broadus coal field: 3-329.
       Ohio, Monongahela formation and Dunkard group:
                                                                              Radioactive fluoritic sandstone, Wet Mountains:
                    3-1365
                                                                                           3-3875.
          Resources: 3-1364.
                                                                              Scheelite, Precambrian gneisses: 3-950.
        Oklahoma, mining and landscape modification:3-2533.
                                                                              Summitville district, San Juan Mountains: 3-295.
Tungsten mines; directory: 3-2036.
        Palynologic identification coal beds: 3-1202.
       Pennsylvania, fuel competition: 3-3906.
Petrography: 3-2438.
                                                                              Uranium, Foothills mine, Idledale district: 3-3443.
                                                                              Vanadium-uranium deposits, Rifle Creek area:
        Tennessee, industry: 3-3907.
                                                                                          3-2037.
       U.S.S.R., Aldan-Olekma watershed, classification
                                                                              Xenotime and monazite concentrations, petrography
                     coal-bearing formations: 3-2561.
                                                                                           and origin, Central City district:
          Coal-bearing deposits, Kuzbas, 1956 unified stratigraphic section: 3-2556.
                                                                                           3-3445.
          Donbas, change in thickness coal measures:
                                                                            Engineering geology.
                                                                              Pinot experiment, explosion in oil shale:
                     3-1799.
                                                                                           3-3160.
          Facies composition coal-bearing strata, Aldan-
                                                                            Geohydrology.
                     Olekma watershed: 3-116.
                                                                              El Paso County, Fountain, Jimmy Camp, Black Squir-
          Facies environment, Carboniferous coal measures accumulation, Donets basin: 3-1817.
                                                                                           rel valleys, records, logs, water-level measurements, analyses: 3-4211.
          Kuznetsk coal basin, geology and tectonics:
                                                                              Ground water in Ogallala and other consolidated
```

3-1077.

```
Colorado - Continued formations: 3-4213.
                                                                         Concretions: 3-1647.
                                                                        Dolomite and siderite, menilite series, Soviet
     Huerfano County, records and logs wells, analyses ground water: 3-4212.
                                                                        Carpathians: 3-2735.
Sulfide, in coal beds, Angren deposit: 3-259.
     Prowers County, wells and test holes, analyses
                                                                                    See Associations, etc.
                 ground water: 3-2749.
                                                                    Conferences.
    Public water supplies, 1959-1960: 3-4210.
Rocky Mountain Arsenal area, Denver, ground-
water contamination: 3-2001.
                                                                    Conglomerate.
                                                                        Indiana, Lower Pennsylvanian, Lawrence County,
                                                                                     mineralogy: 3-1267.
                                                                        Manitoba, Seal River valley, interglacial (?):
     Yuma County, wells and test holes, analyses
                                                                                     3-2248.
                 ground water: 3-2750.
                                                                        Michigan, sources Keweenawan conglomerates:
  Geophysics
                                                                                     3-1986.
     Airy-Heiskanen anomaly map and text: 3-2150.
                                                                        Ontario, Blind River, mineralized: 3-953.
  Historical geology.

Cambrian-Ordovician history: 3-2151.
                                                                    Congo.
                                                                        Gold, impregnation deposits, Moto area: 3-3118.
     Cretaceous: 3-2156.
                                                                           Relation structure to mineralization, Kilo-
       Dakota group, stratigraphy and clayrocks, north-
ern Front Range: 3-3263.
                                                                                     Moto mines: 3-3117.
                                                                                 See Associations, etc.
                                                                    Congresses.
    Devonian-Mississippian systems: 3-2152.
                                                                    Connecticut.
     Pennsylvanian: 3-2153.
       Saline facies, Paradox member, Hermosa forma-
tion: 3-796.
                                                                      Areas described.
                                                                         Naugatuck quadrangle: 3-2893.
                                                                        Wallingford quadrangle, surficial geology:
    Pennsylvanian-Permian: 3-2154.
                                                                                     3-2894.
    Quaternary, alluvium east of Front Range, Denver region: 3-1826.
                                                                      Engineering geology.
                                                                         Road embankment construction with rock and mixed
     Triassic, Sangre de Cristo Mountains: 3-1137.
                                                                                     material: 3-999.
    Triassic-Jurassic: 3-2155.
  Maps, Geologic.
                                                                      Maps, Geologic.
    Douglas Creek area, Dakota structure contour map, section: 3-1390.
                                                                         Avon quadrangle: 3-720.
                                                                         Norwich quadrangle: 3-3943.
                                                                         Uncasville quadrangle, surficial geology: 3-1036.
    Horse Draw area, Mancos B structure contour map,
                                                                        Windsor Locks quadrangle, surficial geology:
                 sections: 3-1391.
                                                                                     3-1035.
    Igneous and metamorphic rocks, uranium deposits:
                                                                      Mineralogy.

Spessartite garnet, Jail Hill, Haddam: 3-904.
                     3-56.
    Indian Hills quadrangle: 3-1053.
Mount Peale 4 SE quadrangle: 3-1053.
                                                                      Physiography.
                                                                                           southeastern, postglacial history:
                                                                         Pollen diagram,
  Mineralogy.
    Sand-calcite crystals, Stoneham: 3-1262. Vulcanite, new copper telluride: 3-2685.
                                                                                     3-1082
                                                                         Post-Harbor Hill-Charleston moraine, southeastern:
    Zoned smoky quartz, inference figures in single crystals: 3-3067.
                                                                                     3-447.
                                                                      Structural geology.
                                                                         Central, gravimetric and structural investigations:
  Paleontology.
Diptera, Tertiary: 3-488.
                                                                                      3-2212.
     Early Miocene rodents and insectivores: 3-1171.
                                                                         Connecticut Valley, Triassic rocks, history:
    Osteology, Mylagaulus laevis, fossorial rodent; 3-1177.
                                                                                      3-2213.
                                                                    Conodonts.
  Petrology.
                                                                        Bibliography and index, 1949-1958: 3-2947. Devonian correlations, Utah-Nevada: 3-105.
     Lamprophyre sill, differentiation, La Plata Moun-
                 tains: 3-598.
                                                                         Mississippian, Kentucky, Virginia, West Virginia:
    Mineral paragenesis, Precambrian rocks, Tenmile
Range: 3-256.
                                                                                      3-1521
                                                                         Wyoming, Bighorn Mountains, Upper Devonian:
    Pikes Peak batholith, north end: 3-2157
                                                                                      3-4070.
    Petrotectonics and petrochemistry: 3-2365.
Precambrian rocks, Platte Canyon, Kassler quad-
                                                                    Conservation.
                                                                        Kentucky, oil and gas conservation act, 1960:
                 rangles: 3-2158.
                                                                                      3-3497.
  Physiography.
                                                                         Utah, Rainbow Bridge National Monument: 3-339,
    Fulford Cave, origin and development: 3-1428.
                                                                                      3-2854.
    Laramie Range, Cenozoic geomorphic development: 3-2160.
                                                                    Construction materials.
                                                                                                 See also Granite; Limestone;
                                                                         Marble; Sandstone.
Caroline Islands, Yap Islands: 3-3550.
Earth manual, soils as foundations and construc-
    Quaternary sequence east of Front Range, Denver
    region: 3-2159.
Rocky Mountain National Park, glaciation, east
                                                                                      tion materials: 3-333.
                 slope: 3-77.
                                                                         lowa, highway construction materials, southwest-
  Structural
               geology.
                                                                                      ern: 3-3539.
    Joints, Precambrian rocks, Central City-Idaho
Springs area: 3-1788.
                                                                         Kansas, building stone: 3-636.
Mariana Islands, Tinian: 3-3549.
Ryukyu Islands, Ishigaki-shima: 3-2834.
    Pikes Peak batholith, north end: 3-2157.
Precambrian rocks, Platte Canyon, Kassler quadrangles: 3-2158.
                                                                           Miyako archipelago: 3-3547.
                                                                    Contact metamorphism. See Metamorphism.
    Radial dike swarms, patterns and origin, West
                                                                    Continental drift. See Earth crust.
                Spanish Peak and Dike Mountain: 3-1792.
Colorado Plateau.
                                                                     Continental shelf and slope.
    Fracture systems and tectonic elements: 3-789.
                                                                         Beaufort Sea, bathymetry: 3-3989.
    Grain-size distribution measurements, sedimentary
                                                                         California, possible pre-Pleistocene deep-sea
    rocks, geologic interpretation: 3-1993.
Jointing, Comb Ridge-Navajo Mountain area: 3-1110.
                                                                                      fans: 3-83.
                                                                         China Sea, sediments: 3-2375.
    Tectonic problems: 3-1115.
                                                                         Chukchi Sea, marine geology and bathymetry off
    Uranium belts, genesis: 3-2413.
                                                                                     Ogotoruk Creek, northwest Alaska:
    Uranium-vanadium and copper deposits, similari-
                                                                                      3-3988.
                                                                         Florida, western straits, submarine topography:
                 ties, Lisbon Valley area: 3-2414.
Columbium. <u>See</u> Niobium.
                                                                                      3-3622.
Concretions.
                                                                         Gulf of Mexico, northwest: 3-1657 through 3-1670.
    Carbonate, in Karlicher loess profile, Western
                                                                         india, east coast, organic matter in sediments:
                 Germany: 3-1648.
                                                                                      3-271.
      Minor element content, arid zone: 3-3784.
                                                                         Middle America trench, topography, structure,
```

Continental shelf and slope - Continued Meteorites, penetration mechanics: 3-2204. seismic-refraction studies: 3-2190, Moon, Copernican ray system, ballistics: 3-2537. 3-2191. Ontario, Brent crater, Algonquin park: 3-790. Sub-bottom reflection measurements: 3-198. Holleford crater, breccia, petrographic and U.S., Georges Bank off New England, bottom geochemical study: 3-3408. sediments: 3-3416. Probable meteorite crater, Precambrian, Holle-Mississippi submarine trench: 3-1437. ford: 3-4000. Continents. Oregon, Crater Lake, floor: 3-1272. U.S.S.R., Kaalijarv meteorite craters, Saarema Explosion studies continental structure: 3-3737. Rock magnetism as indication continental growth, island, Estonian S.S.R.: 3-2536. western Europe: 3-3692. Cretaceous. Convection currents. Alberta, Alberta group, Rocky Mountain foothills: Atlantic Ocean, heat flow through floor: 3-3757. Case for convection: 3-2540. 3-2236. Edmonton formation: 3-1139. Earth's mantle: 3-863. Minnes formation: 3-747. Copper. Sandstones, porosity reduction: 3-4196. Smoky River area: 3-811. Arizona, exploitation resources: 3-1338.
British Columbia, Highland Valley, porphyries, Alberta-British Columbia, Rocky Mountain foothills: breccias, mineralization: 3-949. 3-427. Colorado Plateau, Lisbon Valley, similarities, Arizona, dinosaur-bearing section, Empire Mountains: 3-1837.

Volcanic rocks, Santa Cruz County, correlation: 3-1958. uranium-vanadium and copper deposits: 3-2414. Cupriferous peat, embryonic copper ore?; 3-4241. In sandstone, distribution and geochemical cycles: Arizona-New Mexico, Cretaceous-Tertiary relation-ships: 3-1821. 3-3113. Mineralized breccia pipes, significance: 3-2022. Arkansas-Oklahoma, guidebook: 3-2500. New Mexico, intrusion and ore deposition: 3-941. British Columbia, northeastern, Gething and Blue-sky formations: 3-797. Peru, Calzada mine, contact metasomatic minerali-zation: 3-3119. California, bibliography microfossils: 3-3302. Cerro de Pasco mine: 3-2770. Type Panoche, Panoche Hills area, guidebook: Puerto Rico, Juncos quadrangle, map: 3-3193. 3-1066. Quebec, Cedar Bay mine, wall-rock alteration: Canada, western, Jurassic-Cretaceous boundary: 3-2235. 3-2769. Trace elements in organic soil as guide to ore: Coal formation: 3-3148. 3-2403. Colorado: 3-2156. U.S.S.R., Nittis-Kumuzhye-Travyanaya massif: Dakota group, stratigraphy and clayrocks, north-ern Front Range: 3-3263. 3-2772. Coprolites, Arizona, Rampart Cave, ecology Shasta Florida, Comanche section, Bend area, petroleum: ground sloth: 3-1176.
Coral reefs. See Bioherms; Reefs. 3-314. Greenland, East: 3-4043. Corals. See Anthozoa; Reefs. Mexico, boundary with Tertiary, Tampico embayment: 3-2243, 3-2244. Cores. Antarctic ice cap, spherules; 3-1602. Atlantic basin, deep-sea sediments: 3-1997. Difunta formation, Parras basin: 3-2245. La Peña formation, Foraminifera: 3-3305. Mexico-Texas, Comanche series, biostratigraphy: Contact printing, drill cores: 3-931. Craelius core orientator: 3-2763. 3-2239. Deep-sea, Atlantic-Caribbean, dating by Pa²³¹/Th²³⁰ method: 3-1830. New Mexico, San Juan basin: 3-1408, 3-1409. North America, western interior, youngest marine English Lakes, sediments, sulfur, carbon content: beds, age of <u>Triceratops</u> beds: 3-2240.

Northwest Territories, <u>Liard-Mackenzie</u> rivers region: 3-3262. 3-2666. North Dakota, Bottineau County: 3-2929, 3-2930. McKenzie County: 3-2927. Walsh County: 3-2926. Richardson Mountains: 3-1138, 3-4008. Sans Sault group, Mackenzie River, micropale-ontological zonation: 3-4069. Williams County: 3-2928. Pacific Ocean, preliminary Mohole project drill-Oklahoma, lignite in Red Branch member, Woodbine formation: 3-1140.

Tennessee-Mississippi, Ripley, Owl Creek, and Prairie Bluff formations: 3-1164.

Texas, Denton formation, paleoecology: 3-1477.
Purgatory Creek area, Hays and Comal counties: ing: 3-2534. Utah, Pleistocene, Great Salt Lake: 3-124. X-ray computer "fingerprints" rock samples: 3-2050. Corundum. Corundum and emery, properties, occurrence, min-ing: 3-4248. 3-1072. Taylor to Glenrose, guidebook: 3-1073. Walnut formation: 3-3649. Trinidad, boundary with Tertiary, benthonic Foram-Georgia localities: 3-3129. Cosmochemistry. <u>See also</u> Meteorites; Tektites. Age meteorites; radio emission, Jupiter: 3-3765. Cosmic dust, in Tertiary rock, Barbados, and luninifera: 3-2246. U.S.S.R., Danian deposits, Crimea: 3-119. Kassarma anticline, Aral Sea: 3-118. ar surface: 3-3769. Size and mass distribution: 3-4136. Mineralogical composition clays, Caucasus: Dust collected at high altitudes: 3-3768. 3-1635. Interplanetary matter; proceedings conference, 1960: 3-3006. Upper Amur region, volcanic formations: 3-1142. U.S., Gulf Coast, ammonite succession: 3-2271. Mississippi embayment, clay mineralogy: 3-1950. Solar system, age elements: 3-530. Spherules, Antarctic ice cap: 3-1602. Sedimentation: 3-263. Rocky Mountain region: 3-2237. Costa Rica. Upper Mississippi Valley, dispersal center, clastics: 3-4197. Foraminiferal localities: 3-3307. Miocene echinoids, Valle Central: 3-3277. Miocene Foraminifera, mollusks, barnacle, Valle Central: 3-3312. U.S.-Canada, western, Mowry shale and contemporary formations: 3-152. U.S.-Mexico, Pacific Coast, correlation: 3-117. Utah, boundary with Tertiary, mammalian-dinosaur remains: 3-2241.

Mesaverde group, Sunnyside: 3-798.

Wyoming, Mesaverde formation, Powder River basin: Arizona, Sunset crater: 3-3391. Canada, meteorite craters on Shield, use gravity methods for study: 3-3683. High explosive crater studies, tuff: 3-3912. Idaho, Craters of the Moon National Monument:

3-2724.

3-1141

```
Cretaceous - Continued
                                                                          Diamond, lamellar structure: 3-4152.
       Thermopolis shale, stratigraphy and micropale-
                                                                          Euxenite-polycrase and priorite-blomstrandine
       ontology: 3-2238.

Type Lance formation: 3-2242.
                                                                                       series: 3-3809.
                                                                          Ferrimolybdite, dehydration and rehydration, New
Crinoidea.
                                                                                       South Wales: 3-3063.
    Erisocrinids, regressive evolution: 3-133.
    Inadunate, Carboniferous, Oklahoma posterior in-
terradius: 3-1162.
                                                                          Fluorite, multi-form, Mexico: 3-554.
                                                                          Galena, crystal habit and trace element content:
    Mantikosocrinus castus, Bronaughocrinus figura-
tus, Mississippian, Oklahoma: 3-1160.
Paradelocrinus, Pennsylvanian, Oklahoma: 3-1159.
                                                                                       3-3777
                                                                            Plastic deformation: 3-3062.
                                                                          Garnet, synthetic, birefringence: 3-3070.
    Paragassizocrinus, Pennsylvanian, Oklahoma: 3-2580.
                                                                          Häggite and doloresite, crystal chemistry: 3-1919.
    Stephanocrinus Conrad, "pores": 3-1161.
                                                                          Hexagonal lattice parameters, direct determination:
                                                                                       3-4151
    Synbathocrinus? antiquus, Silurian, Oklahoma: 3-2579.
                                                                          Hurlbutite, crystalline structure: 3-1626.
                                                                          Hydromuscovite with 2M<sub>2</sub> structure: 3-556. Immersion liquids, arsenic tribromide, stability
Cross-bedding.
    Florida, Hawthorne formation, Mjocene: 3-1310.
Limestones, interpreting: 3-1300.
                                                                                       during storage: 3-4148.
    Texas, Upper Triassic Dockum group: 3-1311.
Wisconsin, Upper Cambrian Franconia formation:
                                                                          Infrared studies aragonite, calcite, vaterite
                                                                                       type structures in borates, carbonates,
                                                                          nitrates: 3-3359.
Interference figures of large crystals immersed
                 3-1312.
Crustacea, Montecaris lehmanni, Rhenish Devonian, systematic position: 3-1506.
                                                                                       in sphere of liquid: 3-546.
                                                                          Kaolin minerals, lattice expansion: 3-1927.
Crystallization.
                                                                          Kaolinite, correlations crystallinity with chemi-
    Albite in granitic rocks: 3-1967.
    Magnetite-pyroxene textures, basic rocks, Wichita
                                                                                       cal and physical properties: 3-2694.
                 mountains, Oklahoma: 3-1280.
                                                                            Electron-diffraction determination, structure
                                                                                       3-565
    Massachusetts, composition feldspars, crystalliza-
                                                                          Larderellite, X-ray study: 3-3065.
Lattice parameters, direct determination: 3-3360.
Laws isomorphism, distribution elements in miner-
                 tion history, granite-syenite complex,
    Salem: 3-2349.
Minerals, rate: 3-4155.
Minnesota, Endion sill, diabase-granophyre relations, Duluth: 3-2350.
                                                                                      als crystallizing from magmas: 3-3016.
                                                                          Lawsonite, false symmetry: 3-562.
    Montana, Stillwater complex, ultramafic zone: 3-1962.
                                                                          North Berkeley Hills, California: 3-577.
Lovozerite, structure: 3-563.
    Nephelines as temperature indicators: 3-3349.
Origin embayed quartz crystals, acidic volcanic
rocks: 3-599.
                                                                          Mcgovernite, complex arsenosilicate: 3-555.
                                                                          Mafic minerals, traprock intrusives, Norilsk
                                                                                       region, U.S.S.R.: 3-4187
    Pressure and temperature, from elastic effects
                 around solid inclusions in minerals:
                                                                          Metamict titanoniobates, X-ray studies: 3-242.
                                                                          Metarossite, crystal structure: 3-564.
                  3-3801.
    Pyroxenes, in differentiated Tasmanian dolerite:
                                                                          Mica, telescope for measurement optic angle:
                 3-4182.
                                                                                       3-3353.
    Quartz veins, recrystallization: 3-1279.
                                                                          Muscovite, electron-diffraction refinement of
                                                                          structure: 3-1926.
Narsarsukite, crystal structure: 3-1924.
    Residual characteristics crystallates associated
                 with ore deposits: 3-937.
Crystallography. See also Luminescence; Mineralogy;
                                                                          Nomograms for determining 20 from precession pho-
                 X-ray investigations.
                                                                                       tographs: 3-1915.
    Allevardite, structure: 3-3807.
                                                                          Optical crystallography, textbook: 3-3352.
                                                                          Orientite, Oriente Province, Cuba, optical crystallography: 3-1925.
    A.P.I. reference clay minerals, diffractometer
    patterns: 3-4154.
Anapaite, structure: 3-3066.
                                                                          Orthopyroxene with low optic axial angle, North
    Anisotropic ore minerals, rotation principles:
                                                                          Island, New Zealand: 3-3069.
Paracelsian, crystal structure: 3-3808.
                 3-3058.
    Anthracite and meta-anthracite, X-ray reflections:
                                                                          Plagioclase, high- and low-temperature: 3-241.
                 3-557.
                                                                          Planchet press and accessories for mounting X-ray
    Antimony, detection dislocation defects by etch
                                                                          powder diffraction samples: 3-3355. Potarite, crystal structure: 3-3059.
                 method: 3-3060.
    Baddeleyite, crystal structure: 3-1917.
                                                                          Proto-amphibole, new polytype: 3-579.
    Baotite, crystal structure: 3-1923.
                                                                          Pyroxenes, X-ray study exsolution phenomena,
    BaTiO3 single crystal, multiple growth twinning:
                                                                                       Skaergaard intrusion, Greenland: 3-2333.
                 3-553.
                                                                          Quartz, genetic significance hard mineral inclu-
    Benford plate in study interference figures: 3-4146.
                                                                                       sions: 3-3068
                                                                          Microisomorphism: 3-1921.
Rare-earth combinations type TRNb04, X-ray stud-
    Boulangerite, structural proposal: 3-1929.
    Brannerite: 3-552.
                                                                                       ies: 3-3810.
    Calcite, crystals, development dislocations:
                                                                          Reedmergnerite,
                                                                                             crystal structure refinement:
                  3-1920.
                                                                                       3-561
       Dislocations in twinning: 3-3064.
                                                                          Reflectivity measurements with Hallimond visual
    Calcium-magnesium carbonates, lattice constants:
                                                                                       microphotometer: 3-932.
                 3-3361.
                                                                          Rock sait crystals, deformation at elevated
    Clay mineral types, interlayer mixture, Hector,
                                                                                       temperature: 3-3061.
                 California: 3-585.
                                                                          Scapolite, X-ray method identification: 3-3362.
    Clinopyroxenes, lattice constants: 3-560.
                                                                          Silica, phase transformations, examined by X-ray diffraction: 3-1888.
      Optical properties and specific gravity: 3-1949.
    Cryptomelane: 3-525.
                                                                          Silicates, crystal chemistry: 3-559.
    Crystal chemical studies, substances with perov-
skite type structure and special die-
                                                                            Layer lattice, isomorphous substitution and
                                                                          infra-red spectra: 3-1922.
Spurrite, structure: 3-3071.
Strain-dependence of refractive index in crystals:
                 lectric properties: 3-1918.
    Crystal-structure analysis, theory: 3-3803. Use optical transforms: 3-3358.
                                                                                       3-3354.
    Crystal synthesis by refrigeration: 3-1916.
Cuspidine, in phosphorous furnace slag: 3-4174.
                                                                          Tectosilicates, infrared spectra: 3-566.
                                                                          Thermoluminescence measurements with rapid heat-
    Davidite, X-ray crystallography: 3-4153.
                                                                                       ing: 3-3364.
    Device for viewing X-ray precession photographs
                                                                          Tricalcium silicate hydrate, crystalline struc-
```

ture: 3-3806.

in three dimensions: 3-544.

Crystallography - Continued

U.S.S.R., future development: 3-551. Deserts. Uraninite, influence of admixtures on parameter Aerovisual geobotanical observations: 3-3171. of cell: 3-3804. Arabian Peninsula, geomorphology: 3-1091. Uranyl oxide hydrates, crystal chemical studies Geobotanical method in hydrogeologic studies: 3-558. 3-3088. Gravity surveys: 3-4080.

Deuterium, in natural water: 3-1625. Veatchite and p-veatchite: 3-1935. Wöhlerite-lavenite and rinkite-mosandrite groups: 3-3805. Devonian. Alaska, northern, De Long Mountains: 3-2550. X-ray diffraction technique, small samples: Alberta, facies analysis, Wabamun group: 3-104. 3-3057. X-ray powder diffraction camera: 3-3356. Jasper basin: 3-745. Reef sedimentation, Duhamel area: 3-2549. Swan Hills oil field, limestone reef reservoir: Zoned crystal, bulk composition: 3-3363. Crystals, calcite, reorientation in limestone: 3-1443. 3-4268. Australia, Parry group, Tamworth-Nundle district, Orientite, optical crystallography: 3-1925. Todorokite: 3-570. New South Wales, petrology: 3-1322. Tamworth group, New South Wales, petrology: Cyclothems. Illinois, Pennsylvanian, classification: 3-795. 3-1321. California, Quartz Spring area, Inyo County: Tennessee, Pennsylvanian marine: 3-262, 3-3837. 3-475. U.S.S.R., Lower Permian coal-bearing strata, Canada, western, Caledonian earth movements: central Pechora: 3-3839. U.S., Dunkard group (Pennsylvanian-Permian), 3-2207. Colorado: 3-2152. Pennsylvania, West Virginia, Ohio: Greenland, central East: 3-4025. 3-3836. lowa, coal seam, Cedar Valley formation: 3-1454. Utah-Colorado, saline facies, Paradox member, Magnetized rocks, laboratory studies: 3-3688. Hermosa formation: 3-796. Manitoba, Manitoba group: 3-2616. Czechoslovakia. Montana-Wyoming, Beartooth Butte formation, pale-Dillnite and relation to zunyite: 3-4172. ographic significance: 3-4027. Paleomagnetic investigations, igneous rocks: Nevada, eastern, Devonian-Mississippian boundary: 3-3693. 3-3252. Dams and dam sites. New Mexico, Sangre de Cristo Mountains: 3-107. California, Black Butte dam, Stony Creek: 3-2453. Northwest Territories, central Mackenzie River region: 3-4026. Courtwright and Wishon dams, underground outlet works: 3-1734.
France, Malpasset Dam failure, 1959: 3-1371, Ohio, shale sequence, literature survey: 3-2551. Ontario, Formosa reef limestone: 3-1537, 3-1814. Kettle Point formation: 3-4028. 3-2817. Idaho, Palisades dam and powerplant: 3-2091. Sylvania sandstone: 3-1813 Indiana, East Fork, Muscatatuck River: 3-2092. Pennsylvania, chamosite oolites, Harrisburg region: 3-1302. Monroe Reservoir: 3-1002. Kansas, Tuttle Creek dam, rolled shale and dredged sand: 3-1735. Quebec, K/Ar age Grande Grève bentonites, Gaspé: 3-2254. Landslide dams and nuclear explosives: 3-3915. Saskatchewan, Middle, misinterpreted: 3-2230. Manitoba, Kelsey generating station, dam and dikes, Nelson River: 3-1000.

Montana, Knowles and Perma dam sites, lower Flat-Stromatoporoid microstructures, widespread distribution, stratigraphic significance: 3-2264. head River: 3-334. Tennessee, Chattanooga shale and related rocks: New Brunswick, Beechwood earth-fill dam: 3-2090. 3-4029. Oregon, Bull Run No. 2, Portland: 3-100. U.S.S.R., Kama-Kinel depression: 3-1457. Saskatchewan, South Saskatchewan River dam: 3-2452. Kizel horizon, Birsk saddle: 3-1455. Texas-Oklahoma, sedimentation, Denison dam and Russian platform, paleomagnetic studies: 3-1852. reservoir, Red River: 3-1738. Shugurovo formation, Volga-Ural region: 3-1456. Washington-Oregon, John Day dam, Columbia River: Southeast Gorno-Altai: 3-3644. 3-2454. Yukon Territory, Whitehorse Rapids power develop-ment: 3-1001. Stolb island, Lena estuary: 3-106. Volga-Ural province, pelecypod assemblages, stratigraphic significance: 3-1127. Deformation. U-Pb age determination and Upper Devonian bio-Antarctica, Ross Ice Shelf: 3-3220. stratigraphy: 3-2257 Antimony, detection dislocation defects by etch Utah-Nevada, correlations: 3-105. method: 3-3060. Yukon Territory, Caledonian or Acadian granites: 3-4052. Experimental geology: 3-2195. Galena: 3-3062. Layered earth, by axially symmetric surface mass distribution: 3-2979. Diabase. Arizona, Magma mine, Superior: 3-1963. Probability assimilation rocks intruded by dia-Limestones from zones shattering, accompanying major faults: 3-1785. base: 3-1964. Indium and thallium content, W-1, determination by Quartzite, experimental data: 3-1786. new technique: 3-3779. Strontium content, W-1: 3-231. Relationship concentric longitudinal strain and concentric shearing during folding of Trace elements in W-1, colorimetric and polaro homogeneous sheets rock: 3-2196. Rock salt crystals, at elevated temperature: 3-3061. graphic determination: 3-3015. U.S.S.R., differentiated trappean massif, Padun Shear failure in anisotropic rocks: 3-3242.
Symmetry concepts in structural analysis deformed rocks: 3-3244. rapids, Angara river: 3-1643. Khyuta gabbro-diabase intrusion, Imangda river Thermodynamic theory of nonhydrostatically stressed solids: 3-1442. valley: 3-1965. West Bashkir: 3-911. Diagenesis. U.S., Appalachian tectonics: 3-2208. Chamosite clays, Caucasus, U.S.S.R.: 3-1652. Clay minerals, petroleum formation: 3-976. Diagenetic dislocations, bedding and layering, Basin Ranges, late Cenozoic structure: 3-2210. Viscous layers in oblique stress fields: 3-1784. Delaware, Sussex County, water resources: 3-2751.

Deltas. See also Mississippi delta.

Building and deltaic sequence: 3-1661.

Florida, offshore shoals, area of energy deficit,

Apalachicola River delta: 3-1780. ore-bearing rocks, Dzhezkazganskaya suite, U.S.S.R.: 3-1978. Diagenetic stratification: 3-1649. Dolomitization by seepage refluxion: 3-1309.

See Sedimentation.

Deposition.

Glauconite, nature and origin: 3-2717.

```
Diagenesis - Continued
                                                                       Ontario: 3-634.
Origin sedimentary: 3-2737
     Metabolites; origin petroleum hydrocarbons:
                                                                       Texas-New Mexico, Permian Tansill formation, de-
dolomitization: 3-3844.
     Mexico, Cretaceous limestones, Zimapan: 3-2370.
Sulfur isotope fractionation in diagenesis, Recent
sediments, northeast Venezuela: 3-238.
                                                                       U.S.S.R., concretions in menilite series, Carpatha
                                                                                    ians: 3-2735.
Diamonds. See Gems and gem materials.
                                                                          Donets basin, origin: 3-269.
Diapirs. See also Salt structures.
                                                                          Supergene borates, Cambrian dolomites, Aldan
    Northwest Territories, Axel Heiberg Island, gyp-
                                                                                    shield: 3-268.
                 sum: 3-3998.
      Gypsum piercement structures, Richardson Moun-
                                                                  Domes.
                                                                       England, spring domes in limestone, Lancashire:
                 tains: 3-3999.
                                                                                    3-3402.
Diatoms
                                                                       Kentucky, Goose Creek dome: 3-67.
     Dissolution silica from walls. 3-1904.
                                                                       Louisiana, Mississippi submarine trench, compari--
son with Iberian trough: 3-1437.
     Gulf of Mexico, Mississippi delta: 3-1662.
     India, Bengal delta, Recent: 3-1196.
                                                                       Moon, origin: 3-2535.
     Mexico, Gulf of California sediments: 3-1187.
                                                                       New Mexico, southeastern, Recent: 3-1111.
     Pacific Ocean, northwest, bottom deposits: 3-146.
                                                                       Wyoming, Kaycee dome, map: 3-3949.
Diatremes
    Arizona, San Carlos Indian Reservation: 3-1957.
                                                                  Drainage changes.
                                                                       Alberta, buried valleys, central and southern:
    Australia, layered, near Sydney, New South Wales:
3-4181.
Dictonaries, glossaries. <u>See also</u> Nomenclature.
Diamond dictionary: 3-247.
                                                                                   3-2910.
                                                                       Arizona, southeastern, origin drainage: 3-1781.
                                                                       New Mexico, Sacramento Mountains, drainage de-
     Glossary geology and related sciences, supplement:
                                                                                    velopment: 3-2532.
                 3-340.
                                                                       New York, glacial drainage, Syracuse-Oneida area: :
     Russian-English dictionary earth sciences: 3-2467.
                                                                                    3-78.
Differentiation. See Magmas and magmatic differentiation.
                                                                       South Dakota, age Soldier Creek, Buffalo County:
                                                                                   3-1438.
Dikes
                                                                       Texas, lower Fresno Creek area: 3-1439.
    California, Independence dike swarm: 3-1973.
                                                                       U.S.S.R., ancient drainage pattern, Kama basin:
    Colorado, West Spanish Peak and Dike Mountain,
                                                                                    3-86.
                                                                   Drift deposits. See Glacial geology; Quaternary.
                 radial dike swarms; 3-1792.
     Iceland, eastern, distribution, relation to struc-
                                                                   Dunes.
                 ture basalts: 3-594
                                                                       Arizona, Pleistocene cinder dunes, Cameron area:
    Montana, Smoky Butte intrusives, petrography and
                                                                                    3-3618.
                petrology: 3-1275.
                                                                       Barchan, movement measured by aerial photogram-
    Pakistan, rodingite dike, Hindubagh, mineralogy and petrology: 3-590.
                                                                                   metry: 3-3617.
                                                                       Brazil-Uruguay, Mesozoic wind patterns from dune
    U.S.S.R., diorite porphyry, xenoliths in, upper Yana region: 3-2729.
                                                                                   bedding, Botucatú sandstone: 3-3619.
                                                                       California, Algodones dune belt, southeastern: 3-1777.
      Eastern Donets basin: 3-255.
      Northern Kirghizia, age relations with post-
                                                                         Silt-clay dunes, Clark Dry Lake: 3-3230.
                 magmatic mineralization: 3-2024.
                                                                       Gravity surveys, desert areas: 3-4080.
      Paleozoic pseudoconglomerates, Karelia and Kola
                                                                       Kansas, western, development and grading: 3-782.
                 peninsula: 3-1640.
                                                                       Sand, distinguishing from beach: 3-3406.
Virginia, diabase, near Greenville: 3-3243.
Dinosauria. <u>See</u> Reptilia.
                                                                       Texas, clay dunes, Gulf Coast, marine and lagoonal
                                                                                    deposits: 3-3417.
Diorite, quartz, weathering, McMurdo Sound, Antarctica:
                                                                   Dunite, U.S.S.R., Borus range, origin: 3-1283.
                 3-3980.
                                                                   Earth (general).
Directories
                                                                       Deformation, by axially symmetric surface mass
    California, engineering geologists, Los Angeles:
                                                                                   distribution: 3-2979.
                 3-2440.
                                                                         Earth model, by surface pressures: 3-1568.
      Mineral producers, dealers, laboratories, 1959:
                                                                       Diastrophisms and spacing of discontinuities in
                 3-1742.
                                                                                    interior, relation to stations of planets: 3-1113.
      San Francisco Bay area, scientific resources:
                3-1376.
                                                                       Earth's wobble, atmospheric excitation: 3-3679.
    Coal research organizations, activities, publica-
                                                                       Expanding earth, energy requirements: 3-2962.
                tions: 3-4279.
                                                                       Expansion, scientists doubt: 3-501.
    Colorado, tungsten mines: 3-2036.
                                                                       Free oscillations: 3-1863, 3-3730.
    Films for earth science courses: 3-3558.
                                                                         Excitation by earthquakes: 3-1555.
    Kansas, oil and gas fields, northeastern: 3-2067.
                                                                                         3-1556, 3-1557.
                                                                         Observations:
    Michigan, mineralogical guide: 3-1268.
    Microforms in print, guide: 3-2097.
Mineral, fossil and rock exhibits: 3-665.
                                                                         Periods: 3-1224.
                                                                         Spheroidal: 3-3729, 3-3731.
    Mining World, catalog, survey and directory num-
ber, 1961: 3-2762.
Montana, mining enterprises, 1960: 3-2791.
New Mexico, oil and gas fields, southeastern:
                                                                       Geoid and world geodetic system based on gravi-
                                                                                    metric, astrogeodetic, satellite data:
                                                                                    3-3677.
                                                                       Geospheres and chemical properties atoms: 3-874.
                                                                       Gravitational field at higher elevations, numeri-
cal tables for studying: 3-3682.
                 3-3502.
    Quebec, operators and owners of mines and quarries:
                                                                       Gravitational potential: 3-3681.
                 3-3455
                                                                       Origin: 3-800.
    Scandinavian research institutions: 3-661.
                                                                         Thermal evolution: 3-1595.
    Virginia, mineral localities: 3-587
                                                                       Physics and chemistry of, v.4: 3-3313. Probing earth with nuclear explosions: 3-2992.
    West Virginia, coal mines, 1960: 3-3533.
Dolomite.
                                                                       Terrestrial consequences changes in solar luminos-
    Calcite-dolomite ratio, carbonate rocks, X-ray
                                                                                   ity: 3-3329.
                analysis in determining: 3-1988.
                                                                       Time interval between nucleosynthesis and forma-
      Sedimentary rocks, rapid determination: 3-2734.
                                                                       tion earth: 3-3763.
Torsional oscillations: 3-3732.
    Dolomitization by seepage refluxion: 3-1309.
    Florida, authigenic, in modern carbonate sediments,
                                                                       Volume change, significance for orogenesis: 3-471. World ellipsoid, news report: 3-1206.
    southern coast: 3-3843.
Geochemistry: 3-536 through 3-540.
In carbonate rocks, determination: 3-1654.
New Jersey, Upper Cambrian, Warren County, petrography, sedimentation: 3-1316.
                                                                   Earth, Age. See Geologic time.
```

Earth crust.

Antarctica, seismic observations: 3-3751.

Subject Index

	INDEA
th crust - Continued Are continents adrift: 3-1793.	Seismic waves from: 3-3717.
Asian continent to Pacific Ocean, structure; deep	Density and gravity variations: 3-3318.
seismic sounding: 3-3750.	Discontinuities in upper mantle indicated by re-
Caribbean Sea, Gulf of Mexico, seismic refraction	flected seismic energy: 3-2634. Magnetic field, origin: 3-1211, 3-2968.
profiles: 3-1585. Continental dispersion, theories: 3-3246.	Mantle, composition: 3-3747.
Continental structure, explosion studies: 3-3737.	Layer soft rock, source of volcanic effusions:
Convection: 3-2540.	3-4177.
Distribution chemical elements: 3-879. Earth's crust and upper mantle: 3-2633.	Upper: 3-2633. Structure: 3-3722.
Earth-tide records, interpolation: 3-162.	Wave guides: 3-1566.
Elements, distribution: 3-1897.	Weak layer: 3-3748. Mechanical properties and viscosity: 3-2963.
Folding, origin: 3-3631. Formation, energy consumed: 3-791.	Mohorovičić discontinuity, geochemical aspects:
Hawaiian ridge near Gardner Pinnacles, structure:	3-211.
3-521. Horizontal movement, determination: 3-158.	Nuclear explosions as seismic sources: 3-193. To determine structure: 3-1575.
Iceland, structure, seismic measurements: 3-3749.	Probing earth: 3-194.
Love waves, dispersion, continental and oceanic	Thermodynamic properties: 3-2318. Volcanology, current problems: 3-1955.
crust: 3-2309. Meteorites and earth's crust: 3-4137.	Farth temperature.
Mexican geosyncline, determination sedimentary	Atlantic Ocean floor, heat flow: 3-3757.
thickness by Rayleigh wave dispersion:	Convection, heat flow: 3-2540. In earth's mantle: 3-863.
3-2308. Middle America trench, seismic refraction studies:	Earth's volume change, significance for orogenesis:
3-2190, 3-2191.	3-471.
Mohole project: 3-2911.	Heat balance earth's core: 3-3756. Heat flow from differentiated earth: 3-2320,
Neutron flux: 3-2636. Ocean areas, geophysical investigation: 3-1847.	3-4126.
Ocean floor, rift: 3-470.	Solar luminosity changes, terrestrial consequences:
Sea floor drilled 2 miles down: 3-1795.	3-3329. Tectogenesis: 3-1444.
Under deep oceans: 3-2538. Origin: 3-1794.	Thermal evolution, earth: 3-1595.
Pacific Ocean, east Pacific rise: 3-1114.	Thermal history, earth: 3-862, 3-3755. U.S.S.R., geothermal regime, Georgian S.S.R.:
Tonga trench, crustal section: 3-2292. Phase transition at M, mechanism of geosynclinal	3-864.
subsidence: 3-1796.	Earthquakes.
Puerto Rico trench, deep-crust rock: 3-2916.	Alaska, Apr. 7, 1958: 3-511. Arctic basin: 3-4002.
Radio-wave propagation: 3-3322. Reflection plane SH waves: 3-1565.	Assismic design: 3-655, 3-656, 3-3918.
Seismic crustal studies, IGY, continental program:	California, northern coastal region: 3-3712. California-Nevada-Oregon, 1958: 3-183, 3-184,
3-1234.	3-185.
Marine program: 3-858. Structural units of igneous activity, "hearth	Chile, May 1960: 3-838, 3-1223.
zone!!: 3-1112.	Excitation free oscillations, earth: 3-1555, 3-1556, 3-1557.
Structure, dispersion of surface waves: 3-2307. Pacific and Indian oceans, from Rayleigh waves:	China, intensity: 3-842.
3-3727.	Seismic activity: 2-843. Circum-Pacific, mechanism from Rayleigh waves:
Role island arcs in development: 3-2915.	3-1554.
Utilization converted SP waves, local earthquakes, in study deeper crust: 3-2986.	Source functions obtained from long-period Ray-
Tectonic development: 3-1444.	leigh waves: 3-186. Determination stresses active at foci: 2-1226.
Thermal history earth: 3-862. U.S.S.R., structure, Central Asia, from explosion	Farthquake machine: 3-649.
records: 3-84/.	Earthquake-type disturbance, response simple structure: 3-3918.
H.S., crustal structure, Nevada Test Site-Kingman,	Effects on wells. New Jersey: 3-4205.
Arizona: 3-1582 Seismic investigation, Basin and Range province:	Flastic waves, determination energy: 3-122/.
3-522.	Energy determination: 3-2984. Engineering: 3-2459.
arth currents.	Window panel behavior under in-plane forces:
A-test clues: 3-1853. Alaska: 3-168, 3-169, 3-1550.	3-2832. Faults and earthquakes: 3-2197.
n internal origin: 4=7/99.	o-alogic conditions of occurrences: 3-510.
Diurnal variation disturbances observed by Soviet stations, IGY: 3-824.	1959 determination energy: 3-4903.
mss+ temperaphy and declody: 3-16/.	Ground motion, integrated velocity and displace- ment: 3-3714.
Effects caused by high-aititude atomic expressions.	1957-1959: 3-4111.
3-2298. Electric prospecting by telluric currents method:	list of shocks, July-Oct. 1960; seismological
3=83Tr	observatories: 3-2625. Local, location with electronic computer: 3-508.
Pc telluric field, time variations ellipticity and preferred direction: 3-1549.	Mechanism, determination: 3-3313.
a least on corthic electromagnetic field; 3-1540.	Investigation: 3-2306. S-wave studies: 3-3720.
Short-period variations, regional electromagnetic	u Ushaan Lake, Aug. 1959: 5-410/.
field: 3-827.	Fffect on Pennsylvania mine-water pools: 3-10/3
arth interior. Canadian participation upper mantle project:	Popular account: 3-512. Yellowstone: 3-3327.
3-3317.	Morocco, Agadir, Feb. 29, 1960: 3-1860.
Convention in mantle: 3-863. Core, diffraction elastic waves by earth core:	New Mexico, July 1960: 3-3713. Originating from volcanoes: 3-4179, 3-4180.
. 3-2631.	payleigh waves, phase velocity in period range
Heat balance: 3-3756. Inner, fundamental free mode: 3-1225.	100 to 400 seconds: 3=510.
Internal structure and composition: 3-3764.	Recording instrument, simplified: 3-3706.

```
Earthquakes - Continued
     Relationship between energy and maximum velocity
                                                                             U.S.S.R., Asselian-Sakmarian sea, southern Tatarii
                                                                                          evolutionary changes of salinity:
                  oscillations body waves: 3-3724.
                                                                                          3-3840.
     S waves, Alaska and other earthquakes: 3-515.
                                                                               Freshening Hauterivian sea, Ulyanovsk-Volga
       Focal mechanisms: 3-514.
       Long period character: 3-2627.
                                                                                          region: 3-130.
    Statistical distribution, tectonic structure seismic zones: 3-3711.

Tabulations, 1958-1960: 3-1220, 3-1221, 3-1222.

U.S.S.R., converted and reflected waves, Garm
                                                                              Mammoth epoch, northern Siberia: 3-3663.
                                                                       Economic geology. For areal, <u>see</u> subheading Economic geology under the states and countries s
                                                                                          see also Mineral deposits; the more important economic minerals.
      region: 3-845.
Gobi Altai, Dec. 1957: 3-1861.
Kamchatka, S waves and source mechanism: 3-513.
                                                                            Anion metasomatic replacement reactions: 3-300 Anisotropic ore minerals, rotation properties:
                                                                                                                               3-3002.
       Khait earthquake, 1949, Garm region: 3-840.
                                                                                          3-3058.
       Kola peninsula, Feb. 1960: 3-4108.
Makhachkala, March 1960: 3-2985.
                                                                            Archean-Proterozoic boundaries, economic aspects::
                                                                                          3-3861.
                                                                            Barren and productive intrusive porphyry: 3-1697,,
       Stalinabad region, 1955-1959: 3-4109.
                                                                                          3-3862.
       Tadzhikistan, features seismic process from
                                                                            Cockade textures, role replacement in origin: 3-1628.
                 study: 3-4110.
    Turkmeniya, 1957-1959: 3-4111.
U.S. insurance problems: 3-3710.
                                                                            Drill cores, contact printing: 3-931.
    Utah, Nephi region, Nov.-Dec. 1958: 3-2626. Waves, instrumental determination energy: 3-4112.
                                                                            Ferrous and nonferrous metal ores, laws governing;
                                                                                         regional geologic occurrence:
                                                                                                                               3-4232.
                                                                            Geologist's role modern exploration: 3-4231.
East Indies. See Indonesia.
                                                                            Index, Annotated Bibliography Economic Geology,
Echinodermata, \frac{\text{Pentremitidea}}{3-484}. \frac{\text{filosa}}{3} Whiteaves, Ohio:
                                                                                         1928-1954: 3-4233.
                                                                            Metallogenic provinces and ore districts, types of: 3-4237.
Mineral rights: 3-3440.
Echinoidea, Miocene, Costa Rica: 3-3277.
Eclogite.
    Diamond-bearing xenolith: 3-3821.
                                                                            Minerals economics, studies: 3-2401.
Mining legislation and law of discovery: 3-3105.
    U.S.S.R., rutile-bearing, southern Urals: 3-624.
Ecology.
                                                                            Ore minerals, reflectivity measurements with Hal-
    Arizona, Sonoran desert, early Pleistocene paleo-
                                                                                          limond visual microphotometer: 3-932.
                 climatic record: 3-777.
                                                                            Ore search, progress and problems: 3-1694. Palynology as tool: 3-2955. Patterns to ores in layered rocks: 3-3865.
    Biogeocoenosis, ecosystem, and facies: 3-3963.
    Boron content rocks, new research tool: 3-1150.
    California, displaced Miocene molluscan provinces,
                 San Andreas fault: 3-466.
                                                                       Educational. See also Manuals, handbooks, etc; Popular
    Pleistocene molluscan geography: 3-3273.
California-Nevada, late Pliocene floras, east of
                                                                                          geology; Textbooks.
                                                                            Bibliography, careers in engineering, mathematics, science: 3-2853.
Earth science enrollment and employment situation:
                 Sierra Nevada: 3-495.
    Cladoceran remains, lake sediments, Wisconsin,
                  ecological significance: 3-1151.
                                                                                          3-3938.
    Florida, Miocene Choctawhatchee deposits, Alum
                                                                            Earth science in school science programs: 3-1747
    Bluff: 3-3274.
Flower evolution, phyletic: 3-3272.
Foraminifera, intertidal, California and Oregon
                                                                            Engineering geology, teaching and practice: 3-2087
                                                                            Enlarger as copy camera: 3-2475.
                                                                            Field classification aphanitic igneous rocks for
                 coasts: 3-2609.
                                                                                          the student: 3-2341.
                                                                            Field geology for advanced student: 3-2477. Films for earth science courses: 3-3558.
       Nearshore, Martha's Vineyard, Massachusetts:
                  3-2610.
       Ocean sewer outfall, Orange County, California:
                                                                            Geological engineering curricula: 3-2439.
                  3-2945.
                                                                            Geological perspectives: 3-2479.
       Recent: 3-2281.
                                                                            Geology, National Boy Scout Jamboree, 1960: 3-338.
                                                                            Geology degrees, 1950's: 3-2851.
Geology-geophysics students, colleges and univer-
       Recent planktonic, Sargasso Sea, Bermuda:
                  3-1186.
    Foraminiferal biofacies, south China coast:
                                                                                         sities, U.S. and Canada, 1959-1960:
                  3-1520.
                                                                           Introductory geology, final examination, labora-
tories: 3-1024.
    Foraminiferal paleoecology: 3-1184.
    Gulf of Mexico, foraminiferal faunas, Heald Bank: 3-1185.
                                                                            Mineral, fossil and rock exhibits: 3-665.
Mineral properties, principles, and explanations:
       Marine macro-invertebrates: 3-1668.
       Sedimentary patterns microfaunas, northern:
                  3-1667.
                                                                            Mineral resources for general college student:
    Kansas, bacteria, Permian Wellington salt: 3-1531.
Paleolimnology, Harvey and Sedgwick countles:
                                                                                         3-2400.
                                                                            Minerals for physical geology laboratory: 3-1025.
                  3-4057.
                                                                            1960-1961 student enrollment survey, U.S. and
    Kentucky, Wisconsin molluscan faunas; Jefferson
                                                                                         Canada: 3-2852.
    County: 3-807.
Mississippi, faunal characteristics, barrier is-
                                                                            Oceanographers in U.S., aducation and recruitment:
                                                                                         3-2106.
                  land, Horn Island: 3-1538.
                                                                            Oklahoma, common minerals, rocks, fossils: 3-1375.
    Mississippi delta, phytoplankton production:
                                                                            Opportunities in geology and geological engineer-
ing, career booklet: 3-1029.
                  3-1662.
    Mollusca, nonmarine Pleistocene, Ohio, methods study: 3-2270.
                                                                            Stream table, classroom: 3-1026.
                                                                            Student training for summer field course: 3-1023.
    Ontario, paleoecological interpretation, Middle
                                                                            Summer institute in earth science and mathematics
                 Ordovician stratigraphy: 3-2225.
                                                                                         for secondary school students: 3-2478.
    Ostracoda, marine, environmental boundaries:
                                                                            Topographic map interpretation, teaching: 3-1027.
                  3-1192.
                                                                           TV geology teaching: 3-2476.
U.S.S.R., soil and foundation engineering: 3-3543.
       Recent, Bairdinae: 3-1191.
       Recent, west coast Florida: 3-1525.
                                                                           University of Malaya geology department: 3-3939.
    Pleistocene marine species, environmental inter-
                                                                            Virginia Polytechnic Institute, Recent sediment
                pretation: 3-483.
                                                                           studies, 1960: 3-2367.
Whittier College, California, undergraduate re-
    Shasta ground sloth, southwest U.S.: 3-1176.
Texas, Cretaceous Denton formation: 3-1477.
                                                                                         search on landslides: 3-349.
    Tortoises, Tertiary, western North America:
                 3-3293.
                                                                           Anthropoid frontal bone, Oligocene: 3-1173.
```

```
Egypt - Continued
     Archeology and geology, ancient Egypt: 3-1081.
                                                                                          ities: 3-2806.
                                                                             Drilling and blasting symposium, 10th, 1960, pro-
     Farafra oasis, geology and micropaleontology:
                                                                                         ceedings: 3-3535.
                 3-2953.
                                                                             Earth manual, soils as foundations and construc-
     Foraminifera, lower Carboniferous, Western Desert:
                   3-2603.
                                                                                          tion materials: 3-333.
     Middle Triassic nautiloids, Sinai: 3-1498.
                                                                             Earth vibrations from pile-driving: 3-2449.
     Oil fields: 3-992.
Pleistocene shorelines, Arabs' gulf: 3-462.
                                                                             Earthquake engineering: 3-2459.
Earthquake machine, Caltech: 3-649.
                                                                             Electrochemical induration weak rocks: 3-3154.
     Radioactivity in monazite, zircon, and "radioac-
                                                                             Engineering geology data, physical properties rocks, use Mohr's Circle: 3-2086.
                   tive black" grains, Rosetta: 3-2779.
     Tectonic framework, influence on distribution,
                  Foraminifera: 3-1119.
                                                                             England, Dover-Calais railway tunnel: 3-651.
                                                                             Erosion prevention, below reservoirs: 3-1005.
     Uranium, radioactivity and Tertiary volcanic ac-
                   tivity: 3-3115.
                                                                             Fiorida, nuclear reactor site locations: 3-654.
                                                                             Foundation heaving in shale, Ohio, Lake Erie re-
Engineering geology. See also Landslides; Radioactive
                                                                                          gion: 3-996.
                  waste.
     Alaska, Cape Thompson region, geologic investiga-
                                                                             Fracture patterns in rock, graphical statistical
                   tion: 3-2833.
                                                                                          analysis: 3-332.
                                                                             Fractures caused by explosions and impacts: 3-3157.
        Foundations in permafrost: 3-2816.
        Jet drilling, Fairbanks area: 3-2810.
                                                                             Fracturing rock salt by contained high explosive:
        Timber piles in permafrost, Kotzebue: 3-2093.
                                                                                           3-1732.
                                                                              France, Malpasset Dam failure, 1959: 3-1371,
     Arizona, ground water and drainage, Yuma Valley
                   region: 3-1372.
                                                                                          3-2817.
     Arkansas, Red River at Garland City, bridge protection: 3-4289.
                                                                              Geophysical methods: 3-3909.
                                                                              Georgia, ground disposal liquid radioactive
     Aseismic design, earthquake-type disturbance, re-
                                                                                          wastes into crystalline rocks: 3-2462.
                                                                             Geotechnique, new word, old science: 3-3534.
Greenland, seismic refraction soundings in permafrost, Thule: 3-4121.
                  sponse simple structure: 3-3918.
        Effect of stiffness taper: 3-656.
        Multistory, yield displacements: 3-655.
     Bases and foundations on frozen soil: 3-3544.
                                                                              Guam: 3-1010.
     Block caving mining, application nuclear explosives: 3-998.

British Columbia, landslide problem, highway con-
                                                                              Highway construction, rock types, identification,
                                                                                          engineering properties: 3-2441.
                                                                              Highway engineering geology, symposium: 3-1370.
Hugoniot equation of state of rocks: 3-3155.
Idaho, Palisades dam and powerplant: 3-2091.
        struction: 3-657, 3-2094.
Reconnaissance Columbia River between Bluewater
                                                                              Illinois, soils, Atterberg limits, relationships
to other properties: 3-995.
                   and Mica creeks: 3-752.
      California, approved engineer-geologists, Los
        Angeles: 3-2440.

Black Butte dam, Stony Creek: 3-2453.

Courtwright and Wishon dams, underground outlet
                                                                                Underground storage natural gas: 3-3161.
                                                                              India, ground-water control, Neyveli lignite field, Madras: 3-2819.
                                                                              Indiana, dam sites, East Fork, Muscatatuck River:
                   works: 3-1734.
        Land subsidence: 3-3164.
                                                                                           3-2092.
        Program and abstracts, 1960 Annual Meeting,
California Association Engineering Geologists: 3-994.
                                                                                Marion County, subsurface materials: 3-3914.
                                                                                Monroe Reservoir, dam site and spillway areas:
                                                                                           3-1002.
                                                                              lowa, highway construction materials, southwest-
        Radioactive waste disposal, Central Valley:
                                                                                           ern: 3-3539.
                   3-2461.
                                                                              Italy-France, Monte Bianco tunnel: 3-2809.
        Santa Clara Valley, subsidence: 3-3541.
                                                                              Kansas, Tuttle Creek dam of rolled shale and dredged sand: 3-1735.
        Santa Monica Freeway Viaduct, cast-in-hole piles
                   used: 3-2456.
                                                                              Kentucky, soil temperature variation, Lexington:
        Santa Monica palisades slides: 3-336. Wilmington subsidence ending: 3-2831.
                                                                                           3-2442.
                                                                              Kingston carbonate rock reaction, characteris-
      Canada, Atlantic provinces, geology and engineer-
                                                                                           tics: 3-3537.
        ing construction: 3-2096.
Permafrost investigations: 3-3978.
                                                                              Labrador-Ungava, permafrost investigations,
Schefferville region: 3-2815.
        Precambrian Shield, soil problems in mining:
                                                                              Lake Erie, bottom deposits, Ohio waters: 3-2466.
                   3-1367.
                                                                              Loess, engineering properties: 3-3540.
        Soils, symposium: 3-3234.
                                                                              Louisiana, dewatering Port Allen lock excavation:
      Carbonate aggregates, effect illitic clay on
                                                                                           3-1737.
                   chemical stability: 3-3538.
                                                                                   Hydraulics, Southwest Pass, Mississippi River 3-1739.
         Relationship pore-size distribution and rock
                   properties to serviceability: 3-997.
                                                                              Manitoba, Kelsey generating station, dam and dikes,
Nelson River: 3-1000.
      Caroline Islands, Yap Islands, military geology:
                   3-3550.
                                                                                 Lake Winnipeg, Grand Rapids water power develop-
      Clays, rheological parameters, thixotropic behavior: 3-3153.
                                                                              ment, grout curtain: 3-2455.

Muskeg and road work: 3-2445, 3-2446.

Pier-supported building over permafrost: 3-1733.

Marble, comparative study, explosives: 3-4282.

Mariana Islands, Tinian, military geology: 3-3549.
      Coastal engineering, proceedings, 7th conference, 1960: 3-3165.
      Colorado, Pinot experiment, explosion in oil
                   shale: 3-3160.
                                                                               Mining engineering, geologic aspects: 3-2818.
      Compacted clay, mechanisms swelling: 3-2444.
      Compacted soil, effect of rate of strain on strength: 3-2443.
                                                                               Mont Blanc tunnel, Italy-France: 3-1004.
                                                                               Montana, Knowles and Perma dam sites, lower Flat-
                                                                                           head River: 3-334.
      Connecticut, road embankment construction: 3-999.
                                                                              Montana, Madison River slide, flood emergency:
      Crater studies, high explosive, tuff: 3-3912.
Culvert life: 3-2465.
                                                                                            3-4290.
                                                                               Muskeg, area access studies using aerial photo-
      Curricula in geological engineering: 3-2439.
      Cyclic sediments, foundation problems: 3-2451.
Dams, nuclear explosives and landslide dams:
                                                                                           graphs: 3-2089.
                                                                                 Engineering progress: 3-1366.
Research conference, 6th, 1960, proceedings:
                    3-3915.
                                                                                            3-3545.
      Device for measuring tensions in water: 3-3152.
                                                                               Natural gas, underground storage: 3-652, 3-653,
3-1736, 3-2558, 3-2811, 3-3161, 3-4285.
Nevada, "Gramite" exploration hole, Nevada Test
      Displacement and deformation, measurement by geo-
```

detic methods: 3-3908. Displacement processes in porous media, instabil-

GEOSCIENCE ABSTRACTS

Engineering geology - Continued
Site, physical properties: 3-650. course construction: 3-4281. Logan event, cavity definition, radiation, temperature distributions: 3-3158. Window panel behavior under in-plane forces: 3-2832. Yukon Territory, Whitehorse Rapids power develop-ment: 3-1001. Nevada Test Site, Ul2e tunnel system: 3-2808. Project Buckboard report, explosives in basalt: England. 3-4283. Coast, pictures and commentary: 3-1100. New Brunswick, Beechwood earth-fill dam: 3-2090. Geochemistry Nuclear explosions as seismic sources: 3-2993. Chlorophyll derivatives, sulfur, carbon, in sedi-ment cores, English Lakes: 3-2666. Nuclear explosives and mining costs: Ohio, Lake Erie shoreline, maps: 3-736, 3-1395, 3-1396, 3-2885 through 3-2888.
Ontario, deep pumping station, Ottawa sewage plant: 3-2457. 3-2450 Lake District, phosphate, silicate, nitrate in waters: 3-3346. Sulfur and carbon, sediments, Lake District: 3-1251. Northern, geologic investigations for roads: Paleontology. 3-2814. Foraminifera, Brady collection, British Museum: Silver Falls tunnel and surge tank design: 3-1182. 3-3542. Site investigations, Toronto subway: 3-335. Oregon, Bull Run No. 2 water supply dam, Portland: Challenger and Alfred Issler collections, British Museum: 3-1183. egon, Bull Run Ho.
3-1003.
Terrace gravels for Highway 101 construction,
Coos Bay area: 3-2447. Orbitremites and Ellipticoblastus, type species: 3-1158. Silurian Eurypterida, Welsh Borderland: 3-4063. Petrology. Pennsylvanja, Pittsburgh's runway, grading meth-Metasomatic origin potash feldspar megacrysts in ods: 3-2812. granites, southwest: 3-4183. Presque Isle Peninsula, Erie, beach erosion Spring domes in limestone, Lancashire: 3-3402. control: 3-1373. Upper Carboniferous sedimentation, Derbyshire: Prince Edward Island, shoreline changes, Egmont 3-1306. and Bedeque bays: 3-1099. Relationship geologists and engineers, public Physiography. Role seepage moisture in soil formation, slope works projects: 3-2088. development, stream initiation: 3-3620. Reverse circulation drilling: 3-919. Eocene. See Tertiary. Rock mechanics, practical use: 3-3910. Eolian action. See Wind work.

Erosion. See also Sedimentation.

Abundance elements, areal averages, and geochemical cycles: 3-3770. Symposium: 3-3536. Rock slopes at mines, stability: 3-4284. Ryukyu Islands, Ishigaki-shima, military geology: 3-2834. California, wildland soils, erodibility: 3-2184. Miyako archipelago, military geology: 3-3547. Okinawa-jima, military geology: 3-3548. Salt cavities, structural stability: 3-331. Ephemeral stream channels, effect sediment characteristics: 3-3226. Salt samples, physical properties, Project Cowboy: 3-2807. Ireland, lapies and solution pits, olivine-dolerite sills, Slieve Gullion: 3-1778. Leaching and sapping as erosion process: 3-3615. Mexico, marine erosion, tephra and lava, Isla Sand, impact waves in: 3-3911. Sand movement by wind action: 3-4288. San Benedicto: 3-2188.
Mississippi, Horn Island, Recent, guidebook: 3-1068.
Oklahoma, topographic control by igneous struc-Sandstone, fractures and craters produced by highvelocity projectiles: 3-2448. Saskatchewan, South Saskatchewan River dam: 3-2452. tures, Raggedy Mountains: 3-85. Pennsylvania, Presque Isle Peninsula, Erie, beach Sedimentation, estuaries, sediment transport patterns: 3-3922. Legal aspects: 3-3921. erosion control: 3-1373.

Prevention, below reservoirs: 3-1005. Problems, rivers: 3-3920. Prince Edward Island, shoreline changes, Egmont and Bedeque bays: 3-1099. Seepage through layered anisotropic porous media: 3-3917. Rates of regional, Appalachian, Mississippi, Hima-Sewage collection systems, excavation and pipe layan regions: 3-1772. Rock movement on scree slopes, theory: 3-3225. foundations: 3-2458. Soil as factor in shoaling processes: 3-1368. Semiarid, progress in application of landform Soil moisture translocation in film phase upon analysis in studies: 3-2526. freezing: 3-3546. Soil erosion, study by aerial photographs, U.S.S.R.: 3-1097. Soils, moisture content determination by calcium carbide gas pressure: 3-2805. Soils, resistance dependent on cohesion: 3-81. Stabilization calcareous loess: 3-1731. Texas, gulf shore Bolivar Peninsula: 3-1374. Wind, its control: 3-3232. Teaching and practice: 3-2087. Mechanism and dynamics: 3-3231. Terrain analysis for cross-country movement: Wyoming, Wind River Range, chemical degradation on opposite flanks: 3-3423. 3-2813. Texas, gulf shore, Bolivar Peninsula, beach erosion control: 3-1374. Erosion surfaces. Texas-Oklahoma, sedimentation, Denison dam and Maine, northwestern, tectonic significance: 3-2907. Peru, Talara region, Pleistocene: 3-2566. reservoir, Red River: 3-1738.
Transverse diffusion in saturated isotropic U.S., Driftless Area: 3-2908. granular media: 3-3916. World-wide occurrence, morphometric analysis: Tunnels, railway, Dover-Calais: 3-651.
Underground installations, deep, geological covering materials: 3-1369. 3-3984. Eruptive rocks. See Igneous rocks. Europe. U.S.S.R., Pechora and Vychegda rivers, plan to Bauxite deposits, comparison with U.S.: 3-2417. alter course: 3-2820. Carboniferous, marine, correlation with North America: 3-3253. Soil and foundation engineering: 3-3543 U.S., Lake Erie, geological research: 3-2472. Westphalian-Stephanian boundary, characteris-Survey for limestone nuclear explosion site: tics flora: 3-3258. 3-3913. Globigerina cretacea, northwestern: 3-1188. Isotopic composition leads, Baltic shield: 3-3799. Vibrations from blasting: 3-330, 3-3156. Washington-Oregon, John Day dam, Columbia River: Late Pleistocene climate, review: 3-3216. 3-2454. Microfossils, Baltic Cretaceous flintstones: West Virginia, petrographic study sandstones, 3-2952.

Paleotemperature analyses, Mesozoic Belemnoidea,

suitability for sub-base and base

Europe - Continued Exploration, possible uses clay minerals: 3-2708. Germany and Poland: 3-1768. Pennsylvanian, sporological evidence on boundar-Future, address: 3-4254. Gain from Mohole: 3-2048. ies subdivisions Upper Pennsylvanian: Geophysical exploration, carbonate reservoir rocks: 3-3700. 3-3260. Petroleum, developments, 1959, 1960: 3-980, 3-3523 Rock magnetism as indication continental growth: Need for new approach: 3-2053 Gravity-magnetics as tool: 3-4260. 3-3692. Importance drill cuttings and cores: 3-4255. Eurypterida. Logging empty holes: 3-4263.
Most wildcats located by geology: 3-969. Canada: 3-487. England, Silurian, Welsh Borderland: 3-4063. Need for new approach: 3-970. Evaporites. Paleogeomorphology, principles: 3-2049. Alberta, gypsum and anhydrite deposits: 3-3447. Palynology as tool: 3-2955, 3-2956. Gypsum and anhydrite, origin and environmental Philosophy: 3-296. Principles: 3-3461. significance: 3-3410. Mixed-layer clay mineral associated with evaporite: Radiation surveys: 3-2052. 3-2709. Radioactivity surveying: 3-3326. Montana, solution breccias, Mississippian: 3-3411. Radiometric prospecting methods: 3-3138. Oklahoma, middle Permian, southwestern: 3-2234. U.S., Guif Coast, Louann salt, relation to salt domes: 3-1463. Seismic methods: 3-3745. Sidewall core analysis in formation evaluation: 3-3136. Upper Silurian Cayugan, stratigraphy: 3-2229. Stratigraphic traps in shaly sands, electric Utah-Colorado, saline facies, Paradox member Hermosa formation: 3-796. log interpretation: 3-4102. Uses clay minerals: 3-299. Evolution. See also Paleontology. Water-oil contact, transition zone in determina-Angiosperms, age: 3-2611. Birds, avian skull, mechanical implications, beartion: 3-3466. Water saturation oil-bearing stratum, determining on evolution and classification: ing: 3-3464. 3-802. Well logging methods: 3-4261. Wildcat odds tougher: 3-2794. Darwin, evolution, and creation: 2-129. Deep-sea fauna, antiquity: 3-1149. Does life exist in space: 3-3269. Self-potential method prospecting: 3-4103. Space, exploration, continuing effort: 3-3941. Erisocrinids, regressive evolution: 3-133. Explosions. Evolution after Darwin: 3-2932. A-test clues, electric currents in earth crust: 3-1853. Evolution, process and product, textbook; 3-2931. Extra-terrestrial life: 3-2572. Colorado, Pinot experiment in oil shale: 3-3160. Fish fauna, endemic, Lake Lanao, Philippines: 3-801. Crater studies, tuff: 3-3912.
Detection nuclear explosions: 3-4117, 3-4118. Flowers, ecological aspects: 3-3272. Underground, method of concealing: 3-2310, Geological perspectives: 3-2479. 3-2311, 3-2312. Mammals, brain: 3-1833. Discontinuities in earth's upper mantle indicated by reflected seismic energy: 3-2634. Polyphyletic or monophyletic ancestry: 3-804. Man: 3-2263. Fractures caused by explosions and impacts: 3-3157. Zinjanthropus boisei, Pliocene, East Africa: Fracturing rock sait by contained high explosive: 3-3271. 3-1732. Origin life of earth, symposium: 3-800. Ground accelerations, large quarry blasts: 3-3738. Reptilia and Mammalia, diagnosis of classes: High-altitude atomic, effect on earth currents: 3-805. Scientists grow "bugs" from space: 3-1832. 3-2298. Seismic waves from: 3-195. Termites, vestigial characters, regressive evolu-Hugoniot equation of state of rocks: 3-3155. In halite, particle motions: 3-2312. tion: 3-3270. Tetrapods, aquatic origin: Logan event, cavity definition, radiation and temperature distributions: 3-3158.
Maximum vertical ground displacement, seismic Therapsids as mammals: 3-803.
Expeditions, Northwest Territories, Jacobsen-McGill University Expedition, Axel Heiberg Island, 1959-1961: 3-4294. Exploration. See also Geochemical prospecting; Geowaves: 3-517. Nevada, cavern from Rainier underground nuclear explosion, Sept. 1957: 3-3159. Project Buckboard report, explosives in basalt: physical investigations; the various minerals and fuels. 3-4283. Canada, Arctic Islands, methods, logistics: North America, studies continental structure: 3-4293. 3-3737. Aviation and mining industry: 3-930. Coal, electrical properties: 3-4104. Nuclear, as seismic sources: 3-2993. Nuclear explosives and landslide dams: 3-3915. Deserts, gravity surveys; 3-4080.
Diamond drilling industry, air transport: 3-2764. Nuclear explosives and mining costs: 3-2450. PS converted waves, large explosions: 3-192. Exploration geophysics, review: 3-3314. Geologist's role: 3-4231. Pacific Ocean, travel times, longitudinal and transverse waves, Marshall Islands Geophysics, current and future parameters: 3-3673. region: 3-846. Ground water, electrical prospecting: 3-3086. Probing earth with nuclear explosions: 3-1575, Mineral, use gamma-ray spectrometer: 3-202. Mineral rights: 3-3440. 3-2992. Radioactivity associated with underground nuclear: Moon: 3-346. 3-201. Natural gas, gasometry wells, prospecting impor-Seismic waves, attenuation: 3-1864. Underground installations, deep, geological cover-ing materials: 3-1369. tance: 3-3469. Ore search, progress and problems: 3-1694. Petroleum, airborne geophysical surveying: 3-4259. Underground nuclear detonations, strong-motion Application palynology: 3-1535. measurements: 3-2313. Chlorine logging in cased holes: 3-3137. U.S.S.R., structure earth's crust, Central Asia, Electric log interpretation, stratigraphic from explosion records: 3-847. traps in shaly sands: 3-1218. U.S., survey for thick high-calcium limestone de-Electrical logs for locating stratigraphic posits for nuclear explosion site: traps: 3-4264. 3-3913. True resistivities: 3-4262. Utah-Nevada, seismic investigation crustal struc-Elongation of sand grains and trend of sand body: 3-4256.

ture: 3-522.

```
Explosions - Continued
                                                                                     phism in movement zones: 3-4191.
    Vibrations from blasting rock: 3-3156.
                                                                        Slips and separations, nomenclature: 3-91
Facies
    Alberta, analysis Devonian Wabamun group: 3-104.
                                                                        Symbols: 3-92.
    Biogeocoenosis, ecosystem, and facies, relation—
ship: 3-3963.
Canada, western, marine Triassic faunas: 3-2959.
Egypt, influence tectonic framework on distribu-
                                                                        Tectonic juxtaposition of facies: 3-93
                                                                        Texas, thrust fault exposure, Tyler: 3-3995.
                                                                        U.S., Gulf Coast, contemporaneous normal faults,
                                                                                     relation to flexures: 3-1106.
                                                                        Wyoming, Precambrian rocks, relation to Laramide
                 tion Foraminifera: 3-1119.
    Florida, Miocene Choctawhatchee deposits, Alum
Bluff: 3-3274.
                                                                                     structure, Bighorn Mountains: 3-1798.
                                                                   Feldspar.
                                                                       Alkali feldspar, low-temperature phases and origin:
       Post-Eocene, regional lithostratigraphy: 3-767.
                                                                                     3-529.
    Ground water, hydrochemical facies, Atlantic
                                                                        Barium, strontium, iron, titanium in plagioclase:
                 Coastal Plain: 3-2383.
    Guif of Mexico, Orinoco basin, modern sedimenta-
                                                                                     3-531.
                                                                      California, San Diego region: 3-3446.
Diffusion radiogenic argon in: 3-1603.
                 tion: 3-1670.
    Louisiana, Mississippi delta: 3-1660.
Nevada, Ordovician miogeosynclinal margin: 3-2226.
                                                                        England, southwest, metasomatic origin, potash
                                                                                     feldspar, megacrysts in granite: 3-4183.
     New Jersey, Upper Cambrian dolomite, Warren County:
                                                                        Massachusetts, granite-syenite complex, Salem: 3-2349.
                 3-1316.
    North America, Ordovician graptolites in eugeo-
                                                                        Microcline, albite and nepheline, decomposition in
                 synclinal facies, paleogeographic im-
                                                                        hot water: 3-4135.
Plagioclase, high- and low-temperature: 3-241.
                 plications, western: 3-1802.
       Concepts and applications: 3-2216.
                                                                        Quick identification potash feldspar, plagioclase
    Northwest Territories, gneisses, Cumberland Sound,
                 Baffin Island: 3-2358.
                                                                                     and quartz for thin section analysis:
     Oklahoma, Lenapah limestone, Perry Farm member,
                                                                                     3-4150.
                                                                        Selective staining K-feldspar and plagioclase,
                 Pennsylvanian, restricted biofacies:
                                                                                     rock slabs and thin sections: 3-548.
                 3-1163.
                                                                        U.S.S.R., metastable K-feldspar and zeolite, ores,
     Scotland, Carboniferous Oil-Shale group lime-
                 stones, Lothian and Fifeshire, petrol-
ogy: 3-1317.
                                                                                    Dalnetayezhnyy deposits: 3-2029.
                                                                   Fiji.
    Stromatolites and facies: 3-1528. Tectonic juxtaposition: 3-93.
                                                                        Foraminifera, upper Eocene and Oligocene, Viti
                                                                                     Levu: 3-1839.
     Texas, bays, central coast: 3-1663.
                                                                        Telluride deposits, Vatukoula: 3-869.
       Taylor to Glenrose, geologic section, Cretaceous, guidebook: 3-1073.
                                                                   Fishes. <u>See Pisces</u>.
Flint. <u>See Chert</u>.
    U.S.S.R., Carboniferous carbonate series, Ukrain-
                                                                   Florida.
                 ian crystalline massif: 3-1818.
                                                                      Areas-described.
       Coal-bearing strata, Jurassic, Aldan-Olekhma
watershed: 3-116.
                                                                        Central, Cenozoic stratigraphy and sedimentation,
                                                                                     guidebook: 3-761 through 3-767.
                                                                        Darby and Hornsby springs sites, Alachua County:
       Environment Carboniferous coal measures, Donets
                 basin: 3-1817.
                                                                                     3-3203.
       Lower Cambrian-Riphean, Siberian platform:
                                                                     Economic geology.

Kaolinitic sediments, origin kaolin: 3-960.
                 3-4018.
       Phosphatic facies, Silurian, Kyzylkum: 3-267.
                                                                        Limestone resources: 3-3452.
     U.S., Gulf Coast barriers: 3-1665.
                                                                        Petroleum, Bend area, Comanche (Cretaceous) sec-
     Utah-Colorado, saline facies, Paradox member,
                                                                                     tion: 3-314.
                                                                        Prospects: 3-2065.
Phosphate, X-ray study land pebble samples: 3-765.
                 Hermosa formation: 3-796.
Zeolite facies, interpretation: 3-2643.
Faults and Faulting. <u>See also</u> subheading Structural geology under the various states and
                                                                      Engineering geology.
                                                                        Highway materials, beach erosion: 3-1370.
Nuclear reactor site locations, influence of geol-
ogy and hydrology: 3-654.
    countries.
Alberta, interstratal peel, Maverick Hill: 3-3997.
California, Owens Valley, subsurface structure:
                                                                      Geohydrology.
                 3-1581.
                                                                        Fernandina area, Nassau County, ground-water re-
       San Andreas fault, creep: 3-465.
                                                                                     sources: 3-2009.
         Displaced Miocene molluscan provinces: 3-466.
                                                                        Green Swamp area, hydrologic features: 3-3429.
         North of San Francisco: 3-1107.
                                                                        Hillsborough County, water resources: 3-4214.
         Southern: 3-2198.
                                                                        Levee 30 region, Dade County, hydrologic condi-
       Sierra Nevada, faulting and Pleistocene glacia-
tion: 3-2177.
                                                                                     tions: 3-3428.
                                                                        Martin County, geology and ground-water resources: 3-2008.
    Canada, Rocky Mountains, Boule and Bosche ranges:
                 3-2211.
                                                                        Northeast, ground-water resources: 3-3851.
     Faults and earthquakes: 3-2197.
                                                                        Volusia County, well records: 3-3430.
    Horizontal movement, earth's crust, determination:
                                                                      Historical geology.
                 3-158.
                                                                        Cenozoic, regional lithostratigraphy, post-Eocene
    Illinois, Rattlesnake Ferry fault, sedimentational
and structural dating: 3-4030.
Louislana, Lac Blanc field, Vermillon Parish; re-
                                                                                     rocks: 3-767.
                                                                          Surficial, central peninsular: 3-762.
                                                                      Mineralogy.
                 lation to sedimentation and hydrocarbon
                                                                        Chalcedony and quartz crystals in silicified coral,
                 accumulation: 3-1722.
                                                                                      Ballast Point: 3-3374.
       Rayne gas field: 3-1725.
                                                                      Paleontology.
     Mississippi, association with deep-seated salt
                                                                        Choctawhatchee deposits, Miocene, paleoecology:
                 domes: 3-1440.
                                                                                     3-3274.
    Montana, Beartooth Mountains, secondary structures associated with vertical uplift: 3-2199.
                                                                        Ostracoda, Recent, west coast: 3-1525.
                                                                        Pleistocene vampire bat: 3-2592.
     North Carolina, Grandfather Mountain area: 3-1070.
                                                                        Stromatolites, Recent, ancient analogues: 3-2283.
     Ocean floors and continental crustal blocks: 3-975.
                                                                      Petrology.
     Pacific Ocean, northeastern, horizontal displace-
                                                                        Authigenic dolomite in modern carbonate sediments,
                 ments in floor: 3-3996.
```

Pennsylvania, Sweet Arrow fault, east-central:

Scotland, Caledonian thrust belt, polymetamor-

3-1108. Red sea area: 3-75. southern coast: 3-3843.

Citronelle formation, size frequency distribution particles: 3-763.

textural variations: 3-1310.

Hawthorne formation, Miocene, cross-bedding and

Florida - Continued Shallow-water ripple mark varieties: 3-1301. Northern: 3-1667. Haplophragmoides sandiegoensis, nom. nov.: 3-2599. Physiography. Index to genera and species, 1890-1950: 3-4068. <u>Lacosteina paynei</u>, Cretaceous, California: 3-2606. Manual of Foraminifera: 3-3665. Coastal classification: 3-1436. Offshore shoals, area of energy deficit, Apalachicola River delta: 3-1780. Massachusetts, Martha's Vineyard, nearshore: "Perched" barrier islands, east coast: 3-461. Western straits, submarine topography: 3-3622. 3-2610. Mexico, Cretaceous, La Pena formation, Nuevo León: Fluorescence. Pegmatite, Maine: 3-248. 3-3305. Cretaceous, Tampico-Tuxpan basin: 3-3306. Use in gemstone identification: 3-2718. Cretaceous-Tertiary boundary, Tampico embayment: Use in mineral identification: 3-2683. 3-2243. Fluorite. Eocene, Yucatan peninsula: 3-1519. Gulf of California sediments: 3-1187. Colorado, Northgate district: 3-1400. Illinois, Cave-In-Rock district, temperatures of Mississippi, Horn Island, faunal characteristics: 3-1538. mineralization: 3-3053. Metasomatic replacement limestones by alkaline, Northwest Territories, Cretaceous San Sault group, lower Mackenzie River: 3-4069. fluoride-bearing solutions: 3-3868. Mexican deposits: 3-2785. Operculina and Operculinella, distinction: 3-2601.
Orbitolinas, Caribbean islands: 3-3308. Occurrence as gangue mineral in ore deposits: 3-3128. Orbulina time surface, California: 3-2608. Paleoecology, concepts: 3-1184. Folds and Folding. <u>See also</u> subheading Structural geology under the various states and Parafusulina, Permian Nosoni and Dekkas formacountries. tions, California: 3-480. Alberta, concentric folding, foothills and Puerto Rico, middle Tertiary, San Sebastián-Isamountains: 3-749. bela section: 3-3309. Miocene, Lajas Valley: 3-3310. Recent, ecology and distribution: 3-2281. Interstratal peel, Maverick Hill: 3-3997.
New Mexico, Lincoln fold system, origin: 3-2201. Northwest Territories, Parry Islands fold belt and Cornwallis folds, Bathurst Island: Rock samples, mechanized method of breaking down and washing: 3-1180. 3-4007. Sargasso Sea, Bermuda area, ecology Recent plank-Orientation sedimentation structures, effects of folding: 3-1981. Origin in earth's crust: 3-3631. tonic: 3-1186. Staffella-like, stratigraphic importance, systematics, phylogeny: 3-1517. Pennsylvania, Glenarm series, Chester County: Thin-sectioning and photographing smaller Foram-3-1789. inifera: 3-1181. Relationship between concentric longitudinal Trinidad, benthonic, Cretaceous-Tertiary boundary: strain and concentric shearing during folding homogeneous sheets rock: 3-2196. Simple concentric folding, depth of basal shearing 3-2246. U.S.S.R., boundary Visean-Tournaisian, Bashkiria: 3-109. plane: 3-2200. Danian-Montian deposits, Crimea: 3-119. U.S.S.R., Crimean mountains, geosynclinal folded Middle Liassic, north Caucasus: 3-3647. structures: 3-1790. Upper Eocene Kerestinsk formation, three new Northern Tien Shan, Mesozoic and Cenozoic blockspecies: 3-1468. folded structures: 3-1791. U.S., Gulf Coast, petroleum exploration: 3-1721. Footprints. See Tracks and trails. Gulf Coast Jackson (Eocene): 3-1467. Foraminifera. Formations. See Geologic formations.
Fossil man. See Man. Alabama, Oligocene Marianna limestone, microforaminifera: 3-1189. Fossils. See Paleobotany; Paleontology. Alberta, upper Cretaceous, Smoky River area: 3-811.

Ammodiscus Reuss and Involutina Terquem: 3-2943.

Australia, planktonic, Lakes Entrance oil shaft,
Victoria: 3-1190. Fracturing. Colorado Plateau, fracture systems, tectonic ele-ments: 3-789. Extension Griffith theory fracture to rocks: 3-90. Bibliography, 1959, 1960: 3-2595, 3-2596, 2-2597.
Pre-Carboniferous: 3-2598.
Bigenerina perkinsi, Saccamminis, new names: 3-1518. Feather-fractures and mechanics rock-jointing: 3-3628. Fracture patterns in rock, graphical statistical analysis: 3-332. Brady collection, British Museum: 3-1182. Fracture traces, geological significance: 3-3629. Fractures caused by explosions and impacts: California, ecology, Orange County ocean sewer outfall: 3-2945. Eocene Sacate formation: 3-3304. 3-3157. Rock sait, by contained high explosive: 3-1732. California and Oregon coasts, intertidal: 3-2609. Sedimentary rocks, relation deformational frac-Camerina: 3-810. tures to regional and local structure: Camerinids, Indo-Pacific, names and variation: 3-2602. 3-1105. Shear failure in anisotropic rocks: 3-3242. <u>Catapsydrax</u> and <u>Globigerina</u> <u>quadrilobata</u>: 3-2607. <u>Challenger</u> and Alfred Issler collections, British France. Dover-Calais railway tunnel: 3-651. Malpasset dam failure, 1959: 3-1371, 3-2817. Mont Blanc tunnel: 3-1004, 3-2809. Museum: 3-1183. Challenger report, plates and notes: 3-2280. China, south coastal area, biofacies: 3-1520. Necrolemur, cranial anatomy: 3-1512. Costa Rica, Cretaceous-Tertiary: 3-3307. Fusulinidae. See Foraminifera. Cretaceous planktonic: 3-2944. Egypt, Farafra oasis, Paleocene: 3-2953. Gabbro. Quebec, petrology, Ahr Lake area, Labrador trough: Influence tectonic framework on distribution: 3-252. 3-1119. South Carolina, intrusives, Newberry County: 3-1641. Lower Carboniferous, Western Desert: 3-2603. Endothrya scitula, new name for E. symmetrica U.S.S.R., Khyuta gabbro-diabase intrusion, Imang-Zeller: 3-2600. da river valley: 3-1965. Fiji, upper Eocene and Oligocene, Viti Levu: Galena. Crystal habit and trace element content: 3-3777. 3-1839. Fusulinids, Permian Leonard formation, Texas: 3-2604. Differential thermal analysis: 3-1928. Plastic deformation: 3-3062. Globigerina cretacea, northwestern Europe: 3-1188. Gulf of Mexico, Heald Bank, living, dead, and total faunas: 3-1185. Gallium. U.S.S.R., distribution in rocks: 3-2660.

```
Gallium - Continued
                                                                            Copper, trace elements in organic soil as guide
       In alkalic rocks, Sandyk mountains massif:
                                                                                          to ore: 3-2403.
                  3-3023.
                                                                            Greenland, northeast, base metals, Schuchert Dal:
       In granitoids, Susamyr batholith, Tien Shan: 3-2661.
                                                                                          3-4234.
                                                                            Idaho, Coeur d'Alene district: 3-2408.
       In rocks, Lovozero massif: 3-3024.
                                                                            Lead-zinc deposits, use mercury halos: 3-3863. Mercurometric investigation: 3-1333.
Garnet.
     Connecticut, spessartite, Jail Hill, Haddam:
                                                                            Michigan, sulfides, geochemical anomaly, boulder
                  3-904.
                                                                                          train, Mt. Bohemia: 3-2409.
     Synthesized, relation to natural garnet formation
                                                                            Molybdenum, determination in soil and rock: 3-934.
                 within pyralspite group: 3-3331.
                                                                            New Brunswick, Murray deposit, sulfides: 3-4235.
    Synthetic, birefringence: 3-3070.
                                                                            New Mexico, mixed-layer clay mineral associated
Gas. See Natural gas.
                                                                                          with evaporite: 3-2709.
Gastropoda.
                                                                            Petroleum: 3-971, 3-2052, 3-4258
Radiometric method: 3-3138.
    Archeogastropoda, Mesogastropoda, Late Cretaceous, Tennessee-Mississippi: 3-1164.
                                                                            Techniques, literature review: 3-2020.
     Bellerophontacea and Patellacea, Permian, south-
                                                                            Trace element variations in related rocks: 3-2404.
                  western U.S.: 3-138.
                                                                            U.S.S.R., biogeochemical prospecting, Tuva: 3-936.
     Busycon (Busycon) tritone Conrad, redescribed:
                                                                              Bromine in rock salt, Angara-Lena salt basin;
                                                                                          finding potassium salts: 3-3864.
     Cloudia buttsi, Cambrian, Missouri: 3-1494.

Hendersonia occulta, Pleistocene, Mississippi:

3-808.
                                                                              Kadzharan, Armenian S.S.R., biogeochemical in-
vestigations: 3-3109.
Nickel, Kola peninsula: 3-2767.
Uranium, biogeochemical surveys in marshy areas:
     Massidae, lower Sarmatian, Moldavian S.S.R.:
                  3-140.
                                                                                          3-2766.
     Nerinea inkermanica, n.sp., Montian, Crimea:
                                                                            Uranium, trace amounts in base metal sulfides
                  3-139.
                                                                                          from vein deposits, western U.S.:
     Okinawa, Tertiary and Quaternary: 3-1835.
                                                                                          3-2405.
     Parapholyx durhami, Fluminicola sanmateoensis,
Pliocene, fresh-water, California:
                                                                       Geocnemistry. See also Biogeochemistry; Cosmochemis-
                  3-1495.
                                                                                           try; Geologic time; Isotopes; Meteor-
     Valvatidae, early Tertiary, Argentina: 3-4060.
                                                                                          ites; Systems, Trace elements; Tek-
Gems and gem materials. See also Mineralogy.
Agate and chalcedony, formation: 3-3818.
Diamond, type I, lamellar structure: 3-4152.
                                                                                          tites.
                                                                            Acidity-alkalinity surface drainage waters as re-
                                                                                         lated to silicate rocks: 3-1325.
     Diamond-bearing eclogite, xenoliths: 3-3821.
                                                                            Adsorption non-ionic aliphatic molecules aqueous
     Diamond dictionary: 3-247.
                                                                                          solutions on montmorillonite: 3-206.
     Diamonds, origin in iron meteorites: 3-3766.
                                                                            Alkali elements in australites: 3-229.
       Wisconsin: 3-2719.
                                                                            Alkali feldspars, low-temperature phases, origin:
     U.S.S.R., Yakutia: 3-1348.
Ekanite, new metamict gem, Ceylon: 3-4176.
Fluorescence in identification: 3-2718.
                                                                                          3-529.
                                                                            Alkali metals and thallium, granitoids, Urals:
                                                                                         3-3029.
     Gemstones and minerals, collecting: 3-3802.
Jade project, Shungnak Village, Alaska: 3-2720.
Lapis lazuli, San Bernardino Mountains, Califor-
                                                                            Alkali metals in sediments, Gulf of Mexico, rubid-
                                                                                          ium values and K/Rb ratios: 3-232.
                                                                            Aluminum silicates, synthesis fields: 3-1594.
Anatase to rutile, crystal structure transforma-
                 nia: 3-2721.
     Texas gemstones: 3-953.
                                                                                          tion, kinetics and thermodynamics:
Genesis of ores. See Mineral deposits, origin.
Genesis of rocks. See Petrogenesis.
Geobotany. See also Biogeochemistry.
Aerovisual observations, deserts and semiarid
regions: 3-3171.
                                                                                          3-1889.
                                                                            Anion metasomatic replacement reactions: 3-3002.
                                                                            Argon, diffusion in feldspars: 3-1603.
                                                                              Diffusion in glauconite, microcline, sanidine,
                                                                               leucite, phlogopite: 3-533.
Diffusion in sylvite: 3-3021.
     Application in hydrogeologic studies, black earth region: 3-3087.

Deserts and semiarid regions: 3-3088.
                                                                              Loss in micas: 3-1241.
                                                                               Retention in micas: 3-3773.
     Bitumen indicators: 3-3139.
                                                                            Argon and helium, migration in rocks and minerals:
     Boron prospecting: 3-3108.
                                                                                          3-3774.
     Compilation soil salinity maps from geobotanical
                                                                             Atmosphere and hydrosphere, post-Precambrian geo-
                  data: 3-3170.
                                                                                          chemical history: 3-2999.
     Detection salt-dome structures: 3-2913.
                                                                             Autunite, formation and solution: 3-902.
     Detection tectonic disturbances: 3-2912.
                                                                            Bacterial activity sediments, shallow marine
     Geobotanical method, geological and hydrological
                                                                            bays: 3-303.
Barite, genesis, Sumsar zinc-lead deposit,
                  investigations: 3-2765.
       Historical review and present status: 3-2846.
                                                                            U.S.S.R.: 3-287.
Barium, marine: 3-2330.
     Guide in distinguishing between lithologically
                  similar strata of different origin:
                                                                            Barium, strontium, iron, titanium in plagioclase
                   3-2848.
                                                                                          feldspars: 3-531.
     Niobium in plants, determination: 3-3047.
     Prospecting ore deposits: 3-1698, 3-3107.
Rare alkalis in soil colloids and participation
                                                                             Basaltic rocks, chemical distinctions between
                                                                                          principal series: 3-600.
                                                                             Bauxite, thorium, uranium, zirconium concentra-
                  plants: 3-3048.
                                                                                          tions: 3-1608.
     U.S.S.R., biogeochemical investigations, Kadzharan,
                                                                             Bentonite drilling fluids, solids concentration
                  Armenian S.S.R.: 3-3109.
     Utilization in aerogeologic mapping, western Ka-
zakhstan, U.S.S.R.: 3-2847.
Utilization in lithologic mapping, early alluvial
                                                                                          effects: 3-2711.
                                                                             Beryllium, granitic rocks, Tanganyika: 3-1248.
                                                                               Isomorphous entry into crystalline structures:
                  deposits, Turkmenia, U.S.S.R.: 3-2849.
                                                                                          3-882.
Geochemical prospecting. See also Geobotany.
                                                                             Bicarbonate coefficients, rivers, U.S.S.R.:
     Arizona, diabase as uranium ore source, Dripping
                                                                                          3-3789.
                  Spring district: 3-2407.
     Beryllium, field test: 3-1334.
Bibliography and abstracts, 1955-1957: 3-3106.
Canada, eastern, Cu, Pb, Zn, glaciated areas:
                                                                            Biochemicals in geologic environments, distribu-
                                                                                          tion: 3-304.
                                                                            Boron, content rocks, paleoecological research tool: 3-1150
```

In detrital clay minerals: 3-1901.

3-2406.

Methods, glaciated Precambrian terrains: 3-935.

```
Geochemistry - Continued
                                                                                         lium and formation phenakite: 3-2662.
      In rocks and skarn minerals, Urals, U.S.S.R.:
                                                                           Gallium, distribution in rocks, U.S.S.R.: 3-2660.
                  3-2657, 3-2658.
                                                                              In alkalic rocks, Sandyk mountains massif,
    Borosilicate melts, activities and structure:
                                                                                        U.S.S.R.: 3-3023.
                  3-3003.
    Brachiopods, mineralogy, 018/016 ratios, stron-
                                                                              In granitoids, Susamyr batholith, Tien Shan,
                                                                                        U.S.S.R.: 3-2661.
                  tium and magnesium contents, history
                                                                              In rocks, Lovozero massif: 3-3024.
                  of oceans: 3-3347.
                                                                           Garnets, synthesized, relation to natural garnet
    Cadmium, in Almalyk and Altyn-Topkan mineralized
                  areas, Karamazar region: 3-3022.
                                                                                         formation within pyralspite group:
                                                                                         3-3331.
     Calcite, solution in aqueous solutions of chlo-
                                                                           Geochemical cycles, abundance elements, areal averages: 3-3770.
                  rides at high temperatures and pres-
                  sures: 3~3005.
                                                                           Geochemical principles landscape classification:
     Calcium in ocean water, determination: 3-886.
    Cambrian extrusives, Tuva, U.S.S.R.: 3-2728. C<sup>14</sup> half life redetermined: 3-894.
                                                                                        3-2185.
                                                                           Geokhimiya, 1956-1957, translations: 3-2321,
     Carbonaceous rocks, origin free radicals: 3-3341.
                                                                                         3-2322.
                                                                           Geospheres and chemical properties atoms: 3-874.
Germanium in petroleum, U.S.S.R.: 3-2670.
Greenland, Skaergaard intrusion, major element
variation: 3-2346.
     Carbonate rocks, analysis for calcium, magnesium,
                  iron, aluminum with EDTA: 3-1989.
       CO2 content, determination: 3-1252.
     Carbonate saturometer: 3-1882.
     Carbonate sediments, sedimentary carbonate rocks:
                                                                           Ground water, oxidation-reduction potential: 3-2673.
                  3-536 through 3-540.
                                                                            Hectorite, synthesis: 3-2703.
     Carbonate solubility, control by carbonate com-
                                                                            Helium, diffusion through sedimentary rocks:
                  plexes: 3-1244.
     Carbonates, reactions produced by grinding: 3-527.
                                                                                         3-3037.
                                                                              In limestone and marble: 3-1900.
                                                                            Helium, argon, carbon in natural gases: 3-1607.
     Carbonic acid in granitic Intrusions: 3-883.
                                                                            Helium-bearing ground water, Cis-Caucasus,
     Carburan, nature: 3-3072.
                                                                                        U.S.S.R.: 3-1678.
     Carnegie Institution of Washington, Geophysical
     Laboratory, report 1959-1960: 3-2101.
Cassiterite, occurrence scandium and other rare
                                                                            Hercynite, stability at high temperatures: 3-866.
                                                                            Hot springs, constituents, Japan: 3-1903.
Humic acid, equivalent weight from peat: 3-210.
Potentiometric titration and equivalent weight:
                  elements: 3-2648.
     Catagenesis: 3-2664.
                                                                                         3-209.
     Chromatographic "plate" theory; fluid flow in
                                                                            Hydrocarbon gases and bitumens in intrusive mas-
                  rocks and sediments: 3-306.
                                                                                        sifs, Kola Peninsula, U.S.S.R.: 3-1249.
     Chromium: 3-1588.
                                                                            Hydrochemical cause, development subzone of leach-
ing: 3-891.
     Chromium, cobalt and strontium in Bureau of Stand-
                  ards rock reference samples: 3-3776.
                                                                            Hydrogen sulfide and iron sulfide in mud sediments,
     Clay, chemical composition, Russian platform:
                                                                                         Black Sea: 3-3786.
                  3-915.
                                                                            Hydrothermal synthesis, determination equilibrium,
        Homoionic, and saturating NaCl solutions, dis-
                                                                                         minerals in subliquidus region: 3-526.
                   tribution water and electrolyte:
                                                                            Igneous rocks, differentiation index: 3-597.
                   3-2702.
                                                                            Indian Ocean water, radioactivity: 3-3791.
Indiam in tin deposits, Yakutia, U.S.S.R.: 3-3025.
Indium and thallium in G-1, W-1, and other sili-
     Clays and clay minerals, proceedings 8th National
Conference: 3-2693.
     Cobalt: 3-3000.
                                                                                         cate rocks, determination technique:
     Constant-feed direct-current arc: 3-3330.
                                                                                         3-3779.
     Contamination-reaction rules: 3-1240.
                                                                            Inorganic suspended matter in sea water: 3-885.
     Copper, uranium, vanadium in sandstone, geochem-
                                                                             lodine and iodate-iodine content sea water: 3-1254.
     ical cycles: 3-3113.
CuCl emission, volcanic flames: 3-532.
                                                                             Iron, determination in sea water: 3-3042.
                                                                              Solution and transport, microbiologic factors:
     Cryptomelane, thermal transformations and proper-
                                                                                         3-3788.
                   ties: 3-525.
                                                                            Iron and manganese minerals, stability relations:
      Davidite, chemical characteristics: 3-898.
     Earth, thermal evolution: 3-1595.
Earth mantle, composition: 3-3747.
                                                                                          3-2642.
                                                                            Iron, sulfur, carbon, bitumens in Mesozoic sedi-
                                                                                         ments, eastern Pri-Ural region, U.S.S.R.: 3-233.
     Elements, abundance areal averages and geochemical
                                                                            Kaolinite, water vapor sorption: 3-2700.
Kinetics and thermoluminescence: 3-4132.
Lead, from troilite, Toluca iron meteorite: 3-3334.
                   cycles: 3-3770.
        Age in solar system: 3-530.
        Among coexisting calcic pyroxenes, calcic amphiboles, biotites in skarns: 3-1605.
                                                                               In Devonian extrusives, central Kazakhstan:
        Distribution laws: 3-3014.
                                                                                          3-2647.
        Earth's crust, distribution: 3-879, 3-1897.
                                                                            In granitoids, eastern Transbaikal: 3-3026.
Lead and zinc in minerals, Caledonian granitoids,
Susamyr batholith, Tien Shan: 3-881.
        Heavy elements in meteorites, determination con-
                   centrations: 3-216.
        In alkalic rocks, parageneses dark minerals:
                                                                             Ludwigite ores, alteration, borate deposits, Trans-
baikalia, U.S.S.R.: 3-2672.
                   3-3017.
        In clay minerals and volcanic glass, application
                                                                             Magnesium, in ocean waters, determination: 3-3043.
Magnesium carbonate formation, glacial Lake Bonne-
                   X-ray spectrochemical analysis: 3-549.
        In minerals crystallizing from magmas: 3-3016.
                                                                                          ville, Utah: 3-1990.
        In sedimentary carbonate rocks: 3-538.
                                                                             Magnetite, hydrothermal, origin: 3-1890.
Manganese, distribution in sedimentary rocks:
        In serpentinite, Leupoldsgrun, Germany: 3-1899.
        In silicate rocks, semi-micro analysis for Ca,
Mg, Fe, Al: 3-1898.
                                                                                          3-2665.
        In turbidites, Normanskill and Charny formations,
New York-Quebec: 3-3035.
                                                                               Soils, Iowa: 3-1612.
                                                                             Manganese minerals, cation exchange by electrodial-
ysis: 3-1590.
                                                                             Manganese nodules, Pacific Ocean: 3-890.
        Lithophile elements in chondrites:
        Solar and stellar abundances: 3-3313.
                                                                             Metamorphic mineral assemblages, stability, effect coupled reactions: 3-2356.
        Spectrochemical analysis, textbook: 3-1881.
        Spectrographic determination in rocks and min-
                                                                             Micas, lithium, interpretation composition: 3-905.
                   erals: 3-1586.
                                                                             Microcline, albite, nepheline, decomposition in hot water: 3-4135.
      Ferrous iron content, carbonaceous shales, determination: 3-1250.
```

Fluorine compounds, role in transportation beryl-

Minor element abundance, Brazilian shield: 3-1606.

```
Geochemistry - Continued
    Minor elements, in carbonate concretions, Quater-
                                                                          Salton Sea, California: 3-1992.
       nary deposits, arid zone: 3-3784.
In coals, northern Great Plains: 3-3785.
                                                                          Scandium, geochemical distribution: 3-3771.
                                                                             In igneous rocks, massifs, U.S.S.R.: 3-3772.
                                                                             In minerals of quartz veins and greisens, Polous-
nyi range, U.S.S.R.: 3-1604.
       In gonditic manganese ore, geochemical signif-
icance: 3-3781.
       In metamorphic pyroxenes: 3-535.
                                                                          Scandium and other rare elements in cassiterite:
       In water: 3-3343.
                                                                                       3-2648.
         Spectrochemical determination: 3-4140.
                                                                          Sea water: 3-3553.
    Molybdenum in soils, Kazakhstan: 3-3038.
                                                                          Sedimentary rocks, authigenic minerals: 3-3339.
    Molybdenum and uranium in mineralized zones, regu-
                                                                          Selenium, rubidium, yttrium, mineral veins, Ark-
                 larities of distribution: 3-2649.
                                                                                       ansas: 3-952.
    Montmorillonite, semiquinone cation adsorption as
                                                                          Selenium and tellurium in meteorites: 3-215.
                 function surface acidity: 3-2710.
                                                                          Sial and sima, origin: 3-1794.
       Thermodynamics water adsorption and description:
                                                                          Silica, dissolution from diatom walls: 3-1904.

Phase transformations examined by X-ray diffrac-
                 3-2699.
    Natural gases, solubility in aqueous salt solu-
                                                                                       tion: 3-1888.
                 tions: 3-3762.
    Nephelines as crystallization temperature indica-
                                                                          Silicate rocks, semi-micro analysis for Ca, Mg,
                                                                          Fe, and Al: 3-1898.
Silver, trace amounts in galena ores, Broken Hill,
Australia: 3-3120.
                 tors: 3-3349.
    Niobium in plants, determination: 3-3047.
    Niobium and tantalum, Lovozero alkalic massif:
                                                                          Silver sulfide, solubility in aqueous solutions: 3-208.
                 3-3775.
       Nepheline syenite massifs, Vishnevyie mountains,
                U.S.S.R.: 3-2654.
                                                                          Soil clays, mineralogical analysis involving ver-
    Nitrogen: 3-3759.
In West Greenland waters: 3-3045.
                                                                                       miculite-chlorite-kaolinite differentia-
                                                                          tion: 3-2712.
Solubility water in basaltic and granitic melts:
    Oceans: 3-3925.
    Opal, determination in marine sediments: 3-887.
                                                                                       3-3004.
                                                                          Spectrochemical analysis, rocks, minerals, ores:
    Organic matter in sea-water; organic sorption by
                 particulate material: 3-302.
                                                                                       3-2639.
    Oxidation in high temperature petrogenesis: 3-2671.
                                                                           Semiquantitative, evaluation of whole-order, 1/2
                                                                            order, and 1/3 order reporting: 3-2323.
Silicates, Stallwood jet: 3-550.
Textbook: 3-1881.
    Oxidation state pitchblende in ores, estimation:
                 3-235.
    Paleosalinity, determining, boron content sea water: 3-2707.
                                                                          Spectrographic determination common elements in
                                                                          rocks and minerals: 3-1586.
Spring water, Aqua de Ney, California: 3-3046.
    Pegmatites, rare-metal granite: 3-3782.
    Petroleum, Athabaska deposit, Alberta: 3-3342.
                                                                          Strontium, in ground waters, pre-Urals, U.S.S.R.:
      Chemical aspects genesis, related to source bed
                 recognition: 3-2057.
                                                                                       3-2667.
       Distribution n-paraffins as clue to recognition
                                                                             In silicates; flame photometric determination;
                 source beds: 3-2056.
                                                                                       content granite G-1, diabase W-1:
      Hydrocarbons in sedimentary rocks: 3-2058.
                                                                                        3-231.
      Organic matter in sedimentary rocks: 3-2059. Possible uses clay minerals: 3-2708.
                                                                          Sulfide melts, metallic, as igneous differentiates: 3-3332.
      Significance hydrocarbons in sediments and pet-
                                                                          Sulfide minerals, oxidation mechanisms at 25°C.:
    roleum: 3-2060.
Symposium: 3-301 through 3-308.
Phosphate, silicate, nitrate in waters, English
                                                                                       3-892.
                                                                          Sulfides, metallic, solid diffusion and volatilization: 3-2640.
                 Lake district: 3-3346.
                                                                          Sulfur: 3-1589.
                                                                          Sulfur and carbon, sediments, English Lake Dis-
trict: 3-1251, 3-2666.
Sulfur compounds, bottom deposits, Marianas trench:
    Phosphorites, Karatau basin, U.S.S.R.: 3-1610.
    Phosphorous: 3-764.
       Total and organic, Bering Sea, Aleutian Trench,
Gulf of Alaska: 3-1253.
                                                                                       3-3787.
    Phosphorous and nitrogen, lakes, Afognak Island,
                                                                          Sulfur-containing aqueous solutions, system
                Alaska: 3-3345.
                                                                                       Fe-S-0: 3-3761.
    Physics and chemistry of earth, v. 4: 3-3313.
                                                                          Tantalum and niobium: 3-1239.
Thallium and rubidium in Igneous rocks, Tyrny-Auz,
    Potassium, in silicates, radiometric determination:
                 3-1909.
                                                                                       U.S.S.R.: 3-3031.
    Potassium and clay minerals, soils,
                                               lowa: 3-1613.
                                                                          Thallium, cadmium, bismuth in silicate rocks:
    Pressure independent minerals: 3-3001.
    Radium content carbonate shells: 3-888.
                                                                          Thermal head for D.T.A. of corrosive materials:
    Radon in natural waters, radioactivity: 3-234.
Rare alkalis in soil colloids: 3-3048.
Rare earths, pegmatite minerals, Karelia, U.S.S.R.:
                                                                                        3-523.
                                                                          Thermodynamics, applications to coexisting miner-
als of variable composition; orthopy-
                 3-2659.
                                                                                        roxene-clinopyroxene, orthopyroxene-
      Regularities in distribution in certain minerals:
                                                                                        garnet: 3-4133.
                 3-880.
                                                                           Thorium, in uranium ores, determination: 3-2324.
      Transport by hydrothermal solutions: 3-3114.
                                                                          Thorium, uranium, zirconium concentrations in
    Rare earths and yttrium in magmatic and post-mag-
matic processes: 3-3019.
                                                                                       bauxite: 3-1608.
                                                                          Tin and indium in cassiterite, Dzhalinda deposit,
Malyy Khingan, U.S.S.R.: 3-3778.
    Rare elements, in metamorphic rocks, granites, and
    rare metal pegmatites, Sayan mountains, U.S.S.R.: 3-2656.
In sharply zoned granite pegmatites: 3-3018.
Rare gases in tektites: 3-228.
                                                                          Titanium, behavior during skarn formation, Tyrny-
                                                                                       Auz ore deposit, U.S.S.R.: 3-2652
                                                                             In bauxites, Kairak deposit, U.S.S.R.: 3-3783.
                                                                          Sediments, Okhotsk Sea: 3-889.
Turbidites of Normanskill and Charny formations:
    Rhenium in molybdenites, Kazakhstan: 3-3027.
    Rhodochrosite, precipitation: 3-207.
                                                                                       3-3035, 3-3036.
    Rocks, estimation chemical composition: 3-4138.
                                                                          Ultrabasic rocks, petrochemistry: 3-3826.
Uranium, accumulation in ground-water saturated
    Rubidium and lithium in rocks, Lovozero messif,
    U.S.S.R.: 3-2655.
Rubidium and K/Rb ratio, Lovozero alkalic massif: 3-3028.
                                                                                       sandstone deposits: 3-2776.
                                                                             Entry into rock-forming minerals: 3-1247.
                                                                            In crude oils: 3-2668, 3-2669.
    Ruthenium, in meteorites: 3-1599.
                                                                             In granites, occurrence: 3-2650.
In Mesozoic batholiths, western U.S.: 3-3338.
    Salt accumulation in soils, Sinklang, China:
```

3-3237.

```
Geochemistry - Continued
                                                                               Tensor form of dispersion: 3-2380.
      In petroleum, Azerbaijan, U.S.S.R.: 3-3039.
                                                                             Reverse circulation drilling: 3-919.
       In rocks, Lovozero massif: 3-3032.
                                                                             Salt- and fresh-water relationships, terminal
       In uraninites, oxidation: 3-1256.
       Transportation in hydrothermal solution as car-
                                                                                          stream bars: 3-608.
                                                                             Sonic depth sounder for laboratory and field use:
                  bonate: 3-2651.
    Uranium and thorium, intrusive rocks, Tuva, U.S.S.R.: 3-3033.
                                                                                          3-3420.
                                                                             Stream table, classroom: 3-1026.
                                                                             Streamflow on small watersheds: 3-1679.
    Uranium and trace elements in petroleums and rock
                                                                             Thickness and consolidation deep-sea sediments:
                  asphalts: 3-1609.
    Vermiculite-biotite mixtures, cation exchange be-
                                                                                           3-264.
                  havior: 3-2701.
                                                                             Time, distance, drawdown relationships, pumped
                                                                                          ground-water basin: 3-920.
    Water, ammoniated thermal waters, California:
                                                                             Transition zone, fresh and salt water, coastal aquifers: 3-1674.
                  3-2742.
       Calcium carbonate saturation: 3-3090.
                                                                             Water flow through soil profile, affected by
       Calculation and use ion activity: 3-3089.
       Entropy and Gibbs free energy in range 10-1000°C.
and 1-250,000 bars: 3-524.
                                                                                           least permeable layer: 3-1672.
                                                                             Watershed characteristics, interrelationships:
        Ion supply, factors influencing: 3-3344.
                                                                                           3-2179.
                                                                         Geologic climate. See Paleoclimatology.
       Mineral composition, stream waters, southern
                   Coast Ranges, California: 3-2741.
                                                                         Geologic formations.
                                                                              Anvil Rock sandstone, Pennsylvanian, Illinois:
     Wyoming, Wind River Range, chemical degradation on opposite flanks: 3-3423.
                                                                                           3-3150.
                                                                              Armasu formation, Ordovician, Tien Shan, U.S.S.R.:
     Zeolite facies, interpretation: 3-2643.
     Zinc and lead, supergene alteration in limestone: 3-944.
                                                                                           3-1126.
                                                                              Assistance formation, Permian, Grinnell Peninsula,
                                                                                           Canadian Arctic Islands: 3-479.
     Zircon-thorite group, hydrothermal stability studies: 3-1883.
                                                                              Bald Mountain limestone, Ordovician, New York:
                                                                                            3-1809.
     Zirconium and titanium, isomorphous relations:
                                                                              Beartooth Butte formation, Devonian, Montana-
                   3-1593.
                                                                                           Wyoming: 3-4027.
     Zircons, from granite pegmatites, Hf/Zr ratio:
                                                                              Belcher Channel, Permian, Grinnell Peninsula,
                   3-2653.
                                                                                            Canadian Arctic Islands: 3-479.
 Geochronology. See Geologic time.
                                                                              Blaine formation, Permian, Oklahoma: 3-80, 3-797.
 Geodes, description, origin, minerals: 3-3080.
                                                                              Bluesky formation, Cretaceous, northeastern: 3-797.
Botucatú sandstone, early Mesozoic, Brazil-Uruguay,
dune bedding: 3-3619.
 Geodesy.
      Cambridge pendulum apparatus: 3-3676.
      Geoid and world geodetic system based on gravi-
                                                                               Brassfield limestone, Silurian, Ohio, clay mineral-
                    metric, astrogeodetic, and satellite
                                                                                            ogy: 3-3820.
                    data: 3-3677.
                                                                               Brazer limestone, Mississippian, Mackay, Idaho:
3-1815.
      Gravity field and shape of earth, investigations:
                                                                               Bromide formation, Ordovician, Oklahoma, ostra-
codes: 3-2950.
                   3-498.
      Hiran geodesy and photographic observations: 3-157.
      Horizontal movement, earth's crust: 3-158.
                                                                               Brownsport formation, Silurian, Tennessee, brachi-
      Measurement displacement and deformation by geo-
                                                                                            opod: 3-134.
                    detic methods: 3-3908.
                                                                               Buchak formation, Eocene, Ukraine, U.S.S.R., fau-
nas: 3-154.
      Physical, latest achievements: 3-156.
      Practical, intrinsic coordinates: 3-3678.
                                                                               Cedar Valley formation, Devonian, Iowa, coal seam:
      Reformation: 3-2964.
      Research and development: 3-4077.
World ellipsoid: 3-1206.
                                                                                            3-1454.
                                                                               Charny formation, Cambrian, Quebec, geochemistry:
3-3035, 3-3036.
Chattanooga Formation, Noel shale member, Mis-
 Geographic distribution.
      Foraminifera, Recent: 3-2281.
                                                                                            sissippian, Oklahoma: 3-1128.
      Tortoises, Tertiary, western North America: 3-3293.
                                                                               Chattanooga shale, Devonian, Tennessee: 3-2257,
 Geohydrology. For areal <u>see under</u> the various states
and countries. <u>See also</u> Ground water.
Acidity-alkalinity surface drainage waters as re-
                                                                                             3-4029.
                                                                               Cheverie formation, Mississippian, Nova Scotia:
                                                                               3-476.
Chinle formation, Triassic, New Mexico: 3-1407.
Lisbon Valley, Utah, structure map: 3-739.
Chipman formation, Ordovician, Vermont: 3-474.
"Choctawhatchee formation," Miocene, Florida, paleoecology: 3-3274.
Citronelle formation, Pleistocene, Florida, size frequency distribution particles: 3-763.
Clallum formation, Miocene, Washington, marine carnivore: 3-491.
                    lated to silicate rocks: 3-1325.
                                                                                            3-476.
      Borehole geophysical methods for analyzing specif-
                    ic capacity multiaquifer wells: 3-2382.
       Computing total sediment discharge with modified
                    Einstein procedure: 3-3398.
       Dispersion, experiments 3-4200.
       Drain-spacing formula, graphical solution and in-
                    terpretation: 3-1671.
       Effect depth flow on discharge bed material:
                                                                                             carnivore: 3-491.
                                                                                Cloud Chief formation, Permian, Oklahoma, evapo-
                    3-4201.
       Geobotanical method investigations: 3-2765.
                                                                                rites: 3-2234.
Concha limestone, Permian, Arizona: 3-4037.
Conemaugh formation, Pennsylvanian, West Virginia,
         Hydrogeologic studies, black earth region:
                     3-3087.
         Hydrogeologic studies deserts and semiarid re-
                                                                                             sedimentation, joint patterns: 3-4032.
                     gions: 3-3088.
                                                                                Corry sandstone, Mississippian, Pennsylvania:
       Geologic data to aquifer analog models: 3-1998.
                                                                                3-2619.
Dakota sandstone, Cretaceous, Colorado, structure contour map: 3-1390.
       History, Greek era; 3-260.
       Hydrochemical cause for development subzone of
                     leaching: 3-891.
                                                                                New Mexico: 3-1408.

Deadwood formation, Cambrian-Ordovician, North
Dakota: 3-2919.

Dekkas formation, Permian, California: 3-480.
       Mechanism gravity drainage and relation to yield
                     uniform sands: 3-4266.
       Origin oil and oil deposits: 3-3468.
Permeability in heterogeneous media, measurement: 3-4199.
                                                                                Denton formation, Cretaceous, Texas, paleoecology:
       Porous media, capillary pressure and surface discontinuity: 3-2379.

Drainage liquids: 3-1673.

Flow, analysis multiple-fluid: 3-280.
                                                                                              3-1477.
                                                                                Desian formation, Triassic, U.S.S.R.: 3-113.
                                                                                Difunta formation, Cretaceous-Tertiary, Parras
basin, Mexico: 3-2245.
                                                                                Edmonton formation, Cretaceous, Alberta: 3-1139.
```

Physics flow: 3-3419.

```
Geologic formations - Continued
    Esna shale, Paleocene, Farafra oasis, Egypt:
               3-2953.
```

Espiritu Santo formation, Devonian(?), New Mexico: 3-107.

Formosa reef limestone, Devonian, Ontario: 3-1537, 3-1814. Fort Union formation, Paleocene, Wyoming: 3-4046.

Franconia formation, Cambrian, Wisconsin, crosslamination studies: 3-1312. Fusselman dolomite, Silurian, New Mexico: 3-2227. Gazelle formation, Silurian, California, trilo-bites: 3-1505.

Gething formation, Cretaceous, British Columbia:

3-797. Gilmore City formation, Mississippian, Iowa: 3-1458.

Glen Dean limestone, Mississippian, Indiana, bryozoans: 3-2581.

Kentucky, conodonts: 3-1521. Goddard formation, Tiff member, Mississippian Oklahoma: 3-108.

Grand Greve formation, Devonian, Gaspé, Quebec, K-Ar age: 3-2254.

Green River formation, Eocene, Utah, neighborite, NaMgF₃: 3-2686. Utah, Colorado, silicate mineralogy:

Wyoming, Utah, 3-2337.

Gubik formation, Pleistocene, Alaska, Ostracoda: 3-4073.

Gunflint iron formation, Precambrian, Ontario: 3-2144, 3-2145.
Halfway sandstone, Triassic, British Columbia,

primary structures: 3-3400.

Hampton formation, Mississippian, Iowa, reorientation calcite crystals: 3-1443.

Harrison formation, Miocene, Nebraska, heavy min-erals: 3-1994.

Hartshorne sandstone, Pennsylvanian, Oklahoma: 3-2555.

Hawthorne formation, Miocene, Florida, cross-bed-ding and textural variations: 3-1310.

Hermosa formation, saline facies, Paradox member, Utah-Colorado: 3-796.

Horton Bluff formation, Mississippian, Nova Scotia: 3-476. Jacksonburg formation, Ordovician, Pennsylvania-

New Jersey, mineralogy: 3-1271. Johnson Gap formation, Triassic?, Colorado: 3-1137. Kerestinsk formation, upper Eocene, U.S.S.R.:

3-1468. Kettle Point formation, Devonian, Ontario: 3-4028. Kiev formation, Eocene, Ukraine, U.S.S.R., faunas:

3-154. Kinelskyan deposits, Miocene-Pliocene, U.S.S.R.:

3-122. La Peña formation, Cretaceous, Mexico: 3-3305.

Lance formation, Cretaceous-Tertiary, Wyoming: 3-2242.

Layton sandstone, Pennsylvanian, Oklahoma: 3-1132. Lenapah limestone, Perry Farm member, Pennsylvanian, Oklahoma, restricted biofacies: 3-1163.

Leonard formation, Hess member, Permian, Texas, fusulinids: 3-2604.

Lockatong formation, Triassic, New Jersey, composition: 3-604.

Louann salt, Triassic-Jurassic?, Gulf Coastal Plain: 3-1463.

Lukfata sandstone, Cambrian(?), Oklahoma: 3-1123. Luscar formation Cretaceous, Alberta, coal: 3-748.

Lykins? formation, Triassic?, Colorado: 3-1137 Mamyt formation, Jurassic, Urais, U.S.S.R.: 3-2562. Mancos sandstone, Crataceous, Colorado, structure contour map: 3-1391.

Mancos shale, Cretaceous, New Mexico: 3-1408. Manning Canyon shale, Mississippian-Pennsylvanian, Utah, solution cavities: 3-2338.

Mansfield formation, Pennsylvanian, Indiana, min-eralogy: 3-1267. Marianna limestone, Oligocene, Alabama, microfo-

raminifera: 3-1189.

Maynardville limestone, Cambrian, Tennessee, stromatolitic bioherms: 3-3643.

Merom sandstone, Pennsylvanian, Indiana: 3-1459. Mesaverde formation, Cretaceous, Wyoming: 3-1141... Minnes formation, Jurassic-Cretaceous, Alberta: 3-747.

Monongahela formation, Pennsylvanian, West Virginia, sedimentation, joint patterns: 3-4032.

Montoya dolomite, Ordovician, New Mexico: 3-2227.

Mowry shale, Cretaceous, U.S.-Canada: 3-152. Natchez Pass formation, Triassic, Nevada: 3-3287. Normanskill formation, Ordovician, New York, geo-chemistry: 3-3035, 3-3036. Nosoni formation, Permian, California: 3-480.

Ogallala, Pliocene, Colorado, ground water: 3-4213.

Ohio River formation, post-Carboniferous?, indiana-Kentucky: 3-1820.

Oselkovoye formation, Precambrian?-Cambrian?, U.S.S.R., nomenclature: 3-2544.

Owl Creek formation, Cretaceous, Tennessee-Mis-sissippi: 3-1164. Panoche group, Cretaceous, California, guidebook: 3-1066.

Pardonet formation, Triassic, British Columbia, ammonoid faunas: 3-3662.

Park City formation, Permian, western Wyoming, sponge occurrence: 3-3275.

Phosphoria formation, Meade Peak phosphatic member, Permian, Wyoming, petrology: 3-1996.

Potsdam sandstone, Cambrian, New York, petrology: 3-1995.

Pottsville formation, Pennsylvanian, relation to Mercer clay, Pennsylvania: 3-962.

Poultney slate, Ordovician, New York-Vermont: 3-1834.

Prairie Bluff formation, Cretaceous, Tennessee-Mississippi: 3-1164.

Puskwaskau formation, Cretaceous, Alberta: 3-811. Queenston shale, Ordovician, Ontario, mineralogy: 3-3386.

Rainvalley formation, Permian, Arizona: 3-4037. Riley formation, Cambrian, Texas, ground-water geology, Hickory sandstone member: 3-3860.

Ripley formation, Cretaceous, Tennessee-Missis-sippi: 3-1164. Sacate formation, Eocene, California, Foraminif-

era: 3-3304.

St. Louis limestone, Mississippian, Indiana: 3-3401.

Salem limestone, Mississippian, Illinois, <u>Cal</u>cisphaera: 3-1527.

Indiana, carbonate vein: 3-1314.

San Miguel sandstone, Cretaceous, Texas, logging and coring program: 3-3143.

Santa Clara formation, Pliocene, California, gastropods: 3-1495.

Seabee formation, Cretaceous, northern Alaska, ammonites: 3-1500.

Selma formation, Cretaceous, Alabama, vertebrate fauna: 3-2272, 3-2274. Sharps formation, Miocene, South Dakota: 3-2564.

3-4047.

Shugurovo formation, Devonian, Volga-Ural region, U.S.S.R.: 3-1456.

Sovgavan formation, Quaternary, Sikhote-Alin, U.S.S.R.: 3-1144. Springer sandstone, Pennsylvanian, Oklahoma,

heavy-mineral segregation: 3-2554. Stonehouse formation, Silurian, Nova Scotia, correlation with Baltic region: 3-2282.

Sutherland River formation, Silurian, Devon Is-land, Northwest Territories fauna: 3-2960.

Sylvania sandstone, Devonian, southwestern Ontario: 3-1813.

Syracuse formation, Silurian, New York, arthropods: 3-1502.

Tansill formation, Permian, Texas-New Mexico, de-dolomitization: 3-3844. Tavrida formation, Triassic-Jurassic, Crimea, min-

eralogy and petrography: 3-266.

```
Geologic formations - Continued
    Temiscamie iron-formation, Precambrian, Quebec:
                                                                           Elbrus, Caucasus: 3-1076.
                                                                           Kum-Dag fold, Turkmenia, late Pliocene: 3-3632.
Tengiz and Karaganda basins, formation: 3-3639.
                 3-2781.
    Tererro formation, Mississippian, New Mexico:
                                                                           Timan region, Precambrian-Cambrian: 3-1804.
                 3-107.
                                                                           Tuva, Paleozoic-Mesozoic development: 3-3605
    Thermopolis shale, Cretaceous, Wyoming, stratig-
                raphy and micropaleontology: 3-2238.
                                                                           Western Ukraine, tectonic history: 3-1116.
                                                                           Yenisey range, early Cambrian: 3-1807.
    Tick Canyon formation, Miocene, California, new
                 rodent genus: 3-2276.
                                                                         U.S. Amarillo-Hugoton area, pre-Des Moinesian:
                                                                                     3-100-
    Tuscarora sandstone, Silurian, differential ce-
                                                                           Early Paleozoic, tectono-stratigraphic patterns:
                 mentation: 3-1308.
                                                                                     3-2220.
    Vienna limestone, Mississippian, Kentucky, struc-
    ture map: 3-721.
Walnut formation, Cretaceous, Texas: 3-3649.
                                                                           Eastern Great Lakes region, early Wisconsin:
                                                                                      3-3223.
                                                                           Gulf Coast: 3-1721.
    Wellington salt, Permian, Kansas, bacteria: 3-1531, 3-1532.
                                                                         Wyoming-Colorado, Laramie Range, Cenozoic: 3-2160.
                                                                    Geologic mapping. <u>See also</u> Cartography.
Construction and use, photomosaic: 3-1021.
    Wilcox formation, Eocene, Texas, natural gas:
                 3-3473.
    Winnipeg formation, Ordovician, North Dakota:
                                                                         Construction gradient maps, rate vertical tecton-
                                                                                     ic movements crust: 3-2194.
                 3-2919.
                                                                         Fault symbols: 3-92.
    Woodbine formation, Red Branch member, Cretaceous,
    Oklahoma, lignite: 3-1140.

Wyandotte limestone, Pennsylvanian, Kansas: 3-635.

Yorktown formation, Miocene, James River, Virginia:
                                                                         Geobotanical method: 3-2846.
                                                                         Geological maps in national atlases: 3-2473.
                                                                         Isopach mapping, photogeologic methods, location
                                                                                      swales and channels, Monument Valley,
                 3-812.
Geologic history. See also Geomorphology; Paleocli-
                                                                                      Arizona: 3-933.
                                                                         Isopachometer, new type parallax bar: 3-662.
                  matology; Paleogeography.
                                                                         Kentucky, geologic map underway: 3-342.
     Arctic: 3-3653.
     Arizona, Cenozoic, 3-1822.
Bermuda, Pleistocene: 3-1093.
                                                                         Paleogeologic maps, textbook: 3-794.
                                                                         U.S.S.R., aerogeologic mapping, western Kazakhstan,
                                                                                      geobotanical indicators: 3-2847.
     British Columbia, Atlin map-area: 3-1058.
                                                                           Geobotanical guides in distinguishing between
     California, post-Pliocene uplift, Sierra Nevada:
                                                                                      lithologically similar strata of differ-
                  3-66.
                                                                                      ent origin: 3-2848.
     California-Nevada, Cenozoic, east of Sierra Nevada: 3-495.
                                                                           Geobotanical method in lithologic mapping, early
                                                                                      alluvial deposits: 3-2849.
     Colorado, Cambrian-Ordovician: 3-2151.
                                                                    Geologic maps. See Maps, Geologic.
Geologic names, lexicons, Ontario, Paleozoic names:
3-2546.
       Quaternary alluvium, Denver region: 3-1826.
       Summitville district, San Juan Mountains: 3-295.
     Connecticut Valley, Triassic, structural history:
                                                                     Geologic thermometry.
                  3-2213.
                                                                         Calaverite-krennerite transition: 3-869.
     Florida, post-Eocene: 3-767.
                                                                         High- and low-temperature plagioclase: 3-241.
     Greenland, North and East, Precambrian and early Paleozoic: 3-3952.
                                                                                                                      3-4144.
                                                                         High-temperature, use oxygen isotopes 3-4144.
Illinois, Cave-In-Rock fluorspar district: 3-3053.
       Northeast, late Precambrian: 3-4004.
                                                                          Inclusions in minerals, importance to theory ore
genesis and study mineral-forming me-
     Guatemala, volcanic history, highlands: 3-592.
Gulf of Mexico, sediments and history, Holocene
                                                                                      dium: 3-3110.
                  transgression, continental shelf:
                                                                         Fe-As-S system, phase relations and application:
                   3-1666.
                                                                                      3-1592.
     Korea: 3-438.
                                                                         Mineral-forming solutions, possibility of deter-
mining true temperatures: 3-4145.
      Maine, late Pleistocene, southwestern: 3-2529.
      Minnesota, Randall region, Pleistocene geology:
                                                                         Nephelines as crystallization temperature indicators: 3-3349.
                   3-3610.
     Montana, Glacier National Park: 3-1401.
Montana-North Dakota, Cenozoic: 3-1431.
Montana-Wyoming, Yellowstone National Park, Ceno-
                                                                          Polypeptides and amino acids in fossils and sedi-
                                                                                       ments in relation to geothermometry:
                                                                                       3-1616.
                   zoic, 3-4044.
                                                                          Pressure and temperature crystallization, from
      New York, Finger Lakes region, geomorphic history:
                                                                                       elastic effects around solid inclusions
                   3-3625.
                                                                                       in minerals: 3-3801.
      North America, Great Lakes region, Pleistocene,
                                                                     Geologic time. <u>See also</u> Isotopes; Radiocarbon dating.
                  Wisconsin: 3-2176.
                                                                          Age determination, U-Pb isotope method, oxidation
        Rocky Mountains, late Tertiary crustal deformations: 3-2209.
                                                                                      uranium in uraninites: 3-1256.
                                                                          Antarctica, age oldest rocks: 3-2925.
      Northwest Territories, Arctic Archipelago, struc-
                                                                             Age rocks east Antarctic platform: 3-3657.
Pegmatites and charnockite lens, Lützow-Holm
                   tural history since Precambrian: 3-792,
                   3-4006.
                                                                                       Bay: 3-2924.
        Cornwallis Island, Tertiary-Quaternary: 3-787.
                                                                          Argon method determining age rocks and minerals:
        Richardson Mountains, Cretaceous_Tertiary:
                                                                                       3-1907.
                   3-4008.
                                                                          Arizona-New Mexico, rubidium-strontium ages, base-
      Oklahoma, late Pleistocene basin, Harper county:
                                                                                       ment rocks: 3-1829.
                   3-123.
                                                                          Atlantic basin, Pleistocene chronology, pre-Pleis-
        Pre-Des Moinesian, north-centrai: 3-101.
                                                                                       tocene history: 3-1997.
      Philippines, northern Luzon, Tertiary-Quaternary: 3-1078.
                                                                          Atlantic-Caribbean, dating deep-sea cores by Pa<sup>231</sup>/Th<sup>230</sup> method: 3-1830.
      Quebec, Labrador geosyncline: 3-2217.
Upton, Pleistocene: 3-1088.
                                                                          Australia, anomalous leads, Broken Hill: 3-3049.
                                                                             Proterozoic granites, Northern Territory: 3-2258,
      Red Sea area: 3-75.
                                                                                       3-2259.
      Svalbard, structural history: 3-4010.
                                                                          Bases for age determination and age classification, earth's rock strata: 3-1801.
      Texas, central and western, middle Paleozoic:
                                                                          British Columbia, radioactive dating, Tertiary plant-bearing deposits: 3-1828.
                   3-773.
        Paleozoic, Fort Stockton-Del Rio region: 3-774.
        Panhandle: 3-772.
                                                                           Evaluation glauconite and illite for dating sedi-
      U.S.S.R., central Arctic, tectonic development:
                                                                                       mentary rocks by potassium-argon method:
        Dnestr region, Quaternary tectonic movements: 3-3636.
                                                                                        3-3052.
                                                                          Glauconite for age measurement by K-Ar and Rb-Sr
```

```
Geologic time - Continued
                                                                           Opportunities in geology and geological engineer-
                 methods, reliability: 3-240.
     Greenland, West, chronology Precambrian: 3-4050.
                                                                                        ing: 3-1029.
                                                                           Relationship with engineers, planning public works:
     Idaho, isotopic composition lead, Precambrian min-
                                                                                        projects: 3-2088.
                  eralization, Coeur d'Alene district:
                                                                           Role in modern mineral exploration: 3-4231.
                  3-939.
                                                                           Specialist, role, address: 3-4300.
State Geologists Journal, Oct. 1960: 3-1014.
     Lead ages, discordant, volume diffusion as mechan-
                  ism: 3-239.
     Lead-alpha age measurements, new results: 3-4143.
Spectrochemical determination lead in zircon:
                                                                      Geology (general).
                                                                           Scientific character geology: 3-4298.
                                                                      Geomorphology (general). For areal see under the var-
                  3-1908.
                                                                                        ious states and countries. See also
Beaches, Drainage changes; Erosion;
                                                                                                                          See also
    Lead-uranium age problem, graphic and algebraic solutions: 3-3050.
                                                                           Erosion surfaces; Lakes; Patterned ground; Periglacial phenomena; Shore-lines; Terraces; Weathering.

Development and next tasks: 3-441.
    Lichenometry, dating rock surfaces by lichen
growth: 3-4055.
Louisiana, south, radiocarbon dating late Quater-
     nary deposits: 2-1146, 3-1147.
Meteorites, 1<sup>129</sup>-Xe<sup>129</sup> ages: 3-1598.
                                                                           Fluvial deposits, effect sediment type on shape
     Minnesota, Precambrian geochronology: 3-1450.
                                                                                        and stratification: 3-1773.
                                                                           Geomorphic mapping: 3-442.
     Nebraska, late Wisconsin age terrace alluvium,
                                                                           Geomorphological Abstracts, v.1- in progress:
                 North Loup River: 3-4053.
    New Brunswick, minimum age Middle Silurian, K-Ar
method: 3-4051.
                                                                                        3-1417.
                                                                           Geomorphology and experimental process: 3-2900.
                                                                           ice age coming? 3-1769.
    New England, "alkalic" rocks, lead-alpha and iso-
                                                                           Landform maps, technique: 3-2901.
                  topic age determinations: 3-2255.
                                                                           Landscape classification, geochemical principles:
    New Jersey, Palisades sill, potassium-argon meas-
                                                                                        3-2185.
                  surements: 3-3267.
                                                                           Leveling by rock-floor robbing: 3-458.
     North America, Cordilleran granites, potassium-
                                                                           Line-of-sight capabilities, method for predicting; mathematical terrain model: 3-1767.
                 argon dates, biotites: 3-2256.
       1,000 m.y. old minerals, eastern U.S. and Can-
    ada: 3-1474.

Ocean basin ages and amounts of original sediments: 3-1307.
                                                                           Metaphor in geomorphic expression: 3-443.
                                                                           Morphogenetic climates: 3-3961.
Movement playa scrapers by wind: 3-457.
                                                                           Paleogeomorphology, principles: 3-2049.
     Ontario, Cutler batholith: 3-125.
                                                                           Place geomorphology in natural sciences: 3-440.
Pseudokarst, U.S.: 3-2525.
Relief forms, fine and medium, classification:
       Sudbury-Blind River: 3-3266.
     Potassium-argon time scale: 3-2253.
    Radioactive age determination, fossiliferous rocks as old as Cambrian: 3-542.
                                                                                        3-3238.
                                                                           Rock movement, by uprooting of forest trees:
    Radiometric determination potassium in silicates:
                  3-1909.
                                                                                        3-454.
    Relation discordant Rb-Sr mineral and whole rock
                                                                             On scree slopes, theory: 3-3225.
                 ages in igneous rock to time of crystal-lization and subsequent {\rm Sr}^{87}/{\rm Sr}^{86} meta-
                                                                           Role seepage moisture in soil formation, slope
                                                                                        development, stream initiation: 3-3620.
    morphism: 3-3051.
Revised time scale, Cambrian-Recent: 3-2252.
                                                                           Slope development, mathematical models: 3-1094.
                                                                             Theories, evaluation: 3-2182.
     Tektites, age: 3-2644.
                                                                           Terrain interpretation from radar displays: 3-459.
     Terrestrial consequences changes in solar luminos-
                                                                           Till-stone shapes, evolution: 3-79.
                 ity: 3-3329.
                                                                           U.S.S.R., main tasks and trends: 3-2167.
     Time scale: 3-2568.
                                                                          Watershed characteristics, interrelationships:
     Transvaal, Old Granite, Rb-Sr age measurements:
                                                                                        3-2179.
                                                                     Geophysical investigations. <u>See also</u> Gravity anomalies; Magnetic anomalies; Magnetism of
                 3-2923.
    U.S.S.R., age granitoid rocks, Tien Shan: 3-127.
       Age kimberlites, Siberian platform: 3-3656.
                                                                                        rocks and minerals; Maps, Aeromagnetic,
       Age post-Jurassic intrusions, Aldan: 3-1282.
                                                                                        Geophysical.
       Basalts and alkalic-ultrabasic complex, Siber-
                                                                           Africa, Sahara, refraction seismic prospecting:
                  ian platform, age relationships: 3-126.
                                                                                        3-4123.
       Geologic results study absolute age of rocks:
                                                                           Airborne electrical prospecting: 3-1859.
                 3-2569.
                                                                           Alaska, Cook Inlet area, aeromagnetic reconnais-
       Middle Dnepr region, ages granites and pegma-
                                                                                        sance: 3-819.
                 tites: 3-2570.
                                                                             Copper River basin, magnetic data: 3-1546.
       Origin red beds, Cheleken peninsula: 3-1475.
                                                                          Alberta, Athabasca Glacier, electrical resistiv-
lty studies: 3-835.
       Precambrian geochronology: 3-1827.
                                                                             Athabaska Glacier, Induction and galvanic re-
sistivity studies: 3-4105.
    U-Pb age determination and Upper Devonian blo-
                 stratigraphy: 3-2257.
     Utah, analysis Pleistocene core, Great Salt Lake:
                                                                             Resistivity mapping and petrophysical study,
                 3-124.
                                                                                        Upper Devonian inter-reef calcareous
    Yukon Territory, Caledonian or Acadian granites: 3-4052.
                                                                                        shales: 3-2372.
                                                                           Antarctica: 3-1745.
Geological Surveys. See Surveys.
                                                                             Eastern, seismic and gravimetric studies, ice
                                                                             and structure: 3-865.
Electrical resistivity, frozen earth: 3-172.
Ice thickness from gravimetric measurements:
Geologists.
    AAPG to diagnose geology's ills: 3-2107.
California, approved engineer-geologists, Los Angeles: 3-2440.
                                                                                        3-3685.
    Chinese-Russian, development scientific relations:
                                                                             Seismic observations, crust: 3-3751.
                 3-4297.
                                                                             West, magnetic declinations: 3-2971.
    Earth science enrollment and employment: 3
Earth scientist shortage possible: 3-2108.
                                                                           Arctic Ocean, drift station Bravo, T-3, 1958-1959:
    Earth scientists in nuclear age, opportunities and responsibilities: 3-1028.
                                                                             Drift station Charlie, results: 3-4129.
                                                                           Atlantic Ocean, heat flow through floor: 3-3757.
    Employment situation: 3-3940.
                                                                             Seamount north of Madeira: 3-1102.
    Geologic profession, attributes, address: 3-4299.
                                                                             Sub-bottom reflection measurements, continental
    Geophysicist employment: 3-2109.
                                                                                        shelf, Bermuda banks, West Indies arc, west Atlantic basins: 3-198.
    Geophysics, future need for: 3-2961.
```

California, Owens Valley, subsurface structures: 3-1581.

Making of a state survey geologist: 3-1015.

Montana, role at Anaconda, Butte: 3-2018.

od: 3-834.

```
Geophysical investigations - Continued
     Canada, aeromagnetic surveying, diurnal problem:
                  3-2970.
       Electric and magnetic fields, western: 3-826. Geophysical survey coverage: 3-2638.
       Gravity surveys, northern areas, new methods elevation control: 3-1210.
       Meteorite craters on Shield, use gravity for
                  study: 3-3683.
       Report on geomagnetism: 3-2967.
       Western, ground motion on arrival reflected lon-
                  gitudinal and transverse waves at wide-
                   angle reflection distances: 3-3744.
     Carbonate reservoir rocks: 3-3700.
     Caribbean Sea, Explorer bank, new discovery:
3-3990.
Caribbean Sea-Gulf of Mexico, crustal structure:
                   3-1585.
     Connecticut, central, gravimetric and structural
                   investigations: 3-2212.
     Czechoslovakia, geomagnetic charts: 3-1849.
     Earth's crust, ocean areas: 3-1847.
Seismic crustal studies, 16Y: 3-858, 3-1234.
Earth's crust and upper mantle: 3-2633.
     Ellesmere Island, gravitational and seismic depth
                   determinations, Gilman Glacier and ice
                   cap: 3-4084.
     Guatemala, gravity operations: 3-161.
     Gulf of Mexico, salt structures indication of
                   former land-locked basin: 3-4131.
      Hawaiian ridge near Gardner Pinnacles, crustal
                   structure: 3-521.
      Iceland, upper crustal structure: 3-3749.
      Idaho, gravity survey, Snake River plain: 3-2965.
      Indiana, Lawrence County, continuous velocity log,
test well to basement complex: 3-1876.
        Seismic reflection survey, basement complex:
                   3-1875.
      Massachusetts, Cape Cod Bay, using continuous
                   seismic profiler: 3-3324.
      Mexico, Mexican geosyncline, determination sedi-
                   mentary thickness by Rayleigh wave dis-
                   persion: 3-2308.
      Middle America trench, seismic refraction studies: 3-2190, 3-2191.
      Missouri, gravity survey, Leadwood area: 3-2966.
      Nevada, gamma-radioactivity investigations, Ne-
vada Test Site: 3-3754.
      Nevada-Arizona, crustal structure Nevada Test
      Site-Kingman, Arizona: 3-1582.
New Brunswick, Caribou deposit, sulfides: 3-4236.
Murray deposit, sulfides: 3-4235.
      New York-Pennsylvania area, crustal structure:
                    3-1583.
      North America, explosion studies continental
                    structure: 3-3737.
      Northwest Territories, Arctic Archipelago, inter-
                    pretation aeromagnetic profiles:
         3-4089.
Arctic Coastal Plain, gravity meter survey, op-
erational report: 3-4083.
       Nova Scotia, anisotropy rock, Halifax harbor region: 3-520.
       Pacific and Indian oceans, Rayleigh wave dispersion and crustal structure: 3-3727.
       Pennsylvania, Lancaster, Berks, Lebanon quadran-
                    gles, geologic interpretation, aero-
magnetic maps: 3-2296.
       Quebec, Mattagami area: 3-1238, 3-4130.
South Dakota, resistivity method, ground-water
                     studies, glacial outwash, eastern:
                     3-3701.
       Tennessee, peridotite, Clark Hollow, aeromagnetic
       study: 3-3321.
Texas, Bronte (Ellenburger) and Rawlings fields,
                    case history: 3-1584.
       Thailand, northern extension, Chachoengsao area,
                     airborne magnetometer-scintillation
       counter survey: 3-1216.
U.S.S.R., Asian continent to Pacific Ocean, deep
```

selsmic sounding: 3-3750.
Carpathlans, seismic surveying: 3-857.
Density and gravitational effect, Paleozoic rocks, Tatar republic: 3-816.
Electric prospecting by telluric currents meth-

```
Residual magnetization, formation and distribu-
                  tion: 3-499.
       Seismic exploration, Cheleken-Neftyanye Kamni,
       Caspian Sea: 3-3325.
Shchigry magnetic anomaly of KMA, use modeling in magnetic prospecting: 3-4093.
       Tuymazy field, lithologic characteristics pro-
                  ductive Devonian sediments: 3-3328.
       Ushkani islands, lake Baikal, anomaly in earth's
                  electric fields: 3-3695.
       Using earth's natural electromagnetic field for
                   geological surveying, Rylsk area, Kursk
                   region: 3-828.
     Utah, sub-basement seismic reflections: 3-1576.
       Seismic profiles, Pilot Range, Grouse Creek
     range area: 3-2317.
Utah-Nevada, seismic investigation, crustal struc-
                   ture: 3-522.
     Wyoming, Cody terrace, seismic evidence supporting
                   alluvial origin: 3-1775.
Geophysics. See also Earth; Earth crust; Earth interi-
                   or; Earth temperature; Geodesy; Magnet-
                   ism of rocks and minerals; Radioactivi-
     ty; Seismology.
Aeromagnetic surveying, diurnal problem: 3-2970.
     Airborne electromagnetic prospecting methods:
                   3-4101.
     Airborne gravity gradient measurements: 3-4078, 3-4079.
     Airborne magnetometer: 3-3320.
Airborne surveying, petroleum: 3-4259.
     Anomalies \Delta \underline{Z}, integral methods for interpreting: 3-1212.
     Basement depth determinations from airborne mag-
netometer data: 3-3687.
      Borehole geophysical methods for analyzing spe-
                   cific capacity multiaquifer wells:
                    3-2382.
      Carnegie Institution of Washington, Dept. of Ter-
                    restrial Magnetism, annual report on research: 3-4087.
        Geophysical Laboratory, report 1959-1960:
                    3-2101.
      China, status of: 3-3926.
      Continuous activation logging, optimum conditions:
                    3-860.
      Crustal subsidence in geosynclinal terraces, sta-
                    bilization by phase transition at M:
                    3-1796.
      Current and future parameters: 3-3673.
      Density logging: 3-204.
      Determination anisotropy coefficient and angle of inclination of homogeneous anisotropic
                    medium: 3-1217.
      Dielectric behaviour rocks and minerals: 3-2620.
Dipole field, response disk: 3-4097.
Disturbance thermal state of rocks by drilling
                    borehole: 3-2319.
      Earth current disturbances, diurnal variation:
      3-824.
Earth drill proposed: 3-3316.
Earth-tide records, interpolation: 3-162.
       Earth today, geophysics papers: 3-3674.
       Electric log interpretation: 3-2301.
          Computers: 3-2290.
Exploring for stratigraphic traps: 3-1218, 3-4102, 3-4264.
       Electric oscillations, noninertial method for
                     measuring amplitudes and phases:
                     3-3696.
       Electric prospecting, by telluric currents meth-
                     od: 3-834.
          Ground-water prospecting: 3-3086.
       Solution two-dimensional problems: 3-1857.
Electrical analog approach to dipmeter computa-
                      tion: 3-174.
       Electrical conductivity, variation with depth by magneto-telluric method: 3-170.
       Electrical logging, application method rotating magnetic field: 3-2302.
Electrical properties fossil coals: 3-4104.
        Electrical resistance rocks, all-around pressure up to 1,000 kg. cm.<sup>2</sup>: 3-1854.
```

```
Geophysics - Continued
                                                                         Resistivity, apparent, single uniform overburden:
       Effect unilateral pressure: 3-829.
                                                                                      3-503.
    Electrical resistivity survey for ground water:
                                                                            Profiles, theoretical horizontal, over hemis-
                 3-173.
                                                                         pherical sinks: 3-3697.
Salt bed identification from unfocused resistivity
    Electromagnetic fields caused by cylindricalin-
                 homogeneity, asymptotic expressions:
                 3-1855.
                                                                                      logs: 3-3699.
    Electromagnetic frequency sounding of multilay-
                                                                         Screening of anomalous field by sediment: 3-3698.
    ered structures, theory: 3-1856.
Electromagnetic surveying, induction method, solu-
                                                                         Self-potential method prospecting: 3-4103.
                                                                         Short-period variations, regional electromagnetic
                                                                                      field: 3-827.
                 tion basic problem in theory: 3-1858.
                                                                         Thermal conditions disturbed by drilling borehole:
    Electronic computer and geophysics: 3-1540.
    Electro-prospecting by rotating magnetic field:
                                                                                      3-2998.
                                                                         Thermal field in old shields: 3-4127.
                 3-2976.
    Exploration geophysics, review: 3-3314. Future need for: 3-2961.
                                                                        Thermodynamic theory, nonhydrostatically stressed solids: 3-1442.
                                                                        Triboelectric effect in rocks, study: 3-830.
U.S. National Report, 1957-1960, 12th General Assembly, International Union Geodesy and
    Gamma-ray logs in layered media, interpreting:
                 3-859.
      Quantitative interpretation: 3-2997.
    Gamma-ray spectrometer in mineral exploration:
                                                                                      Geophysics: 3-1205.
                3-202.
                                                                         Use in engineering geology: 3-3909.
                                                                        Well logging, coordinator in operating company,
    Gravimeters, sea, Gss2: 3-3680.
      Quartz, dependence of zero-point drift on thick-
                                                                                     duties: 3-178.
                                                                           Logging empty holes: 3-4263. Methods: 3-4261.
                 ness fibers of elastic system: 3-1207.
    Gravitational potential, elliptic paraboloid:
                 3-1209.
                                                                           Suggestions for better electric log combinations
    Gravity gradient, horizontal, determination with gravimeter: 3-1208.
Gravity surveys in sand dunes: 3-4080.
                                                                                     and improved interpretations: 3-175.
                                                                           Techniques, production: 3-298.
                                                                           Tests on noninvaded thin beds with shielded
    Gravity waves, horizontal momentum and surface
                                                                                      electrodes: 3-4265.
                 velocity: 3-159.
                                                                           True resistivities from conventional electric
    Ground-water study, procedures: 3-273.
                                                                                    logs: 3-4262.
    Heat conduction through porous rocks, molecular
                                                                        Well logs, carbonate reservoirs: 3-177.
                 effect: 3-205.
                                                                           Log interpretation, sandstone reservoirs: 3-176.
    Horizontal loop equipment in ground survey: 3-502.
                                                                   Georgia.
    Induction logging, propagation effects: 3-2974. Inductive method, model investigations: 3-831.
                                                                        Geological investigations, 1960: 3-3169.
                                                                      Economic geology.

Corundum localities: 3-3129.
    Instability inhomogeneous viscoelastic half-space
                 under initial stress: 3-856.
                                                                         Iron, petrography Silurian ores: 3-3123.
    Integral transform, its applications to geophysi-
                                                                        Lost mineral localities: 3-3133.
                 cal interpretation: 3-2972.
                                                                        Mineral industry, 1959: 3-3132.
    International geophysical calendar, 1961: 3-497. IGY World Data Center A, catalog of data: 3-1846. International Union of Geodesy and Geophysics:
                                                                      Engineering geology.
Ground disposal liquid radioactive wastes, Georgia
                                                                                     Nuclear Laboratory site: 3-2462.
    3-815.
Level variometer LV: 3-3675.
Magnetic susceptibility strongly-magnetic rocks,
                                                                      Geohydrology.
                                                                        Brunswick area, relation salty ground water to
                                                                                     fresh artesian water: 3-2744.
                 use variations geomagnetic rocks for determining: 3-4088.
                                                                        Ground water for expanding economy: 3-3100.
                                                                        Savannah River basin, piezometric levels, Creta-
ceous sand aquifer: 3-3102.
    Magnetized bodies, graphic method for determining depth: 3-3686.
                                                                        Terrell County, ground-water resources: 3-3101.
    Magneto-telluric method, resolving power: 3-2975. Magneto-telluric sounding curves: 3-4098, 3-4099,
                                                                      Physiography.
                                                                        Atlanta area, physiography and climatology:
                 3-4100.
                                                                                      3-3241.
    Mathematical processing of data: 3-2289.
                                                                   Geosynclines.
    Mining geophysics, trends and prospects: 3-3315. Mohole project: 3-2911.
                                                                        Greenland, North and East, Precambrian and early
                                                                                     Paleozoic structural elements and sedimentation: 3-3952.
    Multi-channel telemeter for geophysical investiga-
                 tion wells: 3-825.
                                                                        Mexican, determination sedimentary thickness by
    Multiple-layer resistivity problem, kernel func-
                                                                                     Rayleigh wave dispersion: 3-2308.
                 tion in: 3-171.
                                                                        Nevada, Ordovician miogeosynclinai margin: 3-2226.
    Neutron logging, optimum conditions: 3-4125.
                                                                        Quebec, Labrador geosyncline: 3-2217.
      Prospecting boron: 3-861.
                                                                          Labrador geosyncline, iron formations: 3-2415.
      Theory: 3-1577.
                                                                        Stabilization crustal subsidence, geosynclinal
    New portrait of our planet: 3-1845.
                                                                                     terranes by phase transition at M:
                                                                                      3-1796.
    North America, gravity control network: 3-1544.
                                                                        U.S.S.R., Crimea-Caucasus anterior downwarp:
    Numerical resistivity interpretation, general in-
                                                                                     3-3633.
                 homogeneity: 3-1551.
                                                                   Geothermal gradients. <u>See also</u> Earth temperature.
Temperatures measured in bore holes, effect drill-
    Numerical solution, geophysical problems: 3-155. Particle shape in formation resistivity factor-
                                                                                     ing fluid on: 3-1579.
                 porosity relationships: 3-2300.
                                                                        U.S.S.R., geothermal regime, Georgian, S.S.R.:
    Permeability determination by resistivity logging:
                                                                                      3-864.
                 3-833.
                                                                   Germanium, U.S.S.R., in petroleum: 3-2670.
    Petroleum exploration, need for new approach:
                                                                   Germany.
                 3-2053.
                                                                        Accessory minerals and elements, serpentinite,
    Physics and archeology: 3-2288.
Physics and chemistry of earth, v.4: 3-3313.
                                                                                     Leupoldsgrün: 3-1899.
                                                                        Karlicher loess profile, carbonate concretions:
    Polarization, induced, in electrolyte saturated
                                                                                     3-1648.
                 earth plugs: 3-2973.
                                                                        Mechanism salt migration: 3-94.
    Porosity determination according to SP parameters:
                                                                        Micropaleontology, bibliography, 1959: 3-1178.
                3-832.
                                                                        Montecaris lehmanni, new crustacean, Rhenish De-
vonian: 3-1506.
   Prospecting system by helicopter: 3-1848.
Radioactivity logging, potential: 3-203.
Residuals and derivatives, properties: 3-1541.
```

System H20-NaCl at elevated temperatures and pres-

eysers - Continued sures: 3-1591.	Northwest Territories, late "Wisconsin," Melville
U.S.S.R., Kamchatka, geyser theory: 3-1880. hana, manganoan cummingtonite, Nsuta: 3-4167.	Peninsula: 3-2519. U.S., continental glaciation in relation to Mc-
lacial geology. <u>See also</u> Glacial lakes; Glaciers; Quaternary.	Farlan's sea-level curve for Louisiana: 3-3224.
Alaska, Mount Chemberlain area, Brooks Range: 3-3974.	Eastern Great Lakes region, early WisconsTn: 3-3223.
British Columbia, Courtenay, map: 3-2112.	Glaciers. <u>See also Glaciology</u> . Alaska, eight maps: 3-3183.
California, San Joaquín basin, Sierra Nevada: 3-84.	Exceptional advances Muldrow, Black Rapids, Su-
Sierra Nevada, Pleistocene glaciation: 3-2177. Canada, soils: 3-3234.	sitna: 3-76. Alberta, Athabasca Glacier, electrical resistivity
Connecticut, Uncasville quadrangle, map: 3-1036.	studies: 3-835, 3-4105. Exploring glaciers with camera: 3-658.
Wallingford quadrangle: 3-2894. Windsor Locks quadrangle, map: 3-1035.	Glaciers: 3-3218. Norway, Østerdalsisen, glacier caves, Svartisen:
Glacial drift, interpretation from infrared films: 3-1085.	3-3969.
Greenland, northeast, late Pleistocene: 3-3971. 	U.S.S.R., Fedchenko glacier, thermal balance: 3-1084. U.S., western, mapping: 3-3219.
3-3595. Pana area, guidebook: 3-3596.	Washington, Blue Glacier, Mt. Olympus, map:
Woodstock area, guidebook: 3-3594. Indiana, glacial tills, Parke and Putnam counties,	3-3183. Lower Blue Glacier, structure: 3-445.
pebble counts: 3-1651. Marion County: 3-3914.	Nisqually Glacier, botanical evidence of modern history: 3-3608.
Wisconsin till, original bedrock composition:	Glaciology. Alaska, Gulkana Glacier Expedition, 1960: 3-2514.
3-1320. Labrador, Torngat Mountains, glacial geomorphol-	Antarctica, deformation Ross Ice Shelf near Bay of Whales: 3-3220.
ogy: 3-2515. Labrador-Ungava, George River region, former ice-	Little America station: 3-2175. Arctic Ocean, Fletcher's ice island T-3: 3-2173,
dammed lakes and deglaciation: 3-2517. Maine, southwest: 3-2529.	3-3965.
Manitoba, interglacial(?) conglomerate, Seal River er valley: 3-2248.	Bibliography: 3-2902. Density glacier ice: 3-3607.
Michigan, Kalamazoo area 3-285.	Greenland, Danish investigations: 3-3966. Ice-cap margin, northwestern, surface features:
Minnesota, Lyon County: 3-4217. Randall region: 3-3610.	3-3967. Structures glacier ice, North Ice cap: 3-2172.
Montana, east of Rocky Mountains, glacial map: 3-3945.	Ice age coming?: 3-1769.
New York, bibliography: 3-2903. Glacial drainage, Syracuse-Oneida area: 3-78.	Lichenometry, dating rock surfaces by lichen growth: 3-4055.
Western, heavy minerals in glacial drift: 3-2340.	Northwest Territories, Ellesmere Island, Gilman Glacier and ice cap, depth determina-
North America, Great Lakes region, pre-classical Wisconsin: 3-2176.	tions: 3-4084.
Northwest Territories, Baffin Island: 3-2192. North-central Mackenzie District: 3-1086.	Lake Hazen region: 3-3968. Sea ice, seismic studies: 3-191.
Stopover Lake area, crevasse fillings and abla-	Washington, Blue Glacier, Olympic Mountains, oxy- gen-isotope ratio: 3-1624.
tion slide moraines: 3-2518. Ontario, Galt map-area: 3-2143.	Glauconite.
Southern, tills: 3-3221. Ontario-Quebec, Cornwall map-area: 3-1087.	Nature and origin: 3-2717. Reliability for age measurement by K-Ar and Rb-Sr
Prince Edward Island, Montague, map: 3-2116.	methods: 3-240. U.S.S.R., Cretaceous, Caucasus: 3-245.
Mount Stewart, map: 3-2117. Souris, map: 3-2118.	Stalingrad Volga region, Paleogene: 3-4165. Glossaries. See Dictionaries.
Quebec, Anticosti Island: 3-3222. Montreal area, drift-thickness contours, map:	Chaics
3-3181.	Northwest Territories, Cumberland Sound, Baffin [sland: 3-2358.
St. Faustin-St. Jovite region: 3-2904. Sakami Lake, map: 3-415.	Texas, Red Mountain gneiss, Llano County, origin and structure: 3-3833.
Upton, text and map: 3-1088. Rhode Island, Kingston quadrangle, surficial geol-	Gold. Alaska, Tofty tin belt, Manley Hot Springs dis-
ogy: 3-2520. U.S.S.R., Quaternary glaciation, west Siberian	trict: 3-2411.
lowland: 3~3611.	Colorado, history, areal geology, guide: 3-3116. Summitville district, San Juan Mountains: 3-295
Laboratingava, George River region: 3-431/1	congo, Kilo-Moto mines area, relation structure t
Utah, Lake Bonneville, magnesium carbonate formation: 3-1990.	mineralization: 3-3117.
West Virginia-Ohio, Teays lake, extent: 3-3976.	India, Kolar field: 3-943, 3-3870. Nicaragua, Macuelizo: 3-4239.
Alaska, Mt. McKinley, map: 3-2119. Antarctica, McMurdo Sound region: 3-453. Antarctical McMurdo Sound region: 3-453.	Northwest Territories, Yellowkhile, Sullui 130
Arizona, White Mountains, multiple Pleastoom.	tope investigation: 3-1623. Ontario, Trout Lake, Kenora district, map: 3-379. Quebec, Cedar Bay mine, wall-rock alteration:
British Columbia, Commander Glacier, Purcell	Quebec, Cedar Bay mine, wall look discovered and 3-2769. South Africa, Orange Free State gold field, ori-
Chile, Laguna de San Rafael area, late Pleisto	South Africa, Urange rees state gold files, or gin deposits: 3-3865. U.S., Appalachian, handbook and guide to placers:
a long to Booky Mountain National Park: 3-//-	2~288
Continental, problem of origin. 3 410	Yukon Territory, soil testing, Klondike: 3-942. Gold Coast. <u>See</u> Ghana.
Labrador-Ungava, deglaciation. 9 770.	Granite. Albite, origin, granitic rocks: 3-1967.
New Guinea, Australian, Mt. Wilhelm: 3-452.	Albite, brigin, grantete rosse.

```
Granite - Continued
                                                                     Great Britain. See also England; Scotland; Wales.
Geologists' Association: 3-2105.
Mining engineering, coalfields: 3-2818.
    Australia, Proterozoic granites, Northern terri-
                  tory: 3-2259.
     Brazil, minor element abundance, Minas Gerais:
                                                                     Great Plains, loess, origin and sources: 3-2181.
                  3-1606.
                                                                     Greece, earthquake Nov. 1959, determination energy:
     Carbonic acid in granitic intrusions, geochem-
                                                                                       3-2983.
    istry: 3-883.
England, southwest, metasomatic origin potash
                                                                     Greenland.
                                                                          Arctic bibliography, v. 9: 3-1013. Geology, symposium: 3-3951.
                  feldspar megacrysts: 3-4183.
    Greenland, mineral layering, intrusions, lyigtut region: 3-2355, 3 3394.
                                                                        Areas described.
                                                                          Carolinides, late Precambrian orogenic beit,
     Indium and thallium content, G-1, determination by
                                                                                       northeast: 3-4004.
                 new technique: 3-3779.
                                                                          North and East, Precambrian and early Paleozoic
    Massachusetts, crystallization history,
                                                   granite-
                                                                                      structural elements and sedimentation:
                 syenite complex, Salem: 3-2349.
    Melting temperatures, effects NH3 and HF, H20:
                                                                                       3-3952.
                 3-1242.
                                                                          Traill Ø, central part: 3-3585.
                                                                       Economic geology.

Geochemical prospecting base metals, Schuchert
    Nevada, "Granite" exploration hole, Nevada Test
                 Site, physical properties: 3-650.
                                                                                      Dal, northeast: 3-4234.
    New Brunswick, minimum age Middle Silurian:
                                                                       Geochemistry.
Nitrogen, West Greenland waters: 3-3045.
                 3-4051.
    Oklahoma, petrography Precambrian Spavinaw granite:
                  3-1281.
                                                                        Geophysics.
                                                                          Paleomagnetic studies, East: 3-4096.
     Ontario, Cutler batholith, age measurements: 3-125.
                                                                          Seismic refraction soundings in permafrost,
    South Dakota, pegmatite-granite relationships
                 Calamity Peak area, Black Hills: 3-2364.
                                                                                       Thule: 3-4121.
                                                                       Historical geology.

Carboniferous-Permian, central East: 3-4033.
     Strontium content, G-1: 3-231.
     Sudan, faceted slopes, rock fans, domes: 3-1771.
                                                                          Cretaceous, East: 3-4043.
Devonian, central East: 3-4025.
     Tanganyika, beryllium content: 3-1248.
    Trace elements in G-1, colorimetric and polaro-
graphic determination: 3-3015.
                                                                          Jurassic, East: 3-4042.
    U.S.S.R., age granitoid rocks, Tien Shan: 3-127.
Entry uranium into rock-forming minerals, Tien
                                                                          Paleozoic, lower: 3-4021.
Permian: 3-4035.
                 Shan: 3-1247.
                                                                          Precambrian, West, chronology: 3-4050.
                                                                          Precambrian-Cambrian, East: 3-4017.
      Middle Dnepr region, potassium-argon and lead ages: 3-2570.
                                                                          Tertiary, central East: 3-4045.
                                                                          Triassic, East: 3-4040.
       Northwestern Caucasus, main range:
       Tuva, potassium metasomatism: 3-4184.
                                                                        Mineralogy.
    Uranium, mode of occurrence: 3-2650.
                                                                          Beryllium minerals in pegmatite in nepheline sy-
enites, Ilímaussaq: 3-2335.
    Yukon Territory, Caledonian or Acadian: 3-4052.
                                                                          Skaergaard pyroxenes, X-ray study exsolution phenomena: 3-2333.
Granitization.
    Formation of magnesian skarns and granitization:
                 3-1969.
                                                                       Paleontology.
    U.S.S.R., Bug region, metasomatic zonality and
                                                                          Devonian vertebrates: 3-4066.
                                                                          Permian, fish fauna, East: 3-4067.
                 genesis sapphirine-bearing rocks:
                                                                          Invertebrate faunas, central East: 3-4064. Rhaeto-Liassic flora, Scoresby sound: 3-4075.
                 3-2357.
Graptolites.
    Desmograptus, Plectograptus, Monograptus, Silur-
lan, Maine: 3-1481.
                                                                        Petrology
                                                                          Immiscibility, picritic intrusion, Igdlorssuit: 3-2347.
    Ordovician, eugeosynclinal facies, western North
                 America: 3-1802.
                                                                          Mineral layering, granite intrusions, lvigtut
       Poultney slate, New York-Vermont: 3-1834.
                                                                                       region: 3-2355, 3-3394.
                                                                          Skaergaard intrusion, major element variation
Gravel.
                                                                                       layered series: 3-2346.
    Arctic Ocean, central: 3-4198.
                                                                          Tertiary alkaline igneous complex, northeast,
    Illinois, Kane County: 3-633.
Oregon, terrace gravels for Highway 101 construc-
                                                                                       comparison with Monteregian hills,
                                                                                       Eastern Canada: 3-3395.
    tion, Coos Bay area: 3-2447.
Utah-Arizona, Glen-San Juan region, analysis:
                                                                       Physiography.
                                                                          Danish glaciological investigations: 3-3966.
                 3-1987.
                                                                          Frost polygons and ground slope: 3-1419.
Gravity anomalies.
    British Columbia, southern Rocky Mountain Trench
area: 3-4082.
                                                                          Ice-cap margin, northwestern, surface features:
                                                                                       3-3967.
                                                                          Late Pleistocene glaciation, northeast: 3-3971.
    Colorado, Airy-Heiskanen anomaly map: 3-2150.
                                                                          North Ice cap, structures, glacier ice: 3-2172.
       Pikes Peak batholith: 3-2157.
                                                                          Patterned ground near Dundas, Thule: 3-3614.
Permafrost, surface features in arid areas:
    Direct method of interpreting: 3-2291.
    Gravitational fields produced by steeply dipping geological bodies: 3-4081.
                                                                                       3-3977
                                                                          Sorted patterns in gravel overlying melting ice
    Idaho, Snake River plain: 3-2965.
                                                                                       surface, Thule: 3-3613.
    Interpretation, anomalies caused by finite cylin-
                                                                       Structural geology.
                 drical bodies: 3-1545.
                                                                          Caledonian orogeny: 3-4003.
      Successive approximation method: 3-1542.
                                                                          Migmatite problem, structural approach, Ketilid-
    Mohorovicić discontinuity, structural relief and
                                                                                       ian fold belt: 3-2205.
                 gravity anomalies: 3-160.
    North Carolina, Deep River-Wadesboro Triassic ba-
sin: 3-4085.
Pacific Ocean, Tonga trench: 3-2292.
                                                                     Ground temperature.
                                                                         Antarctica, "warm" water under ice in lakes: 3-1237.
    Reefs, prospecting for, effects sedimentation and differential compaction: 3-1543.
                                                                          Boreholes, effect drilling fluid on temperatures
                                                                                      measured: 3-1579.
                                                                         Heat flux meters, theory: 3-1578.
Kentucky, variation soil temperature, Lexington:
    South Dakota, east of Black Hills, and from Rapid
City to Sioux Falls: 3-4086.
U.S.S.R., Paleozoic rocks, Tatar republic: 3-816.
                                                                                       3-2442.
                                                                          Pennsylvania-West Virginia, heat flow, wells:
      Talyshsko-Vandam, Azerbaijan, gravity maximum, geologic interpretation: 3-3319.
                                                                                      3-1580.
                                                                     Ground water.
                                                                                       See also Springs; Thermal waters.
    Utah, Wasatch front, survey: 3-3684.
```

Alabama, Athens area: 3-2746.

round water - Continued	Volusia County, well records: 3-3430.
Autauga County: 3-2004. Calhoun County: 3-611.	Flow through soil profile, as affected by least
Colbert County: 3-2005.	permeable layer: 3-1672.
Levels, 1957-1958: 3-610.	Flow to eccentric well in leaky circular aquifer:
Madison County, levels: 3-2747.	3-279.
Wilcox County: 3-612.	Fluctuations levels, caused by dipersion salts:
Alaska: 3-4208, 3-4209.	3-4206. Formation limestone cap rock, salt domes: 3-1650.
Chugiak area, water wells and springs, data:	Geologic data to aquifer analog models: 3-1998.
Alberta, farm water supply from quicksand: 3-1999.	Geophysical procedures in study: 3-273.
Pembina area: 3-3424.	Georgia: 3-3100.
Arizona, annual report, 1959-1960: 3-1680.	Brunswick area, relation salty ground water to
Safford Valley, Graham County: 3-1759, 3-2006.	fresh artesian water: 3-2744.
Yuma Valley region, drainage problem: 3-1372.	Terrell County: 3-3101. Ground water and the law: 3-2745.
Arizona-New Mexico, Red Lake area, Navajo Indian Reservation: 3-2007.	Ground-water rights, interpretation and current
Bibliography, U.S. Geological Survey, Ground Wa-	status: 3-922.
ter Branch, 1959: 3-607.	Hawaii: 3-4215.
British Columbia, Sumas, Chilliwhack, Kent muni-	Kauai: 3-2503.
cipalities: 3-2385.	Southern Oahu: 3-926. Idaho, Salmon Falls area, Twin Falls County:
Calcium carbonate saturation: 3-3090.	3-3431.
California, Alameda County, salt water intrusion:	Snake River basin: 3-2010.
3-3422. Butte Valley region: 3-2748.	Illinois, artificial recharge: 3-1327.
Clear Lake-Cache Creek basin: 3-3850.	Leaky artesian aquifer conditions: 3-1323.
Klamath River basin investigation: 3-924.	India, control in Neyveli lignite field, Madras:
Lower San Joaquin Valley, water quality: 3-3427.	3-2819. Jamaica, Clarendon Plains, hydrochemical data:
Middle Mohave Valley area, water well data: 3-1682.	3-3096.
Mill Creek area, San Bernardino County: 3-925.	Kansas, Douglas County: 3-2896.
Northeastern counties: 3-2387.	Ellis, Trego, Rush counties: 3-3103.
Quality, 1957, 1958: 3-1326, 3-3098.	Kentucky, Anderson, Franklin, Shelby, Spencer, Woodford counties, map: 3-731.
Salt- and fresh-water relationships, terminal	Bath, Fleming, Montgomery counties, map: 3-725.
stream bars: 3-608 Santa Ana River drainage area: 3-2388.	Blue Grass region: 3-2752.
Sea-water intrusion, coastal basins: 3-3091	Boone, Campbell, Grant, Kenton, Pendleton coun-
through 3-3095.	ties, map: 3-722.
Water levels in observation wells, Santa Bar-	Bourbon, Fayette, Jessamine, Scott counties,
bara County, 1959: 3-283.	map: 3-732. Boyle, Garrard, Lincoln, Mercer counties, map:
Upper Feather River basin development: 3-3099. Willow Springs, Gloster, Chaffee areas, water-	3-727.
well data: 3-1683.	Bracken, Harrison, Mason, Nicholas, Robertson
Yucca Valley-Twentynine Palms area, wells and	counties, map: 3-723.
springs: 3-1681.	Bullitt, Jefferson, Oldham counties, map: 3-729. Carroll, Gallatin, Henry, Owen, Trimble coun-
China, north: 3-617.	ties, map: 3-730.
Coastal aquifers, transition zone, fresh and salt water: 3-1674.	Clark, Estill, Madison, Powell counties, map:
Colorado, El Paso County, Fountain, Jimmy Camp,	3-726.
Black Squirrel valleys, well records,	Green River basin, effect Greensburg oilfields brines on streams, wells, springs:
logs, water-level measurements, anal-	3-609.
yses: 3-4211. Huerfano County, records and logs wells, anal-	Lewis and Rowan counties, map: 3-724.
yses: 3-4212.	Marion, Nelson, Washington countles, map: 3-/20.
Ogallala and other consolidated formations:	Public and industrial water supplies: 3-927.
3-4213.	Leaky aquifers, modification theory: 3-278. Location and evaluation resources: 3-918.
Prowers County, wells and test holes, analyses	Louisiana: 3-2389.
ground water: 3-2749.	Raton Rouge-New Orleans: 3-2391.
Public water supplies, 1959-1960: 3-4210. Rocky Mountain Arsenal area, Denver, contamina-	Dewatering Port Allen lock excavation: 3-1/3/.
tion: 3-200].	Red River alluvium: 3-284.
Yuma County, wells and test holes, analyses	Southwestern, water levels, water-level contours
ground water: 3-2750.	Maine, Brunswick and Topsham district: 3-2392.
Computer applications, ground-water hydrology:	Manitoba, Brandon map-area: 3-2386.
3-272. Contamination by radioactive waste, Hanford,	Plum Coulee area: 3-3425.
Washington: 3-2823, 3-2825.	Maps, terminology: 3-2378.
Delaware, Sussex County: 3-2751.	Massachusetts, Mattapoisett River valley: 3-2393. Measurement effective flow velocity by dissolved
Dovelopment, large-scale: 3-3421.	gases: 3-1324.
Diffusion effects in miscible displacement in	Michigan, conditions, 1959: 3-3852.
porous materials: 3-275. Drawdown, around partially penetrating well:	Delta County: 3-2011.
3-38 <u>4</u> 7.	Kalamazoo area: 3-285.
Due to pumping from unconfined aquifer: 3-277.	Minnesota, Clay County: 3-2753. Correlation levels with air temperatures: 3-343
Flectrical prospecting: 3-3086.	Lyon County, availability: 3=3434.
Florenical registivity SURVEY: 371/3:	Aguifers in meltwater channels, Des Moines
Equation estimating transmissibility and coeffi- cients storage from river-level fluc-	lobe: 3-4217.
+ua+ions: 3-276.	Use water-well data in interpreting occurrence
Florida Dade County, Levee 30 region: 3-3420.	aquifers: 3-4216. Mountain Iron-Virginia area, exploration: 3-343
Fernandina area, Nassau County: 3-2003.	Mississinnia lake Washington, effect Irrigation
Green Swamp area: 3-3429.	withdrawals on stage: 3-2/54.
Hillsborough County: 3-4414.	Northern: 3-3104.
. Martin County: 3-2008. Northeast: 3-3851.	Montana, Blaine County: 3-2012.

```
Ground water - Continued
                                                                              Lower Rio Grande Valley area: 3-3859.
      Deer Lodge valley: 3-2755.
                                                                             McCulloch County, Hickory sandstone member, Ri-
     Moon, water supply believed: 3-2017.
                                                                                         ley formation: 3-3860.
    Nebraska, Fillmore County, wells: 3-928.
Hamilton County, wells: 3-929.
                                                                             Northern high plains, water-level measurements,
     Nevada, core holes in carbonate rocks, Test Site:
                                                                                        1958-1960: 3-1692.
                 3-3854.
                                                                             Shallow formations and aquifers, west Texas area,
       Crescent Valley: 3-4219.
Newark Valley, White Pine County: 3-2013.
                                                                                        cross-sections: 3-3437.
                                                                             Southern high plains, water-level measurements, 1959-1960: 3-1693.
       Test Site, records wells, test holes, springs:
                                                                           Time, distance, drawdown relationships, pumped
                 3-3853.
                                                                                        ground-water basin: 3-920.
       Water Conference, 1960, proceedings: 3-4218.
                                                                           U.S.S.R., helium-bearing, Jurassic strata, central
       Winnemucca Lake valley: 3-4220.
    New Jersey, earthquake fluctuations, wells: 3-4205.
New Mexico, Albuquerque area: 3-3855.
                                                                                        Cis-Caucasus monocline: 3-1678.
                                                                             Hydrogeologic structures: 3-616.
       Gallup area, availability: 3-3435.
Gila National Forest: 3-2757.
                                                                             Oxidation-reduction potential: 3-2673.
Strontium content, pre-Urals: 3-2667.
                                                                             Urals-Volga region, calcium chloride type:
       Grants-Bluewater area: 3-614, 3-2758.
       Levels, 1956: 3-2756.
Roswell region, saline: 3-615.
Water levels, 1955-1956: 3-613.
                                                                                        3-281.
                                                                           U.S., Atlantic and Gulf Coastal Plain: 3-1328.
                                                                             Atlantic Coastal Plain, origin hydrochemical
       White Sands Missile Range, conservation flood
                                                                                        facies: 3-2383.
    water, map: 3-2884.
New York, Barton Hill project, limestone terrain,
                                                                             Mississippi embayment area: 3-2003.
Northeastern states, levels, 1956-1957: 3-2002.
Resources, development and management: 3-2377.
      Schoharie: 3-2759.
Salt-water body in Magothy formation, Nassau County: 3-1676.
                                                                           Utah, Capitol Reef National Monument: 3-2015.
                                                                             Central Sevier Valley: 3-286.
    North Carolina, Dare Beaches sanitary district:
                                                                           Virginia, Albemarle County: 3-2761.
                                                                           Washington, Columbia Basin Project area: 3-1329.
Nooksack River basin: 3-2016.
Sequim-Dungeness area: 3-1330.
                 3-2394.
       Wilmington-New Bern area: 3-2395.
    North Dakota, Red River Valley, saline area:
                                                                             Walla Walla area, artificial recharge through
                 3-4221.
    Ohio, Fairborn area, valley-train deposits: 3-2014.
                                                                                        well tapping basalt aquifer: 3-2000.
      Mad River valley, permeability valley-train deposits: 3-2739.
                                                                           Water levels near well discharging from unconfined
                                                                                        aquifer: 3-4204.
      Ohio Brush, Eagle, Straight, and Whiteoak creek basins: 3-4222.
                                                                           Water table, affected by atmospheric pressure:
                                                                                        3-274.
    Oklahoma: 3-2396.
                                                                             Projecting effect of changed stream stages:
    Fluctuations well levels: 3-2740.
Ontario-Quebec, Ottawa-Hull area: 3-3097.
                                                                                        3-4202.
                                                                           West Virginia, chemical composition: 3-4230.
    Oregon, French Prairie-Mission Bottom area, Wil-
                                                                             Kanawha County: 3-1331.
Quaternary alluvium, particle-size and perme-
ability studies: 3-4229.
                 lamette Valley: 3-3436.
    Pennsylvania, effect Montana earthquake on mine-
                 water pools: 3-1675.
                                                                           Wisconsin, saline water in bedrock aguifers, east-
    Pollution by synthetic detergents: 3-3848.
                                                                           ern: 3-3849.
Wyoming, Owl Creek area, Hot Springs County:
    Pumping tests, determining specific yield: 3-4203.
    Radioisotopes as tracers, petroleum reservoirs:
                                                                                        3-3439.
                 3-3463.
                                                                             Platte County: 3-3438.
    Recharge, estimating from stream hydrographs:
                                                                      Guam, military geology; terrain and environment, geology and soils: 3-1010.
                 3-2381.
    Rhode Island, hydraulic characteristics, glacial
                                                                      Guatemala.
                 outwash: 3-2398.
                                                                           Gravity operations: 3-161.
       Levels, 1957: 3-2397.
                                                                           Late Cretaceous calcareous alga: 3-1530.
    Providence area: 3-4223.
Saskatchewan, Cory: 3-923.
Weyburn map-area: 3-4207.
                                                                           Marekanite formation, El Fiscal: 3-2345.
                                                                           Volcanic collapse-basins, lakes Atitlan and Ayar-
                                                                                        za: 3-2203.
    South Carolina, Tertiary limestone terranes: 3-435.
                                                                           Volcanic history, highlands: 3-592.
    South Carolina-Georgia, Savannah River basin, pie-
                                                                      Guidebooks.
                 zometric levels, Cretaceous sand aqui-
                                                                           Alberta, Banff National Park: 3-751.
                 fer: 3-3102.
                                                                             Jasper: 3-3586.
    South Dakota, Huron-Wolsey area, shallow outwash
                                                                             Rock Lake: 3-743 through 3-749.
       deposits: 3-4224.

Jewel Cave National Monument: 3-4225.
                                                                           Arkansas-Oklahoma, Cretaceous, oil fields: 3-2500. California, minerals, supplement: 3-3822.
       Missouri Valley, North Sioux City-Yankton:
                                                                             San Joaquin Valley, southern border: 3-3202.
                  3-4226.
                                                                             Southern: 3-760.
       Resistivity method, ground-water studies, gla-
                                                                           Type Panoche, Panoche Hills area: 3-1066. Colorado, geology: 3-2148 through 3-2160.
       cial outwash, eastern: 3-3701.
Wagner area, shallow resources: 3-4227.
                                                                             Geological road logs: 3-2161.
       Wells penetrating artesian aquifers: 3-2760.
                                                                              Lower and middle Paleozoic rocks: 3-3955.
     Texas: 3-4228.
                                                                           Florida, central, late Cenozoic stratigraphy and
      Atascosa and Frio counties, water-level measure-
ments, 1955-1960: 3-1688.
                                                                           sedimentation: 3-761 through 3-767.
Illinois, Grafton area: 3-3593.
       Cameron, Hidalgo, Starr countles, water-level
                                                                             Harrisburg area: 3-3597.
       measurements, 1950-1959: 3-1689.
Canadian River basin: 3-3856.
                                                                             Milan-Rock Island area: 3-3595.
                                                                             Pana area: 3-3596.
Salem area: 3-3592.
       Carson and Gray counties: 3-3857.
Culberson, Hudspeth, Jeff Davis counties, water-
                                                                             West-central: 3-3957.
                 level measurements, 1955-1960: 3-1690.
                                                                             Woodstock area: 3-3594.
       Dimmit County: 3-1684.
Grayson County: 3-1685.
                                                                           Indiana, Silurian rocks, northern: 3-2548.
                                                                           Kansas, northeastern: 3-3205.
       Hale County: 3-3858.
                                                                           Louisiana, interior salt domes and Tertiary stra-
       Haskell and Knox counties, water-level measure-
ments, 1956-1960: 3-1691.
                                                                                        tigraphy: 3-1762.
                                                                           Maine, Sebago Lake State Park: 3-768.
       Hays County: 3-1686.
                                                                             West-central: 3-2162.
```

Mexico, mineral and mining guide: 3-3460.

Karnes County: 2-1687.

```
Guidebooks - Continued
                                                                          Explosions in, particle motions: 3-2312.
    Mississippi, Horn Island, Recent sedimentation;
Pascagoula Valley, Quaternary and Ter-
                                                                     Handbooks. See Manuals, handbooks, etc.
                  tiary: 3-1068.
                                                                     Hawaii.
     Mississippi-Alabama, Cenozoic: 3-1763.
                                                                       Areas described.
                                                                          Kauai, geology and ground-water resources: 3-2503.
     Missouri, northeastern: 3-3957.
     Nebraska, western, Tertiary and Pleistocene stra-
                                                                        Geochemistry.
     tigraphy and paleontology: 3-3600.
New Mexico, Carlsbad Caverns National Park: 3-2163.
                                                                          CuCl emission, volcanic flames, Kilauea: 3-532.
                                                                        Geohydrology.
                                                                          Oahu, southern, ground-water studies: 3-926.
       Rio Chama country: 3-1404 through 3-1413.
     North Carolina, Grandfather Mountain area: 3-1070.
                                                                          Water resources: 3-4215.
     Ohio, Cincinnati region: 3-3602.
                                                                        Geophysics.
                                                                          Crustal structure, Hawaiian Ridge near Gardner
     Oklahoma, Arkoma basin, north-central Ouachita
     Mountains: 3-3207.
Pennsylvania, Cornwall magnetite mine: 3-3604.
                                                                                      Pinnacles: 3-521.
                                                                          Tsunami, May 1960: 3-839, 3-3715.
     Tennessee, eastern Cumberland escarpment: 3-3634.
                                                                        Mineralogy.
     Texas, Houston County, middle Eocene: 3-3212.
                                                                          Silicified wood: 3-1939.
                               geologic section: 3-1073.
        Taylor to Glenrose,
                                                                        Petrology.
                                                                          Activity volcanoes, 1951-1956: 3-910.
        Tertiary area: 3-2898.
                                                                          Basalts, differentiation, Mauna Loa and Kilauea
     U.S., Cumberland Gap area, Kentucky, Tennessee,
                                                                          historic magma: 3-1274.
Differentiation basalts, lava suites, Kilauean
                  Virginia: 3-1756.
        Paradox basin fold and fault belt: 3-1064
                                                                                       eruptions: 3-2343.
     Utah-Nevada, Silver Island Mountains: 3-2165.
West Virginia, common fossil plants: 3-1199.
                                                                          Kilauea Iki, eruption, Nov. 1959; 3-591.
Kilauea magma, 1959-1960: 3-3081.
      Wisconsin, central, lower Paleozoic and Pleisto-
                                                                          Lava temperatures, 1959 Kilauea eruption and
                   cene stratigraphy: 3-2899.
                                                                                      cooling lake: 3-2342.
 Gulf Coastal Plain.
                                                                          Rock weathering and clay formation: 3-912.
      Contemporaneous normal faults, relation to flex-
                                                                      Heavy minerals,
                  ures: 3-1106.
                                                                           California, Santa Barbara, beach minerals: 3-907.
      Cretaceous ammonite successions: 3-2271.
                                                                             Tertiary, Santa Cruz Mountains: 3-1266.
      Geohydrology, progress report: 3-2003.
                                                                           Idaho, Elk City region: 3-3122.
      Jackson (Eocene) sediments, correlation:
                                                      3-1467.
                                                                           Monazite, zircon, "radioactive black" grains,
      Louann salt, relation to salt domes: 3-1463.
      Mississippi, Horn Island, Recent sedimentation;
Pascagoula Valley, Quaternary and Tertiary, guidebook: 3-1068.
Paleocene: 3-2247.
                                                                                        radioactivity, Egypt: 3-2779.
                                                                           Mounting grains: 3-1294.
                                                                           Nebraska, Miocene Harrison formation: 3-1994.
                                                                           New York, western, glacial drift: 3-2340.
                                                                           Oklahoma, Pennsylvanian Springer sandstone, Ana-
      Petroleum, Arkansas-Louisiana, developments, 1960:
                                                                                       darko and Ardmore basins: 3-2554.
                   3-3489.
                                                                           Silt-size, method for mounting for identification by liquid immersion: 3-1293.
        Exploration, Cretaceous reefs: 3-4270. Louisiana, developments, 1960: 3-3498.
                                                                           South Carolina, Hilton Head Island: 3-1714.
         Stratigraphy, role in exploration: 3-1721.
      Texas, developments, 1960: 3-3516.
Production, exploration: 3-4273.
Recent sands, texture and mineralogy: 3-
Recent sediments: 3-1657 through 3-1670.
                                                                           South Dakota, Black Hills: 3-1715.
                                                                           U.S.S.R., Aldan-Olekma watershed: 3-2561.
                                                                           Utah, intrusive bodies, central Wasatch Range:
                                                                                        3-4190.
      Stratigraphic units, catalog type localities:
                                                                       Helicopter operations.
                                                                           Geophysical prospecting system: 3-1848.
Northwest Territories, mineral industry, Mac-
                   3-472.
      Texas, clay dunes, marine and lagoonal deposits:
                                                                                        kenzie District: 3-2423.
                   3-3417.
                                                                           Quebec, Mattagami area, geophysical surveys:
 Recent oolites: 3-1303.
Gulf of California, Foraminifera, Radiolaria, and
                                                                                        3-4130.
                   diatoms: 3-1187.
                                                                           Diffusion through sedimentary rocks: 3-3037.
  Gulf of Mexico.
                                                                            In ground water, Jurassic strata, Cis-Caucasus, U.S.S.R.: 3-1678.
      Alkali metals in sediments, rubidium values and K/Rb ratios: 3-232.
                                                                            In limestone and marble: 3-1900.
       Foraminiferal faunas, Heald Bank: 3-1185.
                                                                            In natural gases: 3-1607.
      Geophysical measurements, crustal structure:
                                                                            Migration in rocks and minerals: 3-3774.
                   3-1585.
                                                                            U.S., Four Corners area: 3-2061.
       Macro-invertebrates, marine: 3-1668.
                                                                              Minerals yearbook, 1959, v. 2: 3-964.
       Microfaunas, sedimentary patterns, northern:
                                                                       Highway construction. See Road construction.
                   3-1667.
      Mississippi submarine trench, comparison with 
Iberian trough: 3-1437.
                                                                       Historical geology. For areal see under the various
                                                                                        countries. <u>See also</u> the different systems; Geologic formations.
       Recent sediments, northwest: 3-1657 through
                    3-1670.
                                                                            Geological time scale, revised, Cambrian-Recent:
       Salt structures indication of former land-locked
                                                                                        3-2252.
                    basin: 3-4131.
                                                                            History of earth, textbook: 3-2542.
       Sulfur mining, Grande Isle project: 3-2421.
                                                                            Laboratory manual: 3-2918.
                                                                            Potassium-argon time scale: 3-2253.
  Gypsum.
       Alberta, occurrence and stratigraphy: 3-3447.
       Colorado, Cleora mining district, Wellsville:
                                                                       History.
                                                                           Arctic basin, origin, history geologic thought: 3-4001.
                    3-3881.
       Iran, Mesgarabad mine: 3-899.
                                                                            Genesis flood, biblical record and scientific im-
       Maryland, selenite crystals, Fort Foote area:
                                                                                        plications: 3-3927.
                                                                            Geobotanical method in geology: 3-2846. Geology as historical tool: 3-1740.
                    3-1263.
       Northwest Territories, Axel Heiberg Island, Gyp-
sum diapirs: 3-3998.
                                                                            Idaho, role mining in economic development:
          Richardson Mountains, piercement structures:
                                                                                         3-3134.
                                                                            New Jersey, Franklin and Sterling Hill, minerals and mines: 3-3389.
                    3-3999.
       Oklahoma, Alabaster Cavern: 3-80.
       Origin and environmental significance: 3-3410.
                                                                            Paleobotany in Oklahoma: 3-1198.
                                                                            Sedimentation and hydrology, antiquity: 3-260. Tennessee, coal industry: 3-3907.
  Hafnium, bibliography: 3-1341.
  Halite.
```

Blue halite: 3-571.

History - Continued U.S.S.R., discovery Ural-Volga oil district: Geophysics. Anomalous remanent magnetization, basalt: 3-1214. 3-3526. Hong Kong, Ma On Shan iron mine, mineralogy: 3-3126. Snake River plain, gravity survey: 3-2965. Historical geology. Hornblende, fluorescent X-ray spectographic analyses: Mississippian, Brazer limestone, Mackay: 3-1815. 3-3393. Hot Springs. <u>See</u> Springs; Thermal waters. Hungary, speleology: 3-2524. Mineralogy. Fireclays, Latah County: 3-2697. Petrology. Hydrocarbons. Craters of the Moon National Monument: 3-2724. Accumulation sediment hydrocarbons to form crude Welded tuffs, southeastern: 3-270. oil: 3-308. Igneous intrusions. See Intrusions. Canada, paleogeomorphology in exploration: 3-973. Diagenesis metabolites, origin petroleum hydro-Igneous rocks. See also Basalt; Diabase; Granite; Intrusions; Lava; Magmas; Pegmatites; carbons: 3-307. In sedimentary rocks: 3-2058. Louisiana, Lac Blanc field, Vermilion Parish: Petrology; Tuff. Alaska, Umnak and Bogoslof islands, petrology three volcanic suites: 3-1273.

Alkaline rocks, role metasomatism in formation:
3-1970. 3-1722. Natural bitumens, occurrence, properties, uses: 3-4267. Amphibolite rocks and constituent hornblendes, Significance in sediments and petroleum: 3-2060. fluorescent X-ray spectrographic analy-U.S.S.R., intrusive massifs, Kola peninsula: ses: 3-3393. 3-1249. Antarctica, Lützow-Holm Bay, age measurements: Virginia, Silurian, early: 3-2228. Hydrothermal alteration. 3-2924. Aphanitic, field classification for student: New Mexico, association with molybdenite mineralization: 3-2410. North Carolina, chlorite, vermiculite, talc from 3-2341. Arizona, diabase, probability assimilation rocks intruded by: 3-1964.
Obsidian in perlite flows, Superior region: dunite: 3-1264. Quebec, Cedar Bay mine, wall-rock alteration: 3-3083. 3-2769. Volcanic rocks, Santa Cruz County, correlation: 3-1958. Utah, argillic alteration, Helen claim, East Tin-tic district: 3-2706. Wall rock alteration quartz-porphyry, related to rare-metal mineralization: 3-3825. California, Bald Rock batholith, Bidwell Bar, petrologic study: 3-1288. Charnockitic rocks, Santa Lucia Range: 3-601. Ice Chemistry, differentiation index: 3-597. Classification, descriptive modal: 3-1637 Antarctica, eastern, seismic and gravimetric studies: 3-865. Eclogite, diamond-bearing, xenolith: 3-3821. Thickness from gravimetric measurements: 3-3685. Germany, serpentinite, Leopoldsqrun, accessory minerals and elements: 3-1899.
Guatemala, marekanite, El Fiscal: 3-2345. Bibliography: 3-2902. Canadian Arctic Archipelago and Arctic Ocean: 3-786. Labrador, anorthosite-adamellite complex, Nain: Glacier, density: 3-3607. 3-1287. Greenland, structures glacier ice, North ice cap: Lopoliths, silicic differentiates: 3-2348. 3-2172. Magnetic anisotropy: 3-163. Melting by artificial dusting: 3-3964. Magnetostriction and paleomagnetism: 3-166. Sea ice, arctic, deuterium concentration: 3-3794. Seismic studies: 3-191. Michigan, Southern Complex near Palmer, Marquette Thawing process ice cover and in frozen ground: County: 3-1646. 3-3612. Minnesota, diabase-granophyre relations, Endion Ice ages. <u>See</u> Glacial geology; Quaternary. Ice islands. Arlis II: 3-2513. sill, Duluth: 3-2350. Montana, pseudoleucite in tinguaite, Bearpaw Mountains: 3-2354. Mugearites, place in alkali igneous rock series: 3-1966. Drift station Bravo, geophysical investigations, 1958-1959: 3-4128. Fletchers Ice Island T-3, origin parallel pattern, Neyvite, new vein rock: 3-4185. New England, lead-alpha and isotopic age determeltwater lakes: 3-2173. minations "alkalic" rocks: 3-2255. Surface morphology: 3-3965. Okłahoma, magnetite-pyroxene textures, basic rocks, Wichita Mountains: 3-1280. Upper crustal structure: 3-3749. Zeolite zones and dike distribution, structure Topographic control by igneous structures, Raggedy Mountains: 3-85. basalts, eastern: 3-594. Ontario, nepheline syenite deposits: 3-2422. Idaho. Areas described. Ultrabasic rocks, Lac des Mille Lacs area: Lava Hot Springs area: 3-2504. 3-2727. Lemhi Range: 3-2895. Oregon, western Cascades: 3-434. Economic geology. Origin embayed quartz crystals, acidic volcanic Beryllium, prospecting: 3-3127. Clay deposits, Palouse Hills: 3-3451. Coeur d'Alene district, Precambrian mineralizarocks: 3-599. Pakistan, rodingite dike, Hindubagh: 3-590. Parageneses dark minerals in alkalic rocks, agtion: 3-939. paitic coefficient: 3-3017. Geochemical studies, Coeur d'Alene district: 3-2048. Plutonic rocks: 3-3392 Petroleum, developments, 1960: 3-3519. Placer deposits, heavy minerals, Elk City region: Pyroclastic flows, classification: 3-1956, 3-3082. Quartz-porphyry, wall rock alteration related to 3-3122. rare-metal mineralization: 3-3825. Role mining in economic development: 3-3134. Quebec, high-temperature acid rocks associated Thorite deposits: 3-3121. with serpentinite: 3-2359. Thorium mineralization, Lemhi Pass area: 3-1711. Relation discordant Rb-Sr mineral and whole rock Engineering geology.
Palisades dam and powerplant, construction: ages to time of crystallization and Sr87/Sr86 metamorphism: 3-3051. 3-2091. Tennessee, peridotite, Clark Hollow, dimensions Geohydrology. and attitudes: 3-3321. Salmon Falls area, Twin Falls County, ground wa-Thallium and rubidium, geochemistry: 3-3031. ter: 3-3431. Titanomaghemite content: 3-1932. Snake River basin, ground water for irrigation: Ultrabasic rocks, petrochemistry: 3-3826.

U.S.S.R., age basalts and alkalic-ultrabasic com-

3-2010.

l gr

eous rocks - Continued	utabantan) analam.
plex, Siberian platform: 3-126.	Historical geology. Megagroups: 3-2260.
Alkalic gabbroidal rocks, Alai-Turkestan alkal- ic province: 3-3828.	Mississippian-Pennsylvanian, Caseyville and Ches-
Alkalic igneous rock and carbonatites: 3-4186.	ter sediments, Illinois basin: 3-477.
Alkaline rocks, Siberian platform, isotope com-	Paleozoic, sedimentational and structural dating,
position, lead: 3-258.	Rattlesnake Ferry fault: 3-4030.
Armenia, average composition: 3-2646.	Pennsylvanian, Caseyville group, Pomona region:
Basic rocks, crystalline basement, Belorussian-	3-3261.
Lithuanian massif: 3-1642.	Classification: 3-795.
Cambrian extrusives, Tuva: 3-2728.	Maps.
Devonian volcanic necks, Minusinsk depression:	Mineral industries: 3-3570.
3-1960.	Oil and gas industry: 3-2879. Shipping coal mines: 3-3571.
Eastern Donets basin: 3-255.	Paleontology.
Geochemistry lead in Devonian extrusives, cen- tral Kazakhstan: 3-2647.	Calcisphaera, Salem (Mississippian) limestone:
Hydrocarbon gases and bitumens in intrusive	3-1527.
masses, Kola peninsula: 3-1249.	Molluscan faunas, Wisconsinan, Illinois Valley
Karsakpay alkaline and nepheline syenite mas-	region: 3-485.
sif, its structural position: 3-4188.	Petrology.
Krivoy Rog region: 3-1285.	Orientation orthoceracone cephalopods, Silurian,
Mesozoic-Cenozoic volcanic rocks, northern Si-	Lemont: 3-261.
berian platform: 3-1277.	Physiography.
Northwest Caucasus, post-Jurassic: 3-1289.	Illinoian glaciation: 3-1770.
Olekma-Vitim highlands, hydrothermal metasoma-	Soils associated with glacial tills, northeastern:
tism, Proterozoic rocks: 3-1971.	3-3621.
Paleozoic pseudoconglomerates, Karelia and Kola	Inclusions.
peninsula: 3-1640.	Deuterium content: 3-1905. Genetic significance hard mineral inclusions in
Reversed magnetization, volcanic rocks, Armenia	quartz: 3-3068.
and Kurile islands: 3-823.	Importance to theory ore genesis and study min-
Riphean volcanics, Russian platform, tectonic	eral-forming medium: 3-3110.
position: 3-1118.	Mineral-forming solutions, determining true
Sayan mountains, rare element distribution:	temperatures: 3-4145.
3-2656. Skarn formation, Tashbulak deposit: 3-2645.	Temperatures of mineralization by liquid inclu-
Tuva, Lower Cambrian volcanic rocks: 3-3824.	sions, Cave-In-Rock fluorspar district,
Upper Cretaceous volcanic formations, upper	
Amur region: 3-1142.	Indexes.
Volcanic bentonite, Cretaceous, Podoliya: 3-1639.	California, minerals, by counties: 3-3822.
Xenoliths in diorite porphyry dikes, upper Yana	Conodonts, 1949-1958: 3-2947.
region: 3-2729.	Economic Geology, annotated bibliography, 1928-
Ussurite, variety alkali basalt rocks: 3-3827.	1954: 3-4233. Foraminifera, genera and species, 1890-1950:3-4068.
Virginia, diabase dike near Greenville: 3-3243.	Foraminitera, genera and species, 1000 10001
Washington, Keechelus andesitic series, Cascade	Rock analyses, Ireland: 3-251. Wells shot for velocity, U.S.: 3-1574.
Mountains: 3-3264.	
Wyoming, Yellowstone Park, welded tuffs and flows	India. Catalog fossil spores and pollen, v. 10: 3-1200.
in rhyolite plateau: 3-1959.	cold Kolar field: 3-943, 3-3870,
X-ray spectrochemical analysis, application to	Ground-water control, Neyveli lignite field, Ma-
light elements: 3-549.	dras+ 3=2819.
Ilinois.	Manganese ores, Kodur, Srikakulam district: 3-589.
Areas described. Dubuque South quadrangle: 3-3204.	Wicroscopic flora, Recent, Bengal delta; 3-1130.
Grafton area, guidebook: 3-3593.	Minor elements in gonditic manganese ore, signifi-
Harrisburg area, guidebook: 3-3597.	icance: 3-3781.
Milan-Rock Island area, guidebook: 3-3595.	Organic matter, marine sediments off east coast:
Pana area, quidebook: 3-3596.	3-271. Talchir sedimentation, Burhai Gondwana basin, Bi-
salem area, quidebook: 3-3592.	Talchir Sedimentation, purhar donomana sesting s
West-central, quidebook: 3-395/.	har: 3-1983. Indian Ocean.
Woodstock area, guidebook: 3-3594.	Pottom sediments: 3-1319.
ris goology	p-diagetivity of waters, uranium content: 3-3/91.
Clay resources, lower Pennsylvanian, Knox County:	Rayleigh wave dispersion and crustal structure:
3-630.	3-3727.
Clays and shales, ceramic tests: 3-629.	Tertiary sediments: 3-1143.
Coal, Anvil Rock sandstone and channel cutouts,	Indiana
Herrin coal: 3-3150.	Catalog well samples, Indiana Geological Survey:
Pennsylvanian, Illinois basin: 3-3149.	3 - 982.
Strippable reserves: 3-3151. Mineral production, 1959: 3-638.	Areas described.
Oil shales, chemical evaluation: 3-642.	
Petroleum, developments, 1960: 3-3491.	Huron area, south-central: 3-2505.
	Franchic geology.
1 - Jun + my in	Economic geology.
Industry in Hillinois, 1959: 3-643.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipe-
Sand and gravel resources, Kane County: 3-633.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipe- lines: 3-1752.
Sand and gravel resources, Kane County: 3-633.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipe- lines: 3-1752. Petroleum, developments, 1959, 1960: 3-2066,
Industry in Illinois, 1991; 3-693. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960: 3-2066,
Industry in Illinois, 1959; 5-65. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960: 3-2066, 3-3492. Spencer County, recent development: 3-3493.
Industry in Illinois, 1959; 3-643. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960: 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786.
Industry in Illinois, 1959; 3-643. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960: 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786. Engineering geology. The fact Fork, Muscatatuck River: 3-2092.
Industry in Illinois, 1959; 5-67. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995. Underground storage natural gas: 3-3161.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960; 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786. Engineering geology. Dam sites, East Fork, Muscatatuck River: 3-2092. Marion County, subsurface materials: 3-3914.
Industry in Illinois, 1959; 5-67. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995. Underground storage natural gas: 3-3161. Geochemistry.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960; 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786. Engineering geology. Dam sites, East Fork, Muscatatuck River: 3-2092. Marion County, subsurface materials: 3-3914.
Industry in Illinois, 1959; 5-67. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995. Underground storage natural gas: 3-3161.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960: 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786. Engineering geology. The fact Fork, Muscatatuck River: 3-2092.
Industry in Illinois, 1959; 5-67. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995. Underground storage natural gas: 3-3161. Geochemistry.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960: 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786. Engineering geology. Dam sites, East Fork, Muscatatuck River: 3-2092. Marion County, subsurface materials: 3-3914. Monroe Reservoir, dam site and spillway areas: 3-1002.
Industry in Illinois, 1959; 5-67. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995. Underground storage natural gas: 3-3161. Geochemistry. Temperatures of mineralization by liquid inclusions, Cave-In-Rock fluorspar district: 3-3053.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960; 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786. Engineering geology. Dam sites, East Fork, Muscatatuck River: 3-2092. Marion County, subsurface materials: 3-3914. Monroe Reservoir, dam site and spillway areas: 3-1002. Geophysics.
Industry in Illinois, 1959; 5-67. Sand and gravel resources, Kane County: 3-633. Zinc-lead district, structural analysis: 3-289. Zinc-lead ores, mineralogy and zoning: 3-1705. Engineering geology. Soils, Atterberg limits, relationships to other properties: 3-995. Underground storage natural gas: 3-3161. Geochemistry. Temperatures of mineralization by liquid inclusions, Cave-In-Rock fluorspar district: 3-3053.	Economic geology. Coal, Brazil quadrangles: 3-993. Crude oil, natural gas, refined products pipelines: 3-1752. Petroleum, developments, 1959, 1960; 3-2066, 3-3492. Spencer County, recent development: 3-3493. Refractory clays: 3-2786. Engineering geology. Dam sites, East Fork, Muscatatuck River: 3-2092. Marion County, subsurface materials: 3-3914. Monroe Reservoir, dam site and spillway areas: 3-1002.

Indiana - Continued Airborne magnetometer: 3-3320. Seismic reflection survey, basement complex: Analog seismic correlator: 3-3705. 3-1875. Argon method determining age rocks and minerals: Historical geology.

Cambrian-Ordovician, Lawrence County, deep test
well: 3-1808. 3-1907. Automatic computation impulse response seismograms of Rayleigh waves: 3-2624.
Benford plate in study interference figures: Pennsylvanian, Brazil quadrangles: 3-993. Channel-fill sandstones: 3-1819. Merom sandstone, type region: 3-1459. Post-Carboniferous?, Ohio River formation: 3-1820. Silurian, northern, guidebook: 3-2548. 3-4146. Borehole percussion device for excitation elastic waves: 3-1866. Cambridge pendulum apparatus: 3-3676. Maps, Geologic. Carbonate saturometer: 3-1882. Terre Haute and Dennison quadrangles, geology and Constant-feed, direct-current arc: 3-3330. coal deposits: 3-2122. Contour interpolator: 3-1020. Mineralogy. Craelius core indicator: 3-2763 Lower Pennsylvanian conglomerate, Lawrence County: Curie point meter, design: 3-4147. 3-1267. D.C. amplifier, application to seismic recording: Minerals of Indiana: 3-1952. 3-506. Outgrowths authigenic brookite on leucoxene grains, Device for viewing X-ray precession photographs Pennsylvanian and Mississippian sandin three dimensions: 3-544. stones: 3-1260. Digital computers for reading seismograms: 3-2623. Paleontology. Earth drill proposed: 3-3316. Extinct conifer, Larix(?) pleistocenicum, Yar-mouth interglacial deposits: 3-4076. Earthquake machine: 3-649.
Earthquake recorder, simplified: 3-3706.
Electronic computer, local earthquake location: Fenestrate bryozoans, Glen Dean limestone, Mississippian: 3-2581. 3-508. Parrish and Glasford mastodons: 3-1513. <u>Torispora securis</u> Balme, spore or sporangial wall cell: 3-2957. Electronic computer and geophysics: 3-1540. Enlarger as copy camera: 3-2475. Foraminiferal rock samples, mechanized method of Upper Devonian cypridinacean ostracod: 3-494. breaking down and washing: 3-1180. Petrology. "Gas exploder" seismic profiling device, under-sea surveys: 3-197. Breccia and Pennsylvanian cave filling, Mississippian St. Louis limestone: 3-3401. Gravimeters, quartz, dependence zero-point drift Carbonate vein in Salem limestone: 3-1314. on thickness fibers of elastic system: Glacial tills, Parke and Putnam counties, pebble 3-1207. counts: 3-1651. Sea, Gss2: 3-3680. Limestones, X-ray diffraction study: 3-1655. Pebble composition, Wisconsin outwash, Wabash Valley: 3-1985. Pollen study, early Wisconsin bogs: 3-1418. Hallimond visual microphotometer, reflectivity measurements: 3-932. Heat flux meters, theory: 3-1578. Heating micro-coil for study mineral fragments and Sandstones collected for high-silica evaluation: heat-etching polished sections: 3-1912. 3-914. Horizontal loop equipment in ground survey: 3-502. Inductive salinometer: 3-3758. Interference figures of large crystals immersed Wisconsin till, original bedrock composition: 3-1320. Indium. in sphere of liquid: 3-546. In cassiterite, Dzhalinda deposit, Malyy Khingan, Isopachometer, new type parallax bar: 3-662. U.S.S.R.: 3-3778. Level variometer LV: 3-3675. In tin deposits, Yakutia, U.S.S.R.: 3-3025. Indonesia, <u>Deltoblastus</u>, new Permian blastoid: 3-2578. Industrial minerals and rocks. <u>See also</u> names of Low angle X-ray powder diffraction camera: 3-3356. Magnetometer for measuring small remanent magnetminerals and rocks. ization, rocks: 3-820.
Measuring tensions in water: 3-3152. California, ball clays: 3-3449. Pleistocene lake basins: 3-3227. Microscope coordinates, conversion: 3-1148.
Microvariation station, Leningrad State University,
equipment: 3-1219. Clay: 3-3077. Colorado, clay deposits: 3-3880. Gypsum, Cleora mining district, Wellsville Mineral-picking apparatus: 3-543. area: 3-3881. Orthophotoscope: 3-2845. Florida, limestone, Washington, Holmes, Jackson Planchet press and accessories for mounting X-ray counties: 3-3452. powder diffraction samples: 3-3355. Fluorspar, occurrence as gangue mineral: 3-3128. Power auger as geologic tool: 3-1449. Idaho, fireclays, Latah County: 3-2697. Radioactive sediment density probe: 3-648. Indiana, refractory clays: 3-2786. Radioactivity sampling devices for water and soil: Kansas, building stone: 3-636. 3-2822. Kentucky, high-refractory clay, Hart County: Refractometers, method of minimizing damage from 3-961. use arsenic tribromide liquids: 3-545. Lesser Antilles, pumice and pozzolan deposits: Sediment analyzer, rapid, Woods Hole: 3-1291.
Seismic profiler: 3-1552.
Seismic stations, north Tien Shan, U.S.S.R., automatic equipment: 3-837.
Seismographs: 3-179. 3-637. Manitoba, potash, rock sait, brines: 3-2784. Ontario, nepheline syenite: 3-1346, 3-2422. Puerto Rico, clay for lightweight aggregate: 3-2043. Sillimanite group: 3-627. South Carolina common clays, Coastal Plain: Application multistage scale compression device: 3-836. 3-3450. Electromagnetic, calibration satisfying Galitzin conditions: 3-2621. Experimental long-period: 3-504. Virginia, talc, soapstone, related stone deposits: 3-3130. Washington, nonmetallic minerals, inventory: Heavily damped electromagnetic: 3-3703. 3-292. MD engineering, application to highway engineer-ing: 3-1370. Wyoming, refractory-clay deposits: 3-4250. Insecta. Magnetoelectronic: 3-3704. Diptera, Tertiary, Montana-Colorado: 3-488. Termites, vestigial characters, regressive evo-Portable, design criteria: 3-4106. Seismometers, electrodynamic, checking performance: 3-505. lution: 3-3270. Instrument noise in: 3-2622 Instruments, apparatus, etc. Accoustical investigation in boreholes: 3-3708. Long-period vertical: 3-2304.

```
Instruments, apparatus, etc. - Continued
                                                                          Gulf of Mexico, northern, ecology and distribu-
    Sonic depth sounder for laboratory and field use:
                                                                                        tion: 3-1668.
                 3-3420.
                                                                          Mexico, Pleistocene, Punta San José, Baja Califor-
    Strip gauge for measurement grain diameters in
                                                                                       nia: 3-1153.
                  thin section: 3-2732.
                                                                             Pliocene and Pleistocene, Punta Rosalía, Baja
    Telescope for measurement optic angle mica: 3-3353.
                                                                                       California: 3-1152.
    Thermal head for D.T.A. of corrosive materials:
                                                                          Precambrian, South Australia: 3-2262.
                  3-523.
                                                                      lowa.
     Thermoluminescence measurements with rapid heat-
                                                                           Devonian, coal seam in Cedar Valley formation:
    ing: 3-3364.
X-ray computer "fingerprints" rock samples:
                                                                                        3-1454.
                                                                           Dubuque South quadrangle, geology: 3-3204.
                  3-2050.
                                                                           Highway construction materials from consolidated
Interglacial periods. See Glacial geology; Quaternary. International Geophysical Year, 1957-1958, seismic crustal studies: 3-858, 3-1234.
Intrusions. See also Diatremes; Dikes, Magmas, Sills,
                                                                                        rocks, southwestern: 3-3539.
                                                                           Manganese, soils: 3-1612.
                                                                           Mississippian, Gilmore City formations: 3-1458.
                                                                           Reorientation calcite crystals in limestone,
                  Stocks.
                                                                                       Hampton formation: 3-1443.
     Alaska, ultramafic complexes, southeastern:
                                                                           Slope classes by counties: 3-1435.
                  3-2351, 3-2352.
                                                                           Soil profiles, exchangeable potassium and clay
     Australia, differentiated Tasmanian dolerite,
                                                                             minerals: 3-1613.

Genesis and classification: 3-1433.
                  pyroxenes: 3-4182.
        Sedimentary xenoliths and dolerite patch peg-
                                                                           Soils, Floyd and Bremer counties: 3-1432.
                  matites, analcite basalt intrusion,
                  Sydney region: 3-1968.
                                                                           Gypsum, Mesgarabad Mine: 3-899.
     California, intrusive ultrabasic rocks, metamor-
                                                                            Seismicity, northeastern, 1957-1959: 3-4111.
                   phic relationships, Leech Lake Moun-
                                                                       Ireland.
                                                                           Carboniferous, Waulsortian "reefs," carbonate
                   tain: 3-2353.
                                                                            mudbank complex: 3-1816.
Lapiés and solution pits, olivine-dolerite sills,
      Carbonic acid in granitic intrusions, geochemis-
                   try: 3-883.
      Greenland, immiscibility, picritic intrusion,
Igdiorssuit: 3-2347.
Ivigtut region, mineral layering, granite in-
                                                                                        Slieve Gullion: 3-1778.
                                                                            Rock analyses, bibliography and index: 3-251.
        trusions: 3-2355, 3-3394.
Northeastern, Tertiary alkaline igneous complex,
                                                                        Iron.
                                                                            Australia, Port Hedland area: 3-1729.
                                                                            British Columbia, magnetite, Lodestone Mountain
                   comparison with Monteregian hills, east-
                                                                                         stock: 3-954.
                                                                            California, contact metasomatic deposits: 3-2416.
                    ern Canada: 3-3395.
         Skaergaard, major element variation, layered series: 3-2346.
                                                                            China, Wafansi deposit, pyrosmalite: 3-3819.
Georgia, Silurian ores, petrography: 3-3123.
Hong Kong, Ma On Shan mine, mineralogy: 3-3126.
       Ireland, Slieve Gullion, microgranite: 3-1778.
Japan, thermal metamorphism coal-bearing forma-
                                                                             In carbonaceous shales, determination: 3-1250.
                   tions: 3-602.
                                                                             In sea water, determination: 3-3042.
       Massachusetts, feldspars and crystallization his-
                    tory, granite-syenite complex, Salem: 3-2349.
                                                                             Labrador, Wabush Lake: 3-955.
                                                                             Magnetite, hydrothermal, origin: 3-1890.
Mexico, Jalisco: 3-3124.
       Montana, Smoky Butte intrusives, petrography and
                                                                             Ontario, Gunflint formation, Whitefish Lake area:
                    petrology: 3-1275.
                                                                                          3-2145.
         Stillwater complex, primary textures, mineral
                                                                               Michipicoten iron formation, genetic aspects:
       associations, ultramafic zone: 3-1962.
Ontario, Sudbury basin, paleomagnetic study:
                                                                                          3-4244.
                                                                             Ores, composition, use magnetic powder in study-
ing: 3-2019.
                    3-2297.
                                                                              Paleozoic banded iron-formations: 3-2780.
          Sudbury lopolith, form: 3-596.
       Oregon, Willow Lake intrusion, Elkhorn Mountains:
                                                                             Pennsylvania, Cornwall, guide: 3-3604.
Puerto Rico, Juncos quadrangle, map: 3-3193.
                    3-253.
                                                                             Quebec, geology Temiscamie iron-formation, Lake
        Quebec, Morin anorthosite: 3-1713.
        South Carolina, gabbros, Newberry County: 3-1641.
U.S.S.R., Dzhentu range, northwest Caucasus:
                                                                                          Albanel iron range: 3-2781.
                                                                                Labrador geosyncline: 3-2415.
                                                                                Morin anorthosite: 3-1713.
                     3-3834.
                                                                              Quebec-Labrador, Knob Lake range, origin ores:
3-4245.
          Dzhuga mountain and basin, Kisha and Bezymy-
annaya rivers: 3-4189.
          Hydrocarbon gases and bitumens, massifs, Kola
                                                                              Saskatchewan, northwestern, aeromagnetic surveys:
                     peninsula: 3-1249.
          Khyuta gabbro-diabase, Imangda river valley:
                                                                                          3-3877.
                                                                              Solution and transport, microbiologic factors:
                                                                                           3-3788.
                     3-1965.
          Micaceous pegmatites and age post-Jurassic in-
trusions, Aldan: 3-1282.
Norilsk region, mafic minerals in traprock in-
trusives: 3-4187.
                                                                              Thailand, northern extension, Chachoengsao area:
                                                                                           3-1216.
                                                                              U.S.S.R., genesis Samur siderite deposits, south
                                                                                           Dagestan: 3-3878.
           Traps of differentiated intrusions, river Bakhta
                                                                                 Kondoma region, Gornaya Shoriya, mineralogical-
geochemical zoning: 3-3125.
                     and Stony Tunguska: 3-3879.
           Uymensk depression granitoids, Gornyy Altai:
                                                                                 Siderite ores in host rocks, Bakal group,
                                                                                           southern Urals: 3-2038.
                      3-1290.
           Vishnevogorsk-Ilmen mountains miaskite intru-
                                                                                 Starooskolsk iron ore region, Kursk magnetic
                      sion, hypogene aureole of rare-earth
                                                                                           anomaly, magnetic susceptibility fer-
                                                                                            rous quartzites: 3-1850.
                      dissemination: 3-3780.
         Utah, central Wasatch Range, heavy minerals study:
                                                                                 Traps of differentiated intrusions, river
Bakhta and Stony Tunguska: 3-3879.
                      3-4190.
                                                                                 Western Siberian lowland, Cretaceous: 3-2039.
                                                                                 Yakutiya, origin Archean ores: 3-2783.
```

Washington, Frost Mountain area, Cascades, dia-basic and gabbroic: 3-2366. Hammond sill in Yakima basalt near Wenatchee:

3-3397 •

Invertebrata.

Arizona, bibliography: 3-1831.

Cretaceous, Mowry shale and contemporary formations, western U.S.-Canada: 3-152.

Greenland, central East: 3-4064.

Virginia, western: 3-623.

Isotopes. See also Geologic time; Radioactivity;

Radiocarbon dating.

Argon 37, argon 39, in meteorites: 3-219.

Argon 37, argon 39, tritium in meteorites: 3-213. Argon 38 in uranium minerals: 3-3795.

```
Isotopes - Continued
                                                                       Mont Blanc tunnel: 3-1004, 3-2809.
    Argon and neon in stone meteorites: 3-3011.
                                                                       Paleotemperature analysis, Plio-Pleistocene, Le
    Atmospheric oxygen, isotope fractionation: 3-2675. Bl/BlO ratio, Searles Lake borax: 3-3798.
                                                                                   Castella, Calabria: 3-2170.
                                                                  Jade, Alaska, Shungnak Village project: 3-2720.
     Carbon, fractionation during photosynthesis:
                                                                  Jamaica.
                 3-2331.
       Isotopic composition marine invertebrates and coals, Australian Permian: 3-4141.
                                                                       Bauxite, origin: 3-2031.
                                                                       Clarendon Plains, hydrochemical data: 3-3096.
                                                                       Geological Survey, annual report, 1958-1959:
       Isotope studies, crude oils and porphyrin ag-
                                                                                   3-1017.
                gregates: 3-4142.
                                                                       Petroleum exploration: 3-2076.
       Pennsylvanian-Permian limestones, Glass Moun-
                 tains, Texas: 3-3412.
                                                                  Japan.
                                                                      Asama volcano, earthquakes and eruptions: 3-4179, 3-4180.
    c<sup>14</sup> half life redetermined, news item: 3-894.
    Carbonate sediments, sedimentary carbonate rocks:
                                                                       Carboniferous, lower and upper boundary: 3-478.
                 3-539.
                                                                      Hot springs, variation in constituents: 3-1903.
    Chlorine, geochemistry stable isotopes: 3-3348.
                                                                       Igneous intrusions into coal-bearing formations,
    Cosmic-ray-produced rare gases, iron meteorites:
                                                                                   metamorphic action: 3-602.
                3-221.
                                                                       Jadeite, Sanbagawa crystalline schists: 3-576.
    Cosmogenic nuclear reactions, iron meteorites:
                                                                      Mica clay minerals, interstratified mixture, Yo-
                 3-222.
                                                                                   nago mine: 3-583.
    Chromium, in chromite: 3-1617.
                                                                       Ore deposits in contact metamorphic aureoles:
    Deuterium, concentration, arctic sea ice: 3-3794.
      Content minerals, rocks, liquid inclusion from rocks: 3-1905.
                                                                                   3-619.
                                                                       Todorokite: 3-570.
                                                                  Jointing.
       In natural waters: 3-1625.
                                                                       Arizona-Utah, Comb Ridge-Navajo Mountain area:
    Deuterium and oxygen-18, in waters: 3-2676, 3-2677. Geologic time scale: 3-2568.
                                                                                   3-1110.
    Ionium-thorium chronology, deep-sea sediments,
                                                                       Colorado, Central City-Idaho Springs area, Pre-
                western North Pacific: 3-2682.
                                                                                   cambrian: 3-1788.
    Iron meteorites, radioactive species produced by
                                                                       Colorado Plateau, fracture systems, tectonic ele-
                cosmic rays: 3-3010.
                                                                                   ments: 3-789.
    Lead, alkaline rocks, Siberian platform: 3-258.
                                                                       Conjugate joint sets, small dihedral angle:
      Baltic shield: 3-3799.
                                                                                   3-1787.
      Broken Hill, Australia: 3-3049.
                                                                       Feather-fracture and mechanics, rock jointing:
      Butte, Montana, ores and rocks: 3-1619, 3-1620,
                                                                                   3-3628.
                3-1621.
                                                                       Mapping, photogeologic techniques: 3-1109.
      Central Kazakhstan deposits, U.S.S.R.: 3-2678.
                                                                       Structures on joint surfaces, classification:
      Discordant ages, volume diffusion as mechanism:
                                                                                   3-3630.
                3-239.
                                                                       Virginia, conjugate quartz veins, Lynchburg gneiss,
      From phosphorites, Podoliya, Ukraine: 3-2679.
                                                                                   Fancy Gap: 3-467.
      Geology and problems ore genesis: 3-1618.
                                                                      West Virginia, Conemaugh and Monongahela forma-
      In chondritic stone meteorites: 3-1597.
                                                                                   tions, Pennsylvanian: 3-4032.
      In sea water and marine sediments: 3-896.
                                                                  Jordan, petroleum, prospects: 3-2078.
    Lead 205, extinct, in meteorites: 3-214.
                                                                  Jurassic.
    Lead-uranium age problem, graphic and algebraic solutions: 3-3050.
                                                                      Alberta, Minnes formation: 3-747.
                                                                       Canada, western, Jurassic-Cretaceous boundary:
    Mn^{53} in iron meteorites: 3-2328.
                                                                                   3-2235.
    Nitrogen, in aerobic sea water: 3-3796.
                                                                       Chile, stratigraphy coastal range, Tarapaca prov-
      In anaerobic environments: 3-3797.
                                                                                   ince: 3-115.
    Nucleosynthesis and formation earth, time inter-
                                                                       Colorado: 3-2155.
                val: 3-3763.
                                                                       Greenland, East: 3-4042.
    Oxygen, Blue Glacier, Olympic Mountains, Washington: 3-1624.
                                                                      Northwest Territories, Richardson Mountains:
                                                                                   3-1138.
                                                                      Saskatchewan, stratigraphy and microfaunas: 3-2605.
      Heavy, in water masses, Philippine trench:
                3-1257.
      Ratios in rocks and minerals, determining:
                                                                      U.S.S.R., chamosite rocks with oplitic structure,
                3-3793.
                                                                                   Lena basin: 3-3835.
      Use in high-temperature geological thermometry:
                                                                         Coal beds, sulfide concretions: 3-259.
                3-4144.
                                                                         Facies composition, coal-bearing strata, Aldan-
    Protactinium-231 content, ocean water and sedi-
                                                                                   Olekhma watershed: 3-116.
    ments: 3-541.
Pa<sup>231</sup>/Th<sup>230</sup> method dating deep-sea cores: 3-1830.
                                                                         Mamyt formation, Urals: 3-2562.
Middle Llassic Foraminifera, north Caucasus:
    Radiocarbon in Atlantic Ocean: 3-200.
                                                                                   3-3647.
    Radioisotopes as water tracers, petroleum reser-
                                                                        Pshekha-Kuban Interfluve, northern Caucasus, development: 3-1464.
                voirs: 3-3463.
    Sulfur, investigation gold-quartz deposit, Yellow-
                                                                         Tavrida formation, Crimea, mineralogy and
                knife, Northwest Territories: 3-1623.
                                                                                   petrography: 3-266.
      Isotope fractionation in diagenesis, Recent
                                                                        Zelenchuk and Kuban basins, basal Bajocian:
                sediments, northeast Venezuela: 3-238.
                                                                                   3-3648.
      Isotopic composition, growth pyrites of sedi-
mentary origin: 3-895.
Origin sulfide deposits, Bathurst-Newcastle
                                                                  Kansas
                                                                      Geological Survey, activities, 1959-1960: 3-2471.
                                                                    Areas described.
                area, New Brunswick: 3-1622.
                                                                       Douglas County, geology and ground water: 3-2896.
    Thorium compounds, isotope shifts: 3-2681. Tritium, hydrology, Ottawa Valley: 3-1906.
                                                                       Northeastern, guidebook: 3-3205.
                                                                    Economic geology.
    Production in nuclear spallations: 3-223.
Use in development oil fields: 3-972.
U<sup>234</sup>/U<sup>238</sup> ratio, secondary minerals: 2-2690
                                                                      Building stone: 3-636.
Clays, montmorillonite, occurrence and bleaching
    U<sup>234</sup>/U<sup>238</sup> ratio, secondary minerals; 3-2680.
Uranium <sup>235</sup>, formation from curium <sup>247</sup>, geologic
                                                                                   properties: 3-631.
                                                                      Lime raw materials, Kansas City area: 3-635.
Mineral industry, 1959: 3-3135.
               relationships: 3-3867.
      Isotopic composition in meteorites: 3-878.
                                                                      Natural gas, underground storage: 3-653.
Petroleum, developments, 1959: 3-644.
    Xenon, difference terrestrial and meteoritic:
                3-2326.
                                                                         Eubank area, Mississippian-Pennsylvanian, pros-
Israel, Middle Triassic nautiloids: 3-1498.
```

Italy.

pects: 3-2069.

Northeastern, fields: 3-2067.

```
Kansas - Continued
                                                                                   counties, geology and ground water:
       Northern: 3-2068.
      Osage County, first commercial producing well: 3-4271.
                                                                                   3-731.
                                                                      Bath, Fleming, Montgomery counties, geology and
ground water: 3-725.
Boone, Campbell, Grant, Kenyon, Pendleton coun-
       Petrophysical characteristics, Mississippian
                "chat" Glick field: 3-315.
                                                                                   ties, geology and ground water: 3-722.
  Engineering geology.

Radioactive waste disposal, Carey salt mine,
                                                                       Bourbon, Fayette, Jessamine, Scott counties,
                                                                       geology and ground water: 3-732.
Boyle, Garrard, Lincoln, Mercer counties, geol-
                 Hutchinson: 3-3162.
     Tuttle Creek dam, rolled shale and dredged sand:
                                                                                   ogy and ground water: 3-727.
                                                                       Bracken, Harrison, Mason, Nicholas, Robertson
                 3-1735.
   Geohydrology.

Blue Grass region, ground-water resources: 3-2752.
                                                                                   counties, geology and ground water:
                                                                                    3-723.
     Ellis, Trego, Rush counties, geology and ground-
water resources: 3-3103.
                                                                       Bullitt, Jefferson, Oldham counties, geology and
                                                                                   ground water: 3-729.
                                                                       Carroll, Gallatin, Henry, Owen, Trimble counties:
   Historical geology.
      Permian(?), proposed American standard, early Permian(?) rocks: 3-1134.
                                                                                    geology and ground water: 3-730.
                                                                        Clark, Estill, Madison, Powell counties, geology
   Maps, Geologic.
                                                                                   and ground water: 3-726.
      Structural contour, on top 'Hunton' (Silurian-
Devonian): 3-2880.
                                                                        Greenville quadrangle, structure map: 3-721.
                                                                        Lewis and Rowan counties, geology and ground wa-
      Structural contour, on top Mississippian: 3-2881.
                                                                        ter: 3-724.
Marion, Nelson, Washington counties, geology and
   Paleontology.
      Actinocamax, belemnites, Cretaceous Benton and Niobrara formations: 3-3285.
                                                                                    ground water: 3-728.
                                                                      Paleontology.
                                                                        Protosalvinia arnoldii, n. sp., Devonian: 3-2285.
Wisconsin molluscan faunas, Jefferson County:
      Bacteria, Permian, 3-1531, 3-1532.
      Conchostracan distribution, Permian: 3-1526.
      Dinosaur, armored, Cretaceous: 3-1168.
                                                                                    3-807.
      Foraminifera, emendations Upper Pennsylvanian
                                                                    Korea, outline of geology: 3-438.
                  arenaceous: 3-1518.
                                                                    Kyanite.
      Lepidodendrid stem, problem cambium, phloem in lycopods: 3-148.
                                                                        New Mexico, Petaca district: 3-957.
                                                                         U.S., southeastern; 3-956.
      Lizards, Cragin Quarry fauna: 3-1510.
                                                                    Labrador.
                                                                         Anorthosite-adamellite complex, Nain: 3-1287.
      Paleolimnology, Harvey and Sedgwick counties,
                  stratigraphy and biota: 3-4057.
                                                                         Deglaciation: 3-778.
                                                                         George River region, former ice-dammed lakes and deglaciation: 3-2517.
      Pleistocene carnivores, southwestern: 3-2594.
      Pliocene lizard genus <u>Eumecoides</u>: 3-2273.
                                                                         Helluva Lake area, glaciation and deglaciation:
       Tetrapods, aquatic origin; Hesperoherpeton gar-
                   nettense, amphibian, Pennsylvanian: 3-2587.
                                                                                     3-2516.
                                                                         Iron, Knob Lake range, origin ores: 3-4245.
                                                                           Wabush Lake: 3-955.
    Petrology.
       Marine bank limestones, Lansing group, Pennsyl-
                                                                         Permafrost: 3-2905.
                                                                           Investigations, pilot project, Schefferville
                   vanian: 3-605.
                                                                                     region: 3-2815.
     Physiography.
       Dunes, western, development and grading: 3-782.
                                                                         Snegamook Lake: 3-373.
                                                                     Torngat Mountains, glacial geomorphology: 3-2515.
Lakes. See also Glacial lakes.
  Kaolin.
       Florida, peninsular, origin: 3-960.
                                                                         Alaska, Afognak Island, sources phosphorous and nitrogen: 3-3345.
       Lattice expansion, minerals: 3-1927.
                                                                            Arctic Coastal Plain, oriented, hydrodynamics:
       Bermuda: 3-1093.
       Texas, Purgatory Creek area, Hays and Comal Coun-
                                                                                      3-1420.
                                                                            Northern, hydrodynamic analysis circulation and
                    ties: 3-1072.
                                                                                      orientation: 3-3981.
                                                                            Pt. Barrow region, hydrodynamics: 3-456.
   Kentucky.
       Bibliography, Cumberland River valley, geology,
                                                                          Antarctica, saline lakes and drill-hole brines,
                   resources: 3-2469.
                                                                                      McMurdo Sound: 3-282.
       Geologic map underway: 3-342.
                                                                          California, Pleistocene, geomorphology, mineral deposits: 3-3227.
     Areas described.
       Goose Creek dome: 3-67.
     Economic geology.
                                                                                      3-1315.
       Clay, high-refractory, Hart County: 3-961.
       Clay and shale analyses, 1957-1959: 3-632.
       Petroleum, Ailen County, recent discoveries:
                                                                                      3-1251, 3-2666.
                    3-3496.
          Developments, 1960: 3-3494.
          Geology of recent deep drilling, eastern:
                                                                                       basins: 3-2203.
                    3-3495.
          Oil and gas conservation act, 1960: 3-3497.
     Engineering geology.
        Soil temperature, variation, Lexington: 3-2442.
     Geohydrology.
        Chemical quality of water, relation to stream
                    discharge: 3-2384.
        Green River basin, effects Greensburg oilfield
                    brines on streams, wells, springs:
                                                                                       vey: 3-3404.
                     3-609.
        Public and industrial water supplies: 3-927.
      Historical geology.
        Mississippian-Pennsylvanian unconformity, Illi-
                    nois basin, clay mineral sequence:
                                                                                        Louisiana: 3-1902.
        Pennsylvanian, early, sedimentation: 3-2231.
Post-Carboniferous?, Ohio River formation: 3-1820.
                     3-3257.
```

Searles dry lake, Pleistocene algal pinnacles: England, Lake District, phosphate, silicate, nitrate in waters: 3-3346. Sulfur and carbon in sediments, Lake District: Guatemala, Atitlan and Ayarza, volcanic collapse-Lake Erie, central, bottom deposits: 3-2466. Mississippi, Lake Washington, effect irrigation withdrawals on stage: 3-2754. New York, Finger Lakes: 3-3625. Ohio, Lake Erie shoreline, engineering geology, maps: 3-736, 3-1395, 3-1396, 3-2885 through 3-2888. Oklahoma, Lake Carl Blackwell, sedimentation sur-Petroleum pigments, Recent sediments: 3-305. U.S.S.R., lake Baikal, hydrochemical regime, effect seiches and body waves: 3-3790. U.S., limnology and amino-acid content, lake deposits, Minnesota, Montana, Nevada, U.S.-Canada, Lake Superior, submarine valleys: 3-2180. Utah, Navajo Lake-Cascade Spring, underground

Maps, Geologic.

Anderson, Franklin, Shelby, Spencer, Woodford

Utah, Chief Oxide-Burgin area, East Tintic dis-Lakes - Continued piracy: 3-2399. trict: 3-947, 3-948.
Wisconsin, shallow diggings, Grand and Lafayette Washington, Lake Washington, control sedimentation and bottom configuration by concounties: 3-1337. vection currents: 3-781. See also Avalanches. Lignite. Landslides. Arkansas, resources, 1954: 3-328. British Columbia, problem in highway construction: 3-657, 3-2094. Australia, Latrobe Valley, Victoria: 3-2804. Free radicals, origin: 3-3341. California, Santa Monica palisades slides: 3-336. India, ground-water control, Neyveli field, Ma-Investigation for planning remedial measures: dras: 3-2819 3-1009. Oklahoma, Woodbine formation, Red Branch member, Montana, Madison River slide, flood emergency: Cretaceous: 3-1140. 3-4290. U.S.S.R., Chelyabinsk basin, stratigraphy and Nuclear explosives and landslide dams: 3-3915. structure: 3-74. Undergraduate research on, Whittier College, Cali-Coal-bearing sediments, Dilizhan region, Armenia, age: 3-120. fornia: 3-349. U.S.S.R., mud slide, Kiev, March 1961: 3-2095. Utah, breccia blocks (Mississippian), Welcome Degrees carbon-fixation and stages development: 3-1730. Spring area: 3-95. Limestone. Lava. Alberta, Devonian bank-atoll reservoirs, Swan Contact with sea water: 3-1638. Hills area: 3-2374.
Swan Hills oil field, Devonian reef reservoir: Hawaii, basalts, differentiation, dated Kilauean eruptions: 3-2343. Basalts, differentiation, Mauna Loa and Kilauea historic magma: 3-1274. Kilauea magma, 1959-1960: 3-3081. 3-4268. Calcite crystals, reorientation: 3-1443. California, Pleistocene algal pinnacles, Searles 1959 Kilauea eruption and cooling lake temperadry lake: 3-1315. Cap rock of salt domes, formation: 3-1650. Carbonate skeletons to limestones: 3-2373. tures: 3-2342. Idaho, Craters of the Moon National Monument: Carbonate vein: 3-1314.
Caves, origin: 3-1422 through 3-1430. 3-2724. Influence character flow on formation remanent magnetization: 3-822. Vertical shafts: 3-2522. Cross-lamination, small scale, interpreting: Massachusetts, Upper Triassic, paleomagnetic results: 3-3690.

Mexico, Isla San Benedicto, marine erosion: 3-1300. England, spring domes, Lancashire: 3-3402. Florida, Washington, Holmes, Jackson counties, 3-2188. Ontario, Precambrian Tisdale group, correlation resources: 3-3452. Geochemistry: 3-536 through 3-540. chart: 3-2480. Oregon, Crater Lake, floor: 3-1272. Helium content: 3-1900. U.S.S.R., Cambrian extrusives, Tuva: 3-2728. Indiana, X-ray diffraction study: 3-1655. Elbrus, Caucasus: 3-1076. Kansas, Kansas City area: 3-635. Isotopic composition, deposits, central Kazakh-Petrology, Lansing group, Pennsylvanian: 3-605. Metasomatic replacement by alkaline fluoride-bear-ing solutions: 3-3868. stan: 3-2678. Isotopic composition from phosphorites, Podo-liya: 3-2679. Mexico, sedimentary boudinage, Cretaceous lime-stones, Zimapan: 3-2370. Lead. Australia, Broken Hill, trace amounts silver: New York, hydrology limestone terrain, Schoharie: 3-3120. 3-2759. British Columbia, H.B. mine, Salmo district: Newfoundland, Cow Head breccias: 3-265. North Carolina, crystalline, piedmont and mountain regions: 3-293. 3-2032. Mineral King mine, Purcell Range: 3-1336. Reeves MacDonald operation, Salmo district: Oklahoma, cement company near Pryor: 3-1347. 3-2033. Ontario: 3-634. River Jordan deposit, Revelstoke: 3-4240. Toby Creek, Mineral King mine: 3-945. Discordant lead ages, volume diffusion as mecha-Pennsylvania~New Jersey, Jacksonburg formation, Ordovician, mineralogy: 3-1271. Plastic deformations, zones of shattering accomnism: 3-239. Extinct lead 205 in meteorites: 3-214. panying major faults: 3-1785. Porous media having storage pores, alternating Geochemical prospecting, use mercury halos: flow to characterize: 3-2428. 3-3863. Scotland, Carboniferous Oil-Shale group, Lothian illinois, northwestern, mineralogy and zoning, and Fifeshire, petrology: 3-1317. ores: 3-1705. Solenhofen, internal friction in shear and shear modulus: 3-1569. Structural analysis, zinc-lead district: 3-289. South Carolina, Tertiary limestone terranes: In zircon, spectrochemical determination for lead-alpha age measurements: 3-1908. 3-435. Isotope composition, alkaline rocks, Siberian platform: 3-258. Texas, Glass Mountains, petrology, Pennsylvanian-Permian: 3-3412. Isotopes, Butte, Montana, ores and rocks: 3-1619, U.S.S.R., Black Sea region, Mjocene, clay miner-3-1620, 3-1621. als: 3-1634. in chondritic stone meteorites: 3-1597. Chernyshev ridge, Carboniferous breccias: In sea water, marine sediments: 3-896. 3-3845. Relation to problems ore genesis: 3-1618. Isotopic analyses, Broken Hill, Australia: 3-3049. Donets basin, origin: 3-269. Pseudoclastic, lower Carboniferous, Donets basin: 3-1656. Isotopic composition, Baltic shield: 3-3799. Lead-alpha age measurements: 3-4143. U.S., survey for thick high-calcium limestone de-Supergene alteration in limestone: 3-944. posits for nuclear explosion site: Toluca iron meteorite, lead from troilite: 3-3334. 3-3913. U.S.S.R., central Caucasus, volcanogenic stratum Lithium, U.S.S.R., in rocks, Lovozero massif: 3-2655. as possible source: 3-2027. Loess. Devonian extrusives, central Kazakhstan, geo-chemistry: 3-2647. Germany, carbonate concretions, Karlicher loess profile: 3-1648. Distribution in minerals Caledonian granitoids, Susamyr batholith, central Tien Shan: Petrographic and engineering properties: 3-3540. Stabilization by calcium lignosulfonate and alu-

minum sulfate: 3-1731.

U.S., Great Plains, origin and sources: 3-2181.

3-881.

In granitoids, eastern Transbaikal: 3-3026.

Magmatic mineralization: 3-2023. Lopoliths, silicic differentiates: 3-2348. Massachusetts composition feldspars, crystalli-Louisiana zation history, granite-syenite com-plex, Salem: 3-2349. Areas described.
Interior salt domes and Tertiary stratigraphy, Metallic sulfide melts as igneous differentiates: guidebook: 3-1762. 3-3332. Economic Geology. Minnesota, Endion sill, diabase-granophyre rela-Petroleum, developments, 1960: 3-3489, 3-3498. Lac Blanc field, Vermilion Parish: 3-1722. tions, Duluth: 3-2350. Montana, Stillwater complex, ultramafic zone: Lake Arthur field, stratigraphy and structure: 3-1962. 3-1724. Relationship fractionation stage basalt magma and temperature of beginning of crystallization: 3-1278. Rayne field, structure and stratigraphy: 3-1725. Salt domes, maps and data sheets: 3-316. South Pass Block 27 field, offshore, Plaque-mines Parish: 3-1359. Turtle Bayou-Kent Bayou-North Turtle Bayou com-Sulfide ores formed from sulfide-deficient solutions: 3-1700. U.S., western igneous provinces: 3-2363. plex: 3-1723. Volcanic flames, CuCl emission: 3-532. Sulfur, Grand Isle project, Gulf of Mexico: 3-2421. Volcanology: 3-1955. Engineering geology.

Dewatering Port Allen lock excavation: 3-1737. Magnesium, in ocean waters, determination: 3-3043. Magnetic anomalies. Fracturing rock salt by contained high explosive: Integral methods for interpreting anomalies $\Delta \underline{z}$ having like signs: 3-1212. Interpretation, effect nonuniform intensity magnet-3-1732. Southwest Pass, Mississippi River, hydraulics: 3-1739. ization of body of constant suscepti-Geohydrology. bility: 3-4092. Baton Rouge-New Orleans, ground-water conditions: Pacific Ocean, northeastern, horizontal displace-ments in floor: 3-3996. Off west coast North America, 32°-52°N.: 3-4090, 3-2391 Ground water: 3-2389. Red River alluvium, ground-water resources: 3-284. Southwestern, water levels, water-level contour 3-4091. Pennsylvania, Lancaster, Berks, Lebanon counties: maps, 1958-1959: 3-2390. 3-2296. Saskatchewan, northwestern, iron ore occurrences: 3-3877. Historical geology. Quaternary, radiocarbon dating deposits, sea-lev-el changes: 3-1146, 3-1147. Thailand, northern extension Chachoengsao area: Paleontology.

L.L.&E., et al Well, Unit 1-L, No. 1, paleontological study: 3-3671. 3-1216. U.S.S.R., Kursk, study vertical gradients of mag-netic field: 3-1213. KMA, use laboratory measurements magnetic prop-Petrology.
Mississippi delta, marginal environments, sedierties ferruginous quartzites to interments, growth: 3-1660. Recent Mississippi River sedimentation and peat pret: 3-4094. Tatar A.S.S.R., connection with structure: 3-1215. accumulation: 3-3405. Magnetic exploration. See Geophysical investigations. Magnetism, Terrestrial. Physiography. Mississippi delta, building and deltaic sequence: Czechoslovakia, geomagnetic charts: 3-1849. 3-1661. Mississippi submarine trench, comparison with Iberian trough: 3-1437. Earth's magnetic field as sum fields of two dipoles: 3-1211. Sea-level curves and continental glaciation: Geomagnetic field in space, survey: 3-817. Horizontal geomagnetic field variations, IGY ob-3-3224. See also Fluorescence. servations of vector: 3-818. Magnetic disturbances and earth's magnetic field: Antarctica, determination past climate by thermoluminescence, rocks: 3-897. Kinetics and thermoluminescence in geochemistry: 3-2968. Pulsation earth's electromagnetic field: 3-1548. Magnetism of rocks and minerals.
Aden volcanics, paleomagnetism: 3-1547. 3-4132. Thermoluminescence measurements with rapid heating: 3-3364.

Magmas and magmatic differentiation. Apparatus for measuring small remanent magnetization: 3-820. Australia, thermomagnetic properties basalt, Vic-Alaska, ultramafic complexes, southeastern: 3-2351, 3-2352. Basaltic and granitic melts, solubility water: toria: 3-164. Basalt, anomalous remanent magnetization: 3-1214. Chemical magnetization rocks: 3-165.
Curie point meter, design: 3-4147.
Czechoslovakia, paleomagnetic investigations ig-3-3004. British Columbia, Ice River complex, differentiation trends: 3-1961. Clinopyroxenes from igneous rocks, Si-Al relation: neous rocks: 3-3693. Devonian rocks, laboratory studies natural rema-3-580. Colorado, lamprophyre sill, La Plata Mountains: nent magnetization: 3-3688. Earth expansion, scientists doubt: 3-501. Europe, western, as indication continental growth: 3-598. Earth crust, formation: 3-791. Geochemistry carbonic acid in granitic intrusions: 3-3692. Greenland, East, paleomagnetic studies: 3-4096. 3-883. Lava flow, influence character on formation rem-Greenland, immiscibility, picritic intrusion, lgdlorssuit: 3-2347. anent magnetization: 3-822. Magnetic anisotropy, igneous rocks: 3-163. Layered rocks: 3-2294. Mineral layering, granite intrusions, lyigtut region: 3-2355. Magnetic stability of rocks: 3-2295. Skaergaard intrusion: 3-2346. Hawaii, basalts, differentiation, lava suites, dated Kilauean eruptions: 3-2343. Magnetic stability remanent magnetization rocks with two ferromagnetic components: Basalts, Mauna Loa and Kilauea historic magma: 3-4095. Magnetostriction and paleomagnetism, igneous rocks: 3-166. 3-1274. Kilauea magma, 1959-1960: 3-3081. Igneous rocks, chemistry, differentiation index: Massachusetts, Upper Triassic lavas: 3-3690. Meteorites, chondritic: 3-2969. New Jersey, Triassic: 3-3691.

Noncoincidence of vector rock residual magneti-

Laws isomorphism, distribution elements in miner-

Lopoliths, silicic differentiates: 3-2348.

als crystallizing from magmas: 3-3016.

3-597.

```
Magnetism of rocks and minerals - Continued
                                                                                     and fossil species: 3-3300.
                zation with direction magnetizing field: 3-821.
                                                                         Harvard University Museum of Comparative Zoology,
                                                                                     eight historic specimens: 3-2591.
    Ontario, Sudbury basin, paleomagnetic study:
                                                                         Horses, late Tertiary biogeography, northern
                 3-2297.
                                                                                     Great Basin: 3-1514.
    Paleomagnetic methods: 3-1851.
                                                                         Mammoths, frozen: 3-1838.
    Residual magnetization, formation and distribu-
                                                                         Northern Siberia, ecology: 3-3663.
Mammut americanus, Indiana: 3-1513.
                 tion: 3-499.
    Texas, paleomagnetic studies, rocks, review:
                                                                         Mexico, Pleistocene, drawings on bone: 3-809.

Mylagaulus laevis, fossorial rodent, Miocene,
                 3-771.
    Treatment partially stable sedimentary rocks
                                                                                     osteology, Colorado: 3-1177.
                 showing planar distribution of direct-
                                                                         Necrolemur, cranial anatomy: 3-1512.
                 ions of magnetization: 3-3689.
                                                                         Nothrotherium shastense, Shasta ground sloth,
    U.S.S.R., paleomagnetic studies, Devonian sedi-
                                                                                     southwest U.S., ecology: 3-1176.
                 mentary layers, Russian platform:
                                                                         Oreodonts, Nebraska, faunal list: 3-3600.
Palustrimus Wood, Miocene rodent, Wyoming: 3-3301.
                 3-1852.
      Reversed magnetization, volcanic rocks, Armenia and Kurile islands: 3-823.
                                                                         Pantodonta, Paleocene: 3-1174.
                                                                        Pediomys hatcheri (Osborn), Cretaceous, Dragon Canyon, Utah: 3-3297.
      Ukrainian crystalline massif, paleomagnetic re-
                 search: 3-3694.
                                                                         Polyphyletic or monophyletic ancestry: 3-804.
Magnetite.
                                                                         Primates, new: 3-490.
    British Columbia, Lodestone Mountain stock: 3-954.
Chile, magnetite "flow," Laco area: 3-2782.
Hydrothermal, origin: 3-1890.
                                                                         Rodents, origin: 3-3299.
                                                                         South Dakota, late Pleistocene: 3-1516.
                                                                         Symbos cavifrons, woodland musk ox, Michigan,
    Oklahoma, textures, basic rocks, Wichita Moun-
                                                                                     radiocarbon date: 3-1515.
                 tains: 3-1280.
                                                                         Tadarida constantinei, guano bat, Carlsbad Caverns, New Mexico: 3-2593.
    Pennsylvania, Cornwall, guide: 3-3604.
Maine.
                                                                         Therapsids as mammals: 3-803.
  Areas described.
    Baxter State Park and Mt. Katahdin: 3-3956.
Sebago Lake State Park, guide: 3-768.
West-central, guidebook: 3-2162.
                                                                         <u>Trogomys</u> <u>rupinimenthae</u>, new rodent, Miocene, California: 3-2276.
                                                                        Whale, Miocene, near Hampton, Virginia: 3-144.
                                                                   Man.
  Geohydrology.
                                                                        Evolution: 3-2263.
    Brunswick and Topsham water district, ground-wa-
                                                                         Mexico, Pleistocene, drawings of mammals on
                 ter supplies: 3-2392.
                                                                                    bone: 3-809.
  Historical geology.
    Devonian, paleogeographic implications, hot ash
                                                                         Zinjanthropus boisei, East Africa: 3-3271.
                 flows: 3-2250.
                                                                    Manganese.
                                                                        Arizona, eastern: 3-4246.
    Moose River synclinorium, stratigraphy: 3-2571.
                                                                        Arkansas, gold and silver in ore, Polk County:
  Mineralogy.
    Beryl, Moody Mountain, Oxford County: 3-903.
                                                                                     3-1704.
    Fluorescing pegmatite: 3-248.
                                                                        California, tephroite in deposits: 3-1631.
Cosmic-ray produced Mn<sup>53</sup> in iron meteorites:
    Gedrite, Oxford County: 3-4168.
                                                                                     3-2328.
  Paleontology.
                                                                        In sedimentary rocks: 3-2665.
India, mineralogy and texture, ores, Kodur,
    Graptolites, early Ludlow, Ashland area: 3-1481.
  Petrology.
    Beach sediments, features: 3-1299.
                                                                                     Srikakulam district: 3-589.
                                                                          Minor elements in gonditic ore, geochemical
  Physiography.
                                                                                     significance: 3-3781.
    Erosion surfaces, northwestern, tectonic signif-
                                                                         lowa soils: 3-1612.
    icance: 3-2907.
Late Pleistocene changes of sea level, south-
                                                                        Minerals, cation exchange by electrodialysis:
                western: 3-2529.
                                                                                     3-1590.
Malaya (Federation of).
                                                                        Ocean floor: 3-620.
    Precambrian, basement rocks, paleogeographic sig-
                                                                         Pacific Ocean, nodules: 3-890, 3-1318.
                                                                        Utah, Drum Mountains: 3-4247.
Washington, Olympic Peninsula: 3-1340.
                nificance, Southeast Asia: 3-1805.
    University of Malaya geology department: 3-3939.
                                                                    Manitoba.
Mammalia.
    Anthropoid frontal bone, Oligocene, Egypt: 3-1173.
                                                                      Areas described.
    Arctoryctes, other Oligocene vertebrates, Nebras-
                                                                         Western Oxford Lake-Carghill Island area: 3-2496.
                                                                      Economic geology.

Mineral prospects, Gods, Island, and Oxford lakes:
                  ka: 3-1170.
    Bear, fossil modern black, Virginia: 3-2939.
    Bighorn sheep, Pleistocene, Utah: 3-3298.
                                                                                     3-2789.
    Bison latifrons, Pleistocene, Cooke County: 3-3664.
                                                                         Potash, rock salt, and brines: 3-2784.
                                                                      Engineering geology.
    Brain evolution: 3-1833.
                                                                         Grand Rapids water power development, Lake Win-
nipeg, grout curtain: 3-2455.
    Canis latrans, Pleistocene and Recent, Califor-
                 nia: 3-492.
                                                                        Kelsey generating station, dam and dikes, Nelson River: 3-1000.
    Carnivore, marine, Miocene Clallam formation,
                Washington: 3-491.
                                                                        Muskeg and road work: 3-2445, 3-2446.
    Carnivores, Pleistocene, southwestern Kansas:
                                                                         Pier-supported building over permafrost: 3-1733.
                 3-2594.
                                                                      Geohydrology.
    Colorado, rodents and insectivores, early Mio-
                                                                         Brandon map-area, ground-water resources: 3-2386.
                 cene: 3-1171.
                                                                         Plum Coulee area, ground-water resources: 3-3425.
    Condilura, starnosed mole, Miocene, Soviet Cen-
tral Asia: 3-1172.
                                                                      Historical geology.
                                                                         Quaternary, interglacial(?) conglomerate, Seal
River valley: 3-2248.
    <u>Desmodus</u> magnus, Pleistocene vampire bat, Florida: 3-2592.
                                                                      Maps, Aeromagnetic
    Diagnosis of class: 3-805.
                                                                         Bagg Lake: 3-2859
    Didelphid marsupials, Oligocene, review: 3-1511.
                                                                         Colbeck Lake: 3-2860.
    Equus rectidens, extinct horse depicted in rock paintings: 3-1175.
                                                                         Coronation mine area: 3-1387.
                                                                         Egenolf Lake: 3-2861.
    Felidae, late Cenozoic, Texas Panhandle: 3-493.
                                                                         Erickson Lake: 3-2862.
    Geolabidinae, early Cenozoic erinaceoid insecti-
                                                                         Finner Lake: 3-2863.
```

Hugill Creek: 3-2864. Kasmere Lake: 3-2865.

vores: 3-489.

Geomys, Pleistocene, California: notes on Recent

```
Manitoba - Continued
        Putahow Lake: 3-2866.
Snyder Lake: 3-2867.
                                                                                                      Port Hood, Inverness County: 3-378.
                                                                                                  Ontario, Achapi Lake, Thunder Bay and Kenora
districts: 3-24.
Berens Lake, Kenora district: 3-381.
        Sucker Lake: 3-2868.
        Thanout Lake: 3-2869.
                                                                                                     Berens Lake, Kenora district: 3-381.

Big Beaver House, Kenora district: 3-25.

Big Canoe Lake, Cochrane district: 3-676.

Bruce Lake, Kenora district: 3-677.

Burntrock Lake, Thunder Bay district: 3-26.

Collishaw Lake, Kenora district: 3-27.

Crerar Lake, Kenora and Thunder Bay districts:
        Tice Lake: 3-2870.
        Turner Lake: 3-2871.
Veal Lake: 3-2872.
        Whitmore Lake: 3-2873. Wolk Lake: 3-2874.
    Maps, Geologic.
Chisel Lake: 3-669.
                                                                                                                   3-28.
                                                                                                      Critchell Lake, Kenora district: 3-382.
       Flin Flon-Mandy: 3-670.
Island Lake: 3-2113.
                                                                                                      Dillen Lake, Kenora district: 3-29.
D'Orsonnens Lake, Thunder Bay district: 3-383.
       Whiskey Jack Lake: 3-3174.
                                                                                                      Dusey Lake, Thunder Bay and Cochrane district: 3-678.
     Paleontology.
        Fauna Devonian Manitoba group: 3-2616.
                                                                                                      Eby Falls, Cochrane district: 3-679.
 Manuals, handbooks, etc.
                                                                                                      Eyes Lake, Kenora district: 3-30.
        Appalachian gold, guide to placers: 3-288.
                                                                                                      Favourable Lake, Kenora district: 3-384.
        California, San Francisco Bay area, scientific
                                                                                                      Fishtrap Lake, Kenora district: 3-680.
Fort Hope, Kenora district: 3-385.
Goldpines, Kenora district: 3-681.
                        resources: 3-1376.
        Earth manual, soils as foundations and construction materials: 3-333.
Field geology; 3-3552.
Foraminifera: 3-3665.
                                                                                                      Goldsborough Lake, Thunder Bay district: 3-31. Goods Lake, Kenora district: 3-682. Grace Lake, Thunder Bay and Kenora districts: 3-32.
        Historical geology laboratory manual: 3-2918.
Hugoton embayment-Anadarko basin yearbook: 3-1362.
                                                                                                       Greenmantle Lake, Thunder Bay district: 3-33.
        Leasing and operating oil and gas lands owned by
                                                                                                      Greig Lake, Kenora district: 3-683.
Gullrock Lake, Kenora district: 3-386.
                         Pennsylvania, guide to information: 3-3508.
                                                                                                       Harvey Lake, Thunder Bay and Kenora district:
        Michigan, mineralogical guide: 3-1268.
                                                                                                                    3-684.
         Minerals and rocks of Minnesota: 3-3387.
                                                                                                       Henfrey Lake, Kenora district: 3-685.
         Palynological techniques: 3-2614.
                                                                                                       Jervis Bay Lake, Kenora district: 3-34.
         Photographic interpretation: 3-347.
                                                                                                       Kabania Lake, Kenora district: 3-387.
         Physical geology, manual of laboratory exercises: 3-3924.
                                                                                                       Kagiami Falls, Thunder Bay and Cochrane dis-
                                                                                                       trict: 3-686.
Kanuchuan Lake, Kenora district: 3-388.
Kapikotongwa Lake, Thunder Bay district:
         Rock types, identification, engineering proper-
                          ties for highway construction: 3-2441.
         Texas fossils, amateur collector's handbook: 3-814.
                                                                                                       3-687.
Kawitos Lake, Thunder Bay and Kenora district:
         Uranium minerals: 3-3811.
Virginia, identification guide to common minerals
                                                                                                                      3-389.
                                                                                                        Kellow Lake, Thunder Bay and Kenora district:
                          and rocks: 3-3078.
   Map making. <u>See</u> Cartography; Geologic Mapping.
Maps, Aeromagnetic.
                                                                                                                     3-390.
                                                                                                       Kennedy Lake, Kenora district: 3-391.
Kilbarry Lake, Thunder Bay district: 3-35.
Kirkness Lake, Kenora district: 3-392.
Kitchie Lake, Kenora district: 3-688.
        Alaska, Copper River basin: 3-1546.
Cook Inlet area: 3-819.
         Canada, Gulf of St. Lawrence: 3-1, 3-352 through
                                                                                                        La Rose Lake, Cochrane district: 3-689.
                                                                                                        Lansdowne House, Kenora district: 3-609.
Linklater Lake, Thunder Bay district: 3-36.
Louella Falls, Cochrane district: 3-690.
Lysander Lake, Kenora district: 3-37.
                          3-368.
          Manitoba, Bagg Lake: 3-2859.
Colbeck Lake: 3-2860.
             Coronation mine area: 3-1387.
            Egenolf Lake: 3-2861.
                                                                                                        Machawaian Lake, Kenora district: 3-394.
            Egickson Lake: 3-2862.
Finner Lake: 3-2863.
Hugill Creek: 3-2864.
Kasmere Lake: 3-2864.
                                                                                                        McInnes Lake, Kenora district: 3-395.
                                                                                                        McInnes Lake, Kenora district: 3-395.
McIntyre Lake, Kenora district: 3-691.
Mahamo Lake, Thunder Bay district: 3-396.
Makoki Lake, Thunder Bay district: 3-397.
Makokibatan Lake, Kenora and Thunder Bay district: 3-692.
Mameigues Lake, Kenora district: 3-399
            Putahow Lake: 3-2866.
Snyder Lake: 3-2867.
Sucker Lake: 3-2868.
                                                                                                         Mameigwess Lake, Kenora district: 3-398.
                                                                                                         Margot Lake, Kenora district: 3-693.
Maxey Lake, Kenora, Cochrane, and Thunder Bay
district: 3-694.
             Thanout Lake: 3-2869.
             Tice Lake: 3-2870.
             Turner Lake: 3-2871.
                                                                                                         Michikenis Lake, Kenora district: 3-38.
Miminiska Lake, Kenora and Thunder Bay dis-
             Veal Lake: 3-2872.
             Whitmore Lake: 3-2873.
                                                                                                         tricts: 3-39.
Mojikit Lake, Thunder Bay district: 3-399.
Nankika Lake, Kenora district: 3-400.
             Wolk Lake: 3-2874.
          Northwest Territories, magnetic anomaly east of Quinn Lake, Mackenzie District: 3-1382.

Nova Scotia, Antigonish, Antigonish and Guysborough counties: 3-3.
                                                                                                         Neawagank Lake, Kenora district: 3-40.
                                                                                                         Nechigona Lake, Kenora district: 3-695.
Northwind Lake, Kenora district: 3-696.
             Cape George, Antigonish and Inverness counties: 3-4.
                                                                                                         Norton Lake, Kenora district: 3-697.
             Chéticamp, Inverness County: 3-5.
Chéticamp River, Inverness and Victoria coun-
ties: 3-6.
                                                                                                          Nottik Island, Cochrane and Kenora district:
                                                                                                                       3-698.
                                                                                                          Nungesser and Coli lakes, Kenora district: 3-401.
Obabigan Lake, Kenora district: 3-41.
             Dingwall, Victoria County: 3-7.
Lake Ainslie, Inverness and Victoria counties:
                                                                                                          Ogoki Lake, Thunder Bay district: 3-699.
                                                                                                          Opikeigen Lake, Kenora and Thunder Bay dis-
              Malignant Cove, Antigonish and Kings counties:
                           3-8.
                                                                                                                       tricts: 3-402.
                                                                                                          Owen Lake, Kenora district: 3-700.
                           3-376.
                                                                                                          Ozhiski Lake, Kenora district: 3-42.
              Margaree, Inverness County: 3-9.
              Merigomish, Pictou and Antigonish counties: 3-377.
                                                                                                          Patience Lake, Thunder Bay and Cochrane dis-
                                                                                                                       trict: 3-701.
              Pleasant Bay, Inverness and Victoria counties:
                                                                                                          Pattle Lake, Kenora district: 3-43.
```

```
Maps, Aeromagnetic - Continued
                                                                             Alaska, Admiralty Island: 3-418.
       Percy Lake, Thunder Bay and Cochrane district:
                                                                               Craig C-2 quadrangle, Prince of Wales Island:
                  3-702.
       Prime Lake, Kenora district: 3-703.
                                                                                          3-3953.
                                                                               Hagemeister Island quadrangle: 3-3184.
       Pruner Lake, Thunder Bay and Kenora districts:
                                                                                Kiska Island, Aleutians: 3-3954.
                  3-44.
       Pulham Lake, Kenora district: 3-704.
Pym island, Kenora district: 3-705.
                                                                                Shaviovik and Sagavanirktok river region:
                                                                                           3-2892.
       Red Lake, Kenora district: 3-403.
                                                                             Alberta, Athabasca Valley, Jasper National Park:
       Sagiminnis Lake, Kenora district: 3-404.
                                                                                          3-3588.
       Sampson Lake, Kenora district: 3-706.
                                                                               Cretaceous rocks, Rocky Mountain foothills:
       Seach Lake, Kenora and Thunder Bay districts:
                                                                                          3-427.
                  3-45.
                                                                               Exshaw-Golden, photogeology: 3-667.
       Sebert Lake, Kenora and Cochrane district: 3-707.
                                                                               Fort Fitzgerald: 3-668.
                                                                               McMurray area: 3-750.
       Sennett Lake, Kenora district: 3-46.
                                                                               Paleozoic surface: 3-2, 3-2858.
       Sheridan Lake, Kenora district: 3-47.
                                                                               Sturgeon Lake area: 3-463.
                                                                            Arizona, Emmett Wash NW quadrangle: 3-1388.
House Rock Valley: 3-2499.
       Shibley Lake, Kenora district: 3-708.
       Sim Lake, Thunder Bay district: 3-405.
       Stark Lake, Kenora district: 3-406.
Symons Lake, Kenora district: 3-709.
                                                                                Paria Plateau SE quadrangle: 3-2878.
                                                                               Pinal Ranch quadrangle: 3-1389.
       Totogan Lake, Kenora district: 3-48.
                                                                               San Pedro and Aravaipa valleys: 3-2489.
       Triangular Lake, Kenora and Thunder Bay dis-
                                                                            British Columbia, Atlin map-area: 3-1058.
                                                                               Chilliwack, surficial geology: 3-369.
                 tricts: 3-407.
                                                                                Chilliwack, Sumas, Kent municipalities: 3-2385.
       Trout Lake, Kenora district: 3-710.
       Wabakimi Lake, Thunder Bay district: 3-49.
                                                                               Courtenay, surficial geology: 3-2112.
       Wabassi Falls, Kenora district: 3-711.
Wapikopa Lake, Kenora district 3-408.
                                                                               Cretaceous rocks, Rocky Mountain foothills:
                                                                                          3-427.
                                                                               Fernie (west half), Kootenay district: 3-370.
Kechika, Cassiar district: 3-371.
Nelson map-area: 3-2495.
       Wapitotem Lake, Kenora district: 3-409.
       Wegg Lake, Kenora district: 3-410.
Whiteclay Lake, Thunder Bay district: 3-50.
Whiteloon Lake, Kenora district: 3-712.
                                                                               Prince George, Cariboo district: 3-3173.
       Whitewater Lake, Thunder Bay district: 3-51.
                                                                               Quesnel Lake region: 3-372, 3-3560.
Rabbit River region: 3-3561.
       Wigwascence Lake, Kenora district: 3-52.
       Windfall Creeks, Kenora district: 3-713.
                                                                           California, Alvord Mountain quadrangle: 3-2501.
       Windsor Lake, Kenora district: 3-714.
                                                                               Big Bend quadrangle, southwest quarter: 3-432.
       Winisk Lake, Kenora district: 3-715.
                                                                               Bouquet Reservoir quadrangle: 3-3187.
       Wunnummin Lake, Kenora district: 3-53
                                                                               Butte Valley region: 3-2748.
     Pennsylvania, Alburtis quadrangle: 3-3573.
Ambler quadrangle: 3-58.
                                                                               Kingman sheet: 3-3186.
                                                                               Lancaster quadrangle: 3-1034.
       Bedminster quadrangle: 3-420.
                                                                               Northern Coast Ranges and Klamath Mountains:
       Bernville quadrangle: 3-3574.
                                                                                         3-3201.
       Collegeville quadrangle: 3-421.
Columbia East quadrangle: 3-2127.
                                                                               Orchard Peak area: 3-433.
                                                                               Rogers Lake and Kramer quadrangles: 3-2502.
       Doylestown quadrangle: 3-422.
                                                                               Southern: 3-760.
       Ephrata quadrangle: 3-2128.
                                                                               Ukiah sheet: 3-55
                                                                            Westwood sheet: 3-2120.
Caroline Islands, Yap Islands: 3-3550.
Colorado, Douglas Creek area, Dakota structure
       Gap quadrangle: 3-2129.
       Glen Rock and New Freedom quadrangles: 3-3575.
       Hummelstown quadrangle: 3-3576.
Lancaster quadrangle: 3-2130.
Lansdale quadrangle: 3-423.
Lebanon quadrangle: 3-2131.
                                                                               contour map, sections: 3-1390.

Horse Draw area, Mancos B structure contour
                                                                                          map, sections: 3-1391.
       Leola quadrangle: 3-2132.
Lititz quadrangle: 3-2133.
                                                                               Igneous and metamorphic rocks, uranium depos-
                                                                                          its: 3-56.
       Lumberville quadrangle: 3-424.
                                                                               Indian Hills quadrangle: 3-3569.
Little Cone quadrangle: 3-1067.
Mount Peale 4 SE quadrangle: 3-1053.
       Manheim quadrangle: 3-2134.
       New Holland quadrangle: 3-2135.
     Palmyra quadrangle: 3-3577.
Red Lion quadrangle: 3-3578.
Richland quadrangle: 3-2136.
                                                                               Northgate district: 3-1400.
                                                                               Piceance Creek basin: 3-3477.
                                                                               Rifle Creek area: 3-2037.
Summitville district, San Juan Mountains:
       Sinking Spring quadrangle: 3-2137.
       Telford quadrangle: 3-425.
                                                                                          3-295.
       Terre Hill quadrangle: 3-2138. Womelsdorf quadrangle: 3-2139.
                                                                               Willow Creek Butte quadrangle: 3-2140.
                                                                            Connecticut, Avon quadrangle: 3-720.
Naugatuck quadrangle: 3-2893.
Norwich quadrangle: 3-3943.
       York quadrangle: 3-3579.
     Prince Edward Island, Boughton Island, Kings
County: 3-411.
                                                                               Uncasville quadrangle, surficial geology:
       Malignant Cove, Antigonish and Kings counties:
                                                                                          3-1036.
                 3-376.
                                                                               Wallingford quadrangle, surficial geology:
       Souris, Kings County: 3-412.
                                                                                          3-2894.
     Saskatchewan, Coronation mine area: 3-1387.
                                                                             Windsor Locks quadrangle, surficial geology:
      Northwestern: 3-3877.
                                                                                          3-1035.
Maps, Coal.
                                                                             Idaho, Lemhi Range: 3-2895.
    Alberta, Clover Bar coal zone, Edmonton-Morin-
ville district: 3-2083.
Arkansas, resources, 1954: 3-328.
                                                                             Illinois, Dubuque South quadrangle: 3-3204.
Indiana, Terre Haute and Dennison quadrangles:
                                                                                         3-2122.
     Illinois, Pennsylvanian, Illinois basin: 3-3149.
                                                                             lowa, Dubuque South quadrangle: 3-3204.
       Shipping coal mines: 3-3571.
Strippable reserves: 3-3151.
                                                                             Kansas, Douglas County: 3-2896.
                                                                               Structure contour on top "Hunton" (Silurian-
     Indiana, Terre Haute and Dennison quadrangles:
                                                                                          Devonian): 3-2880.
                 3-2122.
                                                                               Structure contour on top Mississippian: 3-2881.
    United States, coal fields: 3-1033.
                                                                             Kentucky, Anderson, Franklin, Shelby, Spencer,
Woodford counties: 3-731.
Maps, Geologic.
    Alabama, Huntsville quadrangle: 3-3568.
                                                                               Bath, Fleming, Montgomery counties: 3-725.
Boone, Campbell, Grant, Kenton, Pendleton coun-
      Wilcox County: 3-612.
```

Maps

, Geologic - Continued ties: 3-722.	Pictou County, lower Paleozoic: 3-2920.
Bourbon, Fayette, Jessamine, Scott counties:	Port Hawkesbury area: 3-3196.
3-732.	St. Ann's, Cape Breton Island: 3-1030.
Boyle, Garrard, Lincoln, Mercer counties: 3-727.	St. Mary Bay: 3-3178.
Bracken, Harrison, Mason, Nicholas, Robertson	Shelburne region: 3-3563. Shubenacadie and Kennetcook map-areas: 3-1059.
counties: 3-723. Bullitt, Jefferson, Oldham counties: 3-729.	Oklahoma, Boktukola syncline area, Ouachita Moun-
Carroll, Gallatin, Henry, Owen, Trimble coun-	tains: 3-2508.
ties: 3-730.	Ontario, Algoma district, Townships 167 & 168,
Clark, Estill, Madison, Powell counties: 3-726.	3-2488.
Greenville quadrangle, structure: 3-721.	Balmer Township: 3-1031. Belfast Township, Nipissing district: 3-14.
Lewis and Rowan counties: 3-724. Marion, Nelson, Washington counties: 3-728.	Bennett-Tanner area: 3-430.
Labrador, Snegamook Lake: 3~373.	Cobden Township, Algoma district: 3-17.
Maine, Baxter State Park: 3-3956.	Coleman Township, Timiskaming district: 3-65,
Moose River synclinorium: 3-2571.	3-1751, 3-2875, 3-3197.
Manitoba, Brandon map-area: 3-2386.	Cornwall map-area, surficial geology: 3-1087. Cynthia Township, Nipissing district: 3-13.
Chisel Lake: 3-669. Flin Flon-Mandy: 3-670.	Dome Township: 3-1032.
Plum Coulee area: 3-3425.	Dyment area: 3-431.
Western Oxford Lake-Carghill Island area: 3-2496.	Espanola sheet: 3-1748.
Whiskey Jack Lake: 3-3174.	Flanders Lake area, Thunder Bay and Algoma dis-
Manitoba-Ontario, Island Lake: 3-2113.	trict: 3-3564. Fox (Township): 3-1383.
Mariana Islands, Tinian: 3-3549. Minnesota, Mountain Iron-Virginia area: 3-3433.	calt man-area. Pleistocene geology: 3-2143.
Montana, Beartooth Mountains: 3-4009.	Hobbs and McCallum townships, Nipissing district
Birney-Broadus coal field: 3-329.	3-2876.
Blaine County: 3-2012.	Lac des Mille Lacs area: 3-18.
Boulder quadrangle: 3-2123, 3-2882.	Lake St. Joseph, Kenora, and Thunder Bay dis- tricts: 3-2115.
Cherry Creek and Ruby Mountains areas: 3-1402.	LeRoche Township, Nipissing district: 3-12.
Drummond area: 3-3188. Flint Creek Range: 3-3189.	long Township, Algoma district: 3-19.
Clacier National Park and Flathead region: 3-68.	McGiverin Township, Algoma district: 3-20.
Igneous and metamorphic rocks, uranium deposits:	Mack Township, Algoma district: 3-21.
3-57.	Maclennan and Scadding townships: 3-2146. Milligan, Cochrane district: 3-1749.
Jefferson City quadrangle: 3-1037, 3-1038.	Miminiska region: 3-3565.
Kootenai-Flathead area, southeastern Lincoln	Mortimer (Township): 3-1384.
County: 3-1403. Little Rocky Mountains and foothills: 3-128.	North Caribou take: 3=3179.
Lloyd quadrangle, Bearpaw Mountains: 3-2500.	North Spirit Lake, Kenora district: 3-3100.
Maddux quadrangle, Bearpaw Mountains: 3-1069	Perth region: 3-3566. Phyllis Township, Nipissing district: 3-16.
St. Regis-Superior area: 3-3598.	Port Coldwell area. Thunder Bay district: 3-240
Vaughn quadrangle: 3-3944.	pice lake-Port Hope, Trenton areas: 3-/33.
Nebraska, Chadron area: 3-3444. Yankton area: 3-1414.	coarfe Township, Algoma district: 3-44.
Nevada, Humboldt County: 3-1393.	Seabrook Lake, Firesand River, Nemegosenua Lake
Jackson Mountains, Humboldt County: 3-69.	Lackner Lake areas: 3-2419. Southern, nepheline syenite deposits: 3-2422.
occood Mountains quadrangle: 3=1394.	c+imeon (Township): 3~1305.
Santa Rosa Range, contact metamorphism: 3-257.	Chathan Township, Algoma district: 3-43.
New Brunswick, Big Bald Mountain, Northumberland County: 3-3175	Tisdale Township, south hair: 3-2400 through
Hayesville and McNamee map-areas: 3-428.	3-2486.
Mus guash: 3-671.	Toronto bedrock contours: 3-1386. Trout Lake, Kenora district: 3-379.
Polling Dam. Charlotte County: 3-0/2.	Vogt and Torrington townships, Nipissing dis-
St. George, Charlotte County: 5-0/5.	+elct* 3=2877.
St. Mary Bay: 3-3178. St. Stephen, Charlotte County: 3-674.	Wakwekobi Lake, Algoma district: 3-380.
coupale region: 3=3562.	Walter, Cochrane district: 3"1/50.
New Jersey-Pennsylvania, Frenchtown quadrangle:	Ontario-Quebec, Ottawa-Hull area: 3-3097. Oregon, western Cascades north of 43°N.: 3-434.
3=2883.	Denneylvania: 3-419.
New Mexico, Cedar Mountains: 3-3572.	tlla mundrangie: 1=1bU1.
Grants-Bluewater area: 3-2758. Las Cruces quadrangle: 3-733.	Prince Edward Island, Montague, surficial geolog
procembries rocks: 3-3190.	2=2116
Carramento Mountains escarpment: 3=250/.	Mount Stewart, surficial geology: 3-2117. Souris, surficial geology: 3-2118.
Southern Peloncillo Mountains: 3-3946.	Puerto Rico, Cayey quadrangle: 3-2141.
vinden quadrangle: 3-734.	Central Aguirre quadrangle: 3-133/*
Newfoundland, Kings Point, 3-2114.	oto mindrangle: 3=2142.
Michikamau Lake: 3-413. Shabogamo Lake: 3-62.	Juncos quadrangle, from and copper prospects.
- 1 D1 2-67E	3-3193.
A Torritories Relcher Islands; 3-243/*	Quebec, Antoine area: 3-1061. Barlow Township, southeast quarter: 3-756.
Fort liard and La Biche map-areas: 5 070	Basaltic rocks, Labrador trough: 3-252.
Hamm Divor man-area: 1-b1.	Chomedey-Paquet area: 3-/54.
Liard-Mackenzie rivers region: 3-3262. Mackenzie District, north-central: 3-374.	Gould area: 3-3198.
Mackenzie District, north-central. 3 37 4. Mingo Lake, Baffin Island: 3-3176.	ruyon area: 3≃758.
	Labrador geosyncline: 3-2415. Lamotte Township, Lacorne Township: 3-755.
North-central Mackenzie District, Suilleta	McKenzie Township, south half: 3-1063.
===1ogy: 3=108b.	utahikaman lake: 1-411.
Virginia Falls and Sibbeston Lake: 3-1399.	Nichicun-Kanjapiskau: 3-4!4.
Nova Scotia, Cape Canso: 3-375.	Northern New Quebec: 3-1/55.
Hopewell: 3-3177. Nictaux-Torbrook map-area: 3-429.	Pommeroy-Bellefeuille area: 3-759.
MICTARY-TOTALOGK IIMP TOTAL	

```
Maps, Geologic - Continued
                                                                     Maps, Geophysical.
       Rimouski-Matapedia area: 3-1060.
                                                                           Colorado, Airy-Heiskanen anomaly map: 3-2150.
       St. Adele district: 3-3199.
                                                                           South Dakota, east of Black Hills and from Rapid
       Sakami Lake, surficial geology: 3-415.
Shabogamo Lake: 3-62.
                                                                                        City to Sioux Falls, gravity map:
                                                                                        3-4086.
       Turquetil-Émard area: 3-757.
                                                                           Texas, Coastal Plain area, airborne radioactivity
       Upton, surficial geology: 3-1088.
Wacouno-Waco area: 3-1062.
                                                                                       and geology: 3-3581.
                                                                     Maps, Ground water.
     Rhode Island, Kingston quadrangle, surficial ge-
       ology: 3-2520.
Providence area: 3-4223.
                                                                          Alabama, Autauga County: 3-2004.
                                                                          Colbert County: 3-2005.
British Columbia, Chilliwhack, Sumas, Kent municipalities: 3-2385.
     Ryukyu Islands, Ishigaki-shima: 3-2834.
       Miyako archipelago: 3-3547.
       Okinawa-jima: 3-3548.
                                                                           California: 3-3098.
                                                                            Middle Mojave Valley area: 3-1682.
     Saskatchewan, Crackingstone: 3-3182.
                                                                             Willow Springs, Gloster, Chaffee areas: 3-1683.
       Flin Flon-Mandy: 3-670.
Phelps Lake: 3-716.
                                                                             Yucca Valley-Twentynine Palms area: 3-1681.
     Saudi Arabia, Central Persian Gulf quadrangle:
                                                                          Kentucky, Anderson, Franklin, Shelby, Spencer,
                                                                                        Woodford counties: 3-731.
                 3-3195.
                                                                             Bath, Fleming, Montgomery counties: 3-725.
     South Carolina, crystalline rocks, geologic re-
                                                                             Boone, Campbell, Grant, Kenyon, Pendleton coun-
                 lations: 3-3210.
                                                                                        ties: 3-722
     South Dakota, Alexandria quadrangle: 3-1040.
                                                                             Bourbon, Fayette, Jessamine, Scott counties:
       Chadron area: 3-3444.
       Flandreau quadrangle: 3-1041.
                                                                                        3-732.
                                                                             Boyle, Garrard, Lincoln, Mercer counties: 3-727.
       Gann Valley quadrangle: 3-1052.
Little Eagle quadrangle: 3-1043.
                                                                             Bracken, Harrison, Mason, Nicholas, Robertson counties: 3-723.
       Miscol quadrangle: 3-1044
                                                                            Bullitt, Jefferson, Oldham counties: 3-729.
Carroll, Gallatin, Henry, Owen, Trimble counties: 3-730.
       Patricia quadrangle: 3-1045.
       Ring Thunder quadrangle: 3-1046.
       Rutland quadrangle: 3-1047.
       Sharps Corner quadrangle: 3-1048.
Spring Creek quadrangle: 3-1049.
                                                                            Clark, Estill, Madison, Powell counties: 3-726.
Lewis and Rowan counties: 3-724.
                                                                             Marion, Nelson, Washington counties: 3-728.
       Timber Lake quadrangle: 3-1050.
       Winner quadrangle: 3-1051.
                                                                          Louisiana: 3-2389.
                                                                             Southwestern, water-level contour maps: 1958-1959: 3-2390
       Yankton area: 3-1414.
     Tennessee, Blockhouse quadrangle: 3-2889.
                                                                           Massachusetts, Mattapoisett River valley: 3-2393.
       Northeastern: 3-2509.
Wildwood quadrangle: 3-2890.
                                                                          New Mexico, White Sands Missile Range, conserva-
     Texas, Brazos River valley, Wichita group: 3-2559.
                                                                                        tion flood water: 3-2884.
                                                                           Ohio, Fairborn area: 3-2014.
       Grayson County: 3-1685.
                                                                           Saskatchewan, Weyburn area: 3-4207.
       Grosvenor quadrangle: 3-436.
       Hays County: 3-1686.
                                                                           Washington, Columbia Basin Project area: 3-1329.
     Karnes County: 3-1687.
U.S.S.R.: 3-2166.
                                                                            Nooksack River basin: 3-2016.
Seguim-Dungeness area: 3-1330.
     U.S., Piedmont, Maryland, Pennsylvania, Dela-
                                                                      Maps, Mineral.
                 ware: 3-3458.
                                                                           Alaska, Admiralty Island 3-418.
                                                                           California, Kern River uranium area: 3-290.
     Utah, Beaver quadrangle: 3-3582.
       Boulter Peak quadrangle: 3-3947.
                                                                           Canada, metallogenic provinces: 3-3882.
                                                                          Illinois, mineral industries: 3-3570.
Maryland, mineral deposits excluding fuels, sand
       Clay Hills area: 3-437.
Drum Mountains: 3-4247.
       Lisbon Valley anticline, photogeology: 3-740.
Mount Peale quadrangle: 3-737, 3-1052, 3-1053,
                                                                                       and gravel: 3-2491.
                                                                          Ontario, Big Duck Lake area, Thunder Bay district:
                 3-1054, 3-3191.
                                                                                        3-11, 3-1349.
                                                                          Bucke Township, mining properties: 3-294.
South Carolina, clays, Coastal Plain: 3-3450.
       Oderville-Glendale area: 3-3583.
       Oquirrh Range: 3-3584.
       Park City-American Fork mining districts:
                                                                           Tennessee, mineral resources and industries, 1959:
                  3-4190.
                                                                                        3-3580.
       Pine (Bullion) Creek-Tenmile Creek, Tushar
                                                                          U.S.S.R., economic atlas: 3-742.
       Range: 3-3958.
Timpanogos Cave quadrangle: 3-2891.
                                                                          Washington, nonmetallic minerals: 3-292.
                                                                     Maps, Miscellaneous.
       Wasatch front, geology and gravity: 3-3684.
Washington County, geologic atlas: 3-2164.
Willow Creek Butte quadrangle: 3-2140.
                                                                          Alaska, Mt. McKinley, topography: 3-2119, 3-2474.
Arizona, Grand Canyon National Park: 3-54, 3-3185.
                                                                           California, Yosemite Valley, Yosemite National
     Utah-Wyoming, Dutch John Mountain, Goslin Mountain quadrangles: 3-3192.
                                                                                        Park: 3-2121.
                                                                           Illinois, sand and gravel, Kane County: 3-633.
     Vermont, Taconic Range, north end: 3-1764.
                                                                          Mississippi, Vicksburg National Military Park:
     Virginia, Rockingham County: 3-1074.
                                                                                        3-1392.
     Washington, Moses Lake North quadrangle: 3-3948.
                                                                          Moon: 3-1057, 3-3933.
       Port Angeles-Lake Crescent area: 3-1055.
                                                                          Nebraska, Scotts Bluff National Monument: 3-1039.
       Pysht quadrangle: 3-59.
                                                                          New Mexico, Bandelier National Monument and vi-
       Sequim-Dungeness area: 3-1330.
                                                                                        cinity: 3-2125.
     West Virginia, structural map, Onondaga-Hunters-
ville: 3-2431.
                                                                          Ohio, Lake Erie shoreline, engineering geology: 3-736, 3-1395, 3-1396, 3-2885 through
     Wyoming, Beartooth Mountains: 3-4009.
                                                                                        3-2888.
       Buffalo-Lake DeSmet area: 3-2511.
Carlile quadrangle: 3-2510.
                                                                          Oregon, Crater Lake National Park and vicinity:
                                                                                        3-2493.
       Igneous and metamorphic rocks, uranium deposits:
                                                                          Saudi Arabia, Darb Zubaydah quadrangle, geograph-
                  3-61.
                                                                                        ic map: 3-426.
     Owl Creek area, Hot Springs County: 3-3439.
Platte County: 3-3438.
Yukon Territory, Finlayson Lake: 3-416.
Fort Liard and La Biche map-areas: 3-64.
                                                                             Jawf-Sakakah quadrangle, geographic map: 3-1398.
                                                                          Wadi Ar Rimah quadrangle, geographic map: 3-3194.
South Dakota, Wind Cave National Park and vicinity:
                                                                                        3-2494.
       Glenlyon: 3-718.
                                                                          U.S., western, glaciers: 3-3219.
       Nahanni region: 3-3567.
```

Quiet Lake: 3-417.

Washington, Mt. Rainier National Park: 3-741.

Nisqually Glacier: 3-60.

```
tinuous seismic profiler: 3-3324.
Maps, Oil and gas.
                                                                          Composition feldspars and crystallization history,
    Africa: atlas: 3-1753.
                                                                                      granite-syenite complex, Salem: 3-2349.
    Alaska, Kenai Peninsula, oil and gas fields:
                                                                          Connecticut Valley, Triassic rocks, history:
                  3-2490.
     Alberta, Paleozoic surface for Area No. Four, No.
                                                                                       3-2213.
                                                                          Eocene sediments, subsurface, Cape Cod: 3-481.
                 Five: 3-2, 3-2858.
                                                                          Foraminifera, nearshore, Martha's Vineyard: 3-2610.
     Alberta-British Columbia, oil and gas fields, discoveries: 3-2111.
                                                                          Mattapoisett River valley, ground-water resources:
                                                                                       3-2393.
     Argentina: 3-1056.
                                                                          Paleomagnetic results, Upper Triassic lavas:
     California, oil and gas fields: 3-2490, 3-3141.
       San Joaquin-Sacramento valleys and northern
                                                                                      3-3690.
                                                                          Rebedded pollen, late-glacial sediments, Taunton:
                  coastal regions: 3-3142.
                                                                                       3-1843.
     Illinois, 1959: 3-643.
                                                                          Tektite, Martha's Vineyard: 3-1895.
       Oil and gas industry: 3-2879.
                                                                      Meanders, straight alluvial channels, meandering and
     Indiana, crude oil, natural gas, refined petro-
     leum products pipelines: 3-1752.
Kansas, Mississippian: 3-2881.
                                                                                       other bed patterns: 3-2906.
                                                                      Meetings. See Associations, etc.
                                                                      Melanesia, Alexa Bank, drowned atoll, Melanesian bor-
        Northeastern, oil and gas fields: 3-2067.
Silurian-Devonian "Hunton": 3-2880.
                                                                                       der plateau: 3-1103.
     Kentucky, Greenville quadrangle, structure: 3-721.
                                                                      Mercury.
                                                                           Cinnabar and metacinnabarite, genesis: 3-4158.
     Louisiana, salt domes: 3-316.
Middle East, atlas: 3-1753.
Ohio, oil and gas fields: 3-735.
                                                                           Formation and distribution, deposits: 3-621.
                                                                           Mercurometric investigations: 3-1333.
                                                                      Mesozoic. See also the various systems.
        Sub-Trenton: 3-3895.
                                                                           Europe, paleotemperature analyses, Belemnoidea,
      Oklahoma, oil and gas fields, structure, isopachs:
                                                                           Germany and Poland: 3-1768.

New Mexico, Chama quadrangle: 3-1411.

Northwest Territories, Arctic Archipelago: 3-4039.
                   3-2492.
      Pennsylvania, Foxburg quadrangle, atlas: 3-2126.
Quebec, Gaspé peninsula, borings, oil and gas:
3-3481.
                                                                           U.S.S.R., Aldan-Olekma watershed, heavy minerals,
                                                                                        coal-bearing formations: 3-2561.
      Texas, Abilene area: 3-318.
U.S., Hugoton embayment-Anadarko basin: 3-1362.
                                                                              Arctic: 3-4038.
                                                                              Carbonaceous deposits, little Khingan range:
         Rocky Mountain region: 3-719.
                                                                                       3-1465.
      Utah, Lisbon Valley anticline, subsurface and sur-
face structure, oil and gas wells:
                                                                              Caucasian geosynclinal province: 3-1982.
                                                                              Coal measures, Malyy Khingan range: 3-2085.
                   3-738, 3-739, 3-740.
                                                                           U.S., Gulf Coast, Louann salt, relation to salt domes: 3-1463.
      Washington, Port Angeles-Lake Crescent area: 3-1055.
                                                                           Venezuela, red beds, Carache, Trujillo: 3-2560.
      West Virginia, Kanawha County: 3-319.
Lewis and Gilmer counties: 3-320.
                                                                       Metamorphic rocks.
      Onandaga-Huntersville, structural map: 3-2431.
Wyoming, North Fork oil field, Kaycee dome: 3-3949.
Oil and gas fields: 3-1363.
                                                                           Antarctica, Amundsen and Sandau mountains, Queen
                                                                                        Mary Land: 3-1080.
                                                                            California, jadeite-rocks, glaucophane schists,
                                                                                        Angel Island, San Francisco Bay: 3-603.
                                                                              Leech Lake Mountain, Mendocino County: 3-2353.
Soda metasomatism, East Shasta copper-zinc dis-
  Maps, Physiographic.
       Alaska, glacier maps: 3-3183.
       California, San Joaquin basin, Sierra Nevada,
                    geomorphology and glacial geology:
                                                                            Colorado, mineral paragenesis, Precambrian rocks,
                    3-84.
                                                                                        Tenmile Range: 3-256.
       Minnesota, Randall region, surficial: 3-3610.
                                                                            Elements among coexisting calcic pyroxenes, cal-
       Montana, east of Rocky Mountains, glacial map:
                                                                                         cic amphiboles, biotites in skarns:
                    3-3945.
                                                                            3-1605.
Greenland, migmatite problem, structural approach,
Ketilidian fold belt: 3-2205.
       Northwest Territories, Bathurst Inlet: 3-3624.
       Quebec, Montreal area, drift-thickness contours:
                                                                            Massachusetts, biotite and actinolite from mono-
                    3-3181.
       Saskatchewan, physiographic divisions: 3-717.
                                                                                         mineralic contact bands, Westfield:
       U.S.S.R., native soil-forming materials, European
                                                                                         3-2360.
                                                                            Michigan, Southern Complex near Palmer, Marquette
County: 3-1646.
                    section: 3-3986.
       Washington, Blue Glacier, Mt. Olympus: 3-3183. World ocean floor, relief, bathymetry: 3-3950.
                                                                            Northwest Territories, gneisses, Cumberland Sound,
Baffin Island: 3-2358.
  Maps, Tectonic.
       Colorado Plateau: 3-789.
U.S.S.R., central Asia, youngest tectonic move-
ments: 3-1800.
Western Ukraine: 3-1116.
                                                                            Ontario, Grenville-Temiskaming contact, Sudbury
                                                                                         district: 3-2362.
                                                                               Nepheline-bearing gneisses, Haliburton-Bancroft
                                                                                         district: 3-3396.
                                                                             Pakistan, serpentinite-limestone contact, Zhob
   Marble.
       Canada, "Archean," southern Shield: 3-2218.
                                                                                         Valley: 3-581.
        Explosives studies: 3-4282.
                                                                             Scotland, pseudotachylite, Gairloch district:
        Helium content: 3-1900.
                                                                                         3-3831.
                          piedmont and mountain regions:
                                                                             U.S.S.R., Donets basin, Carboniferous: 3-3832.
Dunites, Borus range: 3-1283.
        North Carolina,
                    3-293.
   Mariana Islands, Tinian, military geology: 3-3549.
Marshall Islands, travel times, longitudinal and
                                                                               Precambrian, Kursk magnetic anomaly: 3-1121.
                                                                               Rutile-bearing eclogites, southern Urals: 3-624.
                     transverse waves, nuclear explosions:
                                                                               Sayan mountains, rare element distribution:
                     3-846.
                                                                                         3-2656.
                                                                               Timan region, Precambrian-Cambrian: 3-1804.
   Maryland.
        Coal and clay production, 1960: 3-3905.
                                                                             Vermont, petrology lower Paleozoic rocks, slate
        Gypsum (selenite), crystals, Fort Foote area:
                                                                                          belt: 3-2361.
                     3-1263.
                                                                        Metamorphism.
        Mineral deposits, excluding fuels, sand and grav-
                                                                             Coal: 3-327.
                     el, map: 3-2491.
                                                                             Coupled reactions: 3-2356.
                                                                             Experimental rock metamorphism; formation anatec-
   Massachusetts.
        Biotite and actinolite from monomineralic contact
                                                                                          tic melts from metamorphosed graywackes:
                     bands, Westfield: 3-2360.
```

Cape Cod area, beach studies, 1953-1960: 3-2187.

Cape Cod Bay, geophysical investigation with con-

3-3829.

Japan, igneous intrusion into coal-bearing forma-

Metamorphism - Continued New York, Tomhannock Creek chondrite: 3-2327. tions, thermal metamorphism: 3-602. Nickel analyses, metallic meteorites, electron-probe microanalyser: 3-1896. Nevada, Santa Rosa Range: 3-257. Oxidation in high temperature petrogenesis: 3-2671. Novo Urei meteorite: 3-225. Scotland, Caledonian thrust belt, poymetamorphism in movement zones: 3-4191. Ontario, probable crater, Precambrian, Holleford: 3-4000. U.S.S.R., Barguzinsk range, Precambrian: 3-1803. Origin: 3-212. Ruby spinel, Pereval deposit, secondary altera-Penetration mechanics, example Meteor Crater, tions: 3-1286. Arizona: 3-2204. Zeolite facies, interpretation: 3-2643. Petrochemistry: 3-3826. Metasomatism. Primordial argon and neon in carbonaceous chon-Anion metasomatic replacement reactions: 3-3002. drites and ureilites: 3-3767. California, contact metasomatic iron deposits: Radioactive species produced by cosmic rays, iron 3-2416. meteorites: 3-3010. Soda metasomatism, East Shasta copper-zinc dis-Regularities in composition; classification iron trict: 3-3830. meteorites: 3-876. England, southwest, potash feldspar megacrysts in Ruthenium abundance: 3-1599. granites: 3-4183. Selenium and tellurium in: 3-215. Ontario, nephelinization, Haliburton-Bancroft dis-Space erosion, Grant: 3-3007. trict: 3-3396. Spectrometric measurement, radioactivity: 3-220. Stone, former environment deduced from K^{40} -Ar 40 Peru, Calzada mine, copper mineralization: 3-3119. Quebec, high-temperature acid rocks associated ages: 3-217. with serpentinite: 3-2359. Temperature, mass losses, during ablation in at-Role in formation alkaline rocks: 3-1970. mosphere: 3-218. U.S.S.R., autometasomatic alteration of grani-Thermomagnetic properties, natural magnetic motoids, tin mineralization, Kolyma river basin: 3-1284. ments, magnetic anisotropies, chondri-tic meteorites: 3-2969. U.S.S.R., Kallijarv meteorite craters, Saarema Bug region, metasomatic zonality and genesis, sapphirine-bearing rocks: 3-2357. Dunites, Borus range: 3-1283. Krivoy Rog region: 3-1285, 3-1645. Krivoy Rog series: 3-3085. island, Estonian S.S.R.: 3-2536. Uranium, determination: 3-877. Isotopic composition: 3-878. Migration components during skarn formation, Tashbulak deposit: 3-2645. Wisconsin, Saxeville meteorite: 3-3008. Mexico. Universidad Nacional, Instituto de Geologia, Olekma-Vitim highlands, Proterozoic rocks: work performed in 1959: 3-1018. 3-1971. Areas described.
Potrero Padilla, Coahuila: 3-2512. Potassium metasomatism in granites, southeastern Tuva: 3-4184. Economic geology.
Fluorite deposits: 3-2785.
Iron ore deposits, Jalisco: 3-3124. Tyrny-Auz ore deposit, titanium behavior during skarn formation: 3-2652. Meteor craters. See Craters. Mineral and mining guide: 3-3460. Petroleum, developments, 1960: 3-3520. Meteorites. Age: 3-3765. Alberta, Abee meteorite, June 9, 1952, descrip-Origin in relation to deposition, basins: tion: 3-1596. 3-3521. Argon 37, argon 39, tritium content: 3-213. Arizona, Holbrook, chondrite, analysis: 3-1891. Arkansas, Miller, chondrite, analysis: 3-1892. Sulfur, salt domes, Tehuantepec isthmus: 3-1701. Tin, Chapultepec mountains: 3-1709. Geophysics Aroos iron meteorite, radioactive species produced Mexican geosyncline, determination sedimentary by cosmic rays: 3-3335. thickness by Rayleigh wave dispersion: As space probes, testing cosmic radiation: 3-219. 3-2308. Historical geology.
Cretaceous, Comanche series, biostratigraphy: Black, magnetic spherules in sediments: 3-226. Canada, craters on Shield, study underground structure and impact energy: 3-3683. 3-2239. Chondrites, concentration lithophile elements: Pacific Coast, correlation: 3-117. 3-1600. Cretaceous-Tertiary, boundary, Tampico embayment: Isotopic compositions and concentrations lead: 3-2243. 3-1597. Contact, Paleocene, Tampico-Misantla: 3-2244. Difunta formation, Parras basin: 3-2245. Chronology early solar system; isotopic composition terrestrial and meteoritic xenon: Pre-Carboniferous, central Chihuahua: 3-1124. 3-2326. Mineralogy. Cohenite as pressure indicator: 3-1245.
Cosmic-ray produced Mn⁵³, iron meteorites: 3-2328.
Cosmic-ray-produced rare gases, iron meteorites: Fluorite, multi-form: 3-554. Mineral collecting: 3-2723. Paratellurite, Cananea, Sonora: 3-3370. 3-221. Psilomelane-type mineral, poorly crystallized, Cosmogenic argon and neon, stone meteorites: low barium, Zacatecas: 3-2687. 3-3011. Tellurites, tellurates, Moctezuma, Sonora: 3-3073. Cosmogenic nuclear reactions, iron meteorites: Paleontology. 3-222. Diamond formation: 3-224. Foraminifera, Cretaceous, La Peña formation, Nuevo Diamond search: 3-3009. Diamonds, in iron meteorites, origin: 3-3766. Evidence life beyond Earth: 3-1476. Extinct lead 205 content: 3-214. León: 3-3305. Cretaceous, Tampico-Tuxpan basin: 3-3306. Lower Eocene, Yucatan: 3-1519. Foraminifera, Radiolaria, and diatoms, Gulf of Cali-Heavy elements in, determination concentrations: fornia: 3-1187. 3-216. Mammals, drawn on bone, Valsequillo: 3-809. Miocene molluscs, salt basin, Isthmus of Tehuan-High-speed impact: 3-468. Iodine content and i¹²⁹-Xe¹²⁹ ages: 3-1598. Japan, Kyushu, chondrite, analysis: 3-1893. tepec: 3-1493. Neopilina, living fossil mollusk, Cedros trench, Baja California: 3-3288. Lead from troilite, Toluca iron meteorite: 3-3334. Meteorites and earth's crust: 3-4137. Parathyridina mexicana, intraspecific variations: 3-3661. Meteoritics, principles, textbook: 3-875. Micrometeorites, nature: 3-2325. Pleistocene invertebrates, Punta San José, Baja California: 3-1153. Mighei carbonaceous chondrite, thermometer miner-

Pliocene and Pleistocene invertebrates, Punta Ro-

al: 3-3333.

```
Mexico - Continued
                                                                                             in subsurface geology: 3-4014.
                   salía, Baja California: 3-1152.
                                                                               Puerto Rico, middle Eocene Jacaguas group: 3-2951.
  Petrology.
                                                                               Rhizopodea, suprageneric classification: 3-2942.
Saskatchewan, Jurassic: 3-2605.
     Sedimentary boudinage, Cretaceous limestones, Zima-
                   pan: 3-2370.
                                                                               Scolecodonts, study by transmitted light: 3-2946.
   Physiography.
                                                                               Silicoflagellates, Cretaceous-Tertiary, Califor-
nia: 3-2279.
     Marine erosion, tephra and lava, Isla San Bene-
                   dicto: 3-2188.
                                                                               South Carolina, Parris Island area: 3-1466.
Mica.
                                                                                Thin-sectioning and photographing smaller Fora-
     Argon, radiogenic, loss: 3-1241.
Retention: 3-3773.
                                                                                             minifera: 3-1181.
     Biotite, authigenic, Utica shale, l'Epiphanie,
Quebec: 3-3381.
                                                                               U.S., Early Mississippian: 3-2278.
                                                                               Virginia, Yorktown formation, Miocene, James
River: 3-812.
Wyoming, Thermopolis shale, Cretaceous: 3-2238.
      Clay micas, potassium deficient, hydration proper-
                    ties: 3-2705.
      Ferromagnesium, major component correlation:
                                                                           Middle East.
                                                                                New oil province, Persian Gulf: 3-2802.
                    3-1954.
                                                                                Petroleum developments, generalized geology, at-
las: 3-1753.
Developments, 1960: 3-3531.
      Hydromuscovite with 2M2 structure: 3-556.
      Japan, mica clay minerals, interstratified mixture,
                    Yonago mine: 3-583.
      Lithium micas, interpretation composition: 3-905.
                                                                           Military geology.
                                                                                Caroline Islands, Yap Islands: 3-3550.
      Muscovite, electron-diffraction refinement of
                                                                                Geology and Gettysburg campaign: 3-3936.
                    structure: 3-1926.
                                                                                Guam: 3-1010.
         Hydrothermal conversion to kalsilite and an
                                                                                Mariana Islands, Tinian: 3-3549.
Ryukyu Islands, Ishigaki-shima: 3-2834.
                    iron-rich mica: 3-4164.
         Potassium-depleted: 3-2696.
                                                                                   Miyako archipelago: 3-3547.
      North Carolina, iron-rich muscovitic mica, Grand-
                                                                                Okinawa-jima: 3-3548.
Terrain analysis for cross-country movement:
                    father Mountain: 3-582.
      Optic angle, telescope for measurement: 3-3353.
                                                                                             3-2813.
      South Carolina, kyanite altered to muscovite,
                                                                           Mineral collecting.
                    Winnsboro: 3-1633.
                                                                                Gemstones and minerals: 3-3802.
       Vermiculite-biotite mixtures, cation exchange be-
                                                                                Mexico: 3-2723.
                    havior: 3-2701.
                                                                                Virginia, mineral localities: 3-587.
                                                                           Mineral deposits. For areal, <u>see</u> subheading Economic geology under the various regions.
 Michigan.
    Economic geology.
       Mineral industries, 1959: 3-3885.
                                                                                               See also Industrial minerals and rocks;
the more important economic minerals.
       Petroleum, developments, 1960: 3-3499.
       Sulfides, geochemical anomaly associated with gla-
                                                                                 Mining World, catalog, survey and directory num-
ber: 3-2762.
                     cially transported boulder train, Mt.
                     Bohemia: 3-2409.
                                                                                 Ocean floor: 3-620.
                                                                                 Pacific belt, metallogeny: 3-2047.
Sampling mineral deposits: 3-618.
    Geohydrology.
       Delta County, ground-water resources: 3-2011.
Ground-water conditions. 1959: 3-3852.
Kalamazoo area, ground-water hydrology, glacial
                                                                            Mineral deposits, origin.
                                                                                 Barites, Sumsar zinc-lead deposit, U.S.S.R.:
                     geology: 3-285.
                                                                                              3-287.
                                                                                 Bauxite, comparison U.S.-Europe deposits: 3-2417.
     Mineralogy.
       Mineralogical guide: 3-1268.
                                                                                    Jamaica: 3-2031.
                                                                                 Boron, conditions for concentration in endogenet-
     Paleontology.
        Ostracod Platybolbina, Middle Ordovician: 3-3311.
                                                                                               ic borates of skarn deposits: 3-1344.
        Pollen spectra, bryophytic polsters, inverness
Mud Lake bog: 3-1536.
                                                                                 Breccia and pebble columns associated with epi-
                                                                                               genetic ore deposits: 3-3111.
                                                                                 Cinnabar and metacinnabarite, genesis: 3-4158.
Copper, cupriferous peat: 3-4241.
       Woodland musk ox, radiocarbon date: 3-1515.
     Petrology.
        Keweenawan conglomerates, sources: 3-1986.
Southern Complex near Palmer, Marquette County:
                                                                                    Significance mineralized breccia pipes: 3-2022.
                                                                                  Copper-nickel mineralization, Monche tundra,
                      3-1646.
                                                                                               U.S.S.R.: 3-2772.
  Micropaleontology. <u>See also</u> Bryozoa; Conodonts; Dia-
toms; Foraminifera; Paleobotany; Paly-
nology; Radiolaria; Ostracoda.
                                                                                  Copper, uranium, vanadium in sandstone: 3-3113.
                                                                                  Copper-zinc, intrusion and ore deposition, New
                                                                                               Mexico: 3-941.
        Atlantic basin, deep-sea sediment cores: 3-1997.
                                                                                  Crystallates associated with ore deposits, re-
        Bibliography, Germany, 1959: 3-1178.
Poland: 3-1179.
                                                                                                sidual characteristics: 3-937.
                                                                                  Datolite, Vadimo-Aleksandrovsk locality, Urals,
        Calcisphaera, Salem (Mississippian) limestone,
                                                                                                U.S.S.R.: 3-2657.
                                                                                 Equilibria in sulfur-containing aqueous solutions, system Fe-S-0, correlation during ore deposition: 3-3761.

Fireclay, Latah County, Idaho: 3-2697.
Fluorite, metasomatic replacement of limestones by
        California, bibliography, Cretaceous: 3-3302.
Canada, research status: 3-2277.
        Coccolithophorids and related nannoplankton,
        Tertiary, California: 3-2940.

<u>Desmochitina</u>, Mississippian chitinozoan, Oklahoma:

3-145.
                                                                                                alkaline, fluoride-bearing solutions:
                                                                                                3-3868.
         Dinoflagellate <u>Nannoceratopsis</u> Deflandre: 3-2941.
Egypt, Farafra oasis, Paleocene: 3-2953.
                                                                                  Temperatures of mineralization, Cave-In-Rock district, Illinois: 3-3053.
Gold-quartz deposits, Yellowknife, Northwest Territories: 3-1623.
         Europe, Baltic Cretaceous flintstones, microfos-
         sils: 3-2952.
Foraminiferal rock samples, mechanized method of
                                                                                   Au-Ag-Te, synthetic and natural phases in system:
                       breaking down and washing: 3-1180.
                                                                                                3-869.
         Gulf of California, Foraminifera, Radiolaria,
diatoms in sediments: 3-1187.
                                                                                   Hydrothermal mineralization in connection with
                                                                                                trap rock, Nizhnyaya Tunguska, U.S.S.R.:
         Gulf of Mexico, sedimentary patterns microfaunas,
                                                                                                 3-2768.
         northern: 3-1667.
Hystrichospheridium, Permian, Oklahoma: 3-1195.
                                                                                   Idaho, Coeur d'Alene district, Precambrian miner-
                                                                                                alization: 3-939.
```

Inclusions in minerals, importance to theory ore

genesis: 3-3110.

Iron, Archean, Yakutia, U.S.S.R.: 3-2783.

Microaulopora and Guembelina, chitinous micro-

organisms: 3-3303. Microscope coordinates, conversion: 3-1148. Pseudochitinous and resinous microfossils, tools

```
Mineral deposits, origin - Continued
      Contact metasomatic deposits, California: 3-2416.
      Hydrothermal magnetite: 3-1890.
      Kondoma region, U.S.S.R., mineralogical-geo-
      chemical zoning: 3-3125.
Ontario Michipicoten iron formation: 3-4244.
      Quebec-Labrador, Knob Lake range: 3-4245.
      Samur siderite deposits, south Dagestan,
                U.S.S.R.: 3-3878.
    Fe-As-S system, phase relations and applications: 3-1592.
    Iron formations, Paleozoic banded: 3-2780.
    Japan, ore deposits in contact metamorphic aure-
                oles: 3-619.
    Kaolin, peninsular Florida: 3-960.
    Kyanite, Petaca district, New Mexico: 3-957.
    Lead and zinc, sedimentary, central Caucasus, voi-
                 canogenic stratum as possible source:
                 3-2027.
    Lead-zinc-copper ores, Linchburg ore body, New
                Mexico: 3-3866.
    Lead-zinc-silver, Utah, Chief Oxide-Burgin area,
East Tintic district: 3-947, 3-948.
    Magmatic mineralization: 3-2023.
    Manganese ores, Kodur, Srikakulam district, India:
                 3-589.
    Mercury, formation and distribution: 3-621.
    Molybdenite, hydrothermal alteration and ore de-
                position, Questa, New Mexico: 3-2410.
    Monazite and columbium-bearing rutile deposits,
                Lemhi County, Utah: 3-940.
    Nickel sulfides, Quill Creek and White River
    areas, Yukon: 3-2034.
Ore genesis, lead isotope geology related to
problems: 3-1618.
    Phosphate, Karatau basin, U.S.S.R.: 3-3842.
Land pebble, Florida: 3-765.
Phosphorite deposits, classification: 3-291.
    Pyrite, Caucasus: 3-1335, 3-2026.
    Rare-metal mineralization, wall rock alteration,
    quartz-porphyry: 3-3825.
Rutile-bearing eclogites, southern Urals: 3-624.
    Scandium: 3-2028.
    Scheelite, Precambrian gneisses, Colorado: 3-950.
    Siderite ores, Bakal group, southern Urals:
                 3-2038.
    Sulfide-cassiterite ores, metastable K-feldspar
                and zeolite, Dalnetayezhnyy, U.S.S.R.:
                 3-2029.
    Sulfide ores, from sulfide deficient solutions: 3-1700.
    Sulfides, Bathurst-Newcastle area, New Brunswick:
                 3-1622, 3-2025.
      1rtysh zone, Altai, zoning: 3-3869.
Trace in ores: 3-3112.
    Sulfur, native, Gaudrak, U.S.S.R.: 3-1699.
      Salt domes, Tehuantepec Isthmus, Mexico: 3-1701.
    Syngenesis and epigenesis in petrography and
                 study mineral deposits: 3-2021.
    Systems S-Na<sub>2</sub>0-H<sub>2</sub>0 and S-H<sub>2</sub>0, application to ori-
                gin natural alkaline polysulfide and
    thiosulfate solutions: 3-528.
Thorium mineralization, Idaho, Lemhi Pass area:
                3-1711.
    Thucholite, origin: 3-1702.
    Tin and tungsten, Lost River mine, Alaska: 3-951.
    U.S.S.R., northern Kirghizia, age relations ig-
                neous dikes and postmagmatic minerali-
                 zation: 3-2024.
      Urals and Trans-Urals, mineralization deposits:
                 3-1718.
```

Uranium, Colorado Plateau: 3-2413.

Ontario, Bancroft district: 3-622.

bonate: 3-2651.

Blind River ores: 3-1703.

3-2407.

3-2030.

Pennsylvania: 3-3876.

Diabase as ore source, Dripping Spring, Arizona:

Effective porosity, ore-bearing carbonate rocks:

Transportation in hydrothermal solution as car-

Formation and solution, autunite: 3-902.

Urano-organic mineral association: 3-2775.

Utah, Elk Ridge area, Saline County: 3-1710. Uranium²³⁵, formation from curium²⁴⁷: 3-3867.

```
Uranium-thorium, Blind River, Ontario: 3-953.
    Uranium-vanadium, copper, Lisbon Valley area,
               Colorado Plateau: 3-2414.
    Xenotime and monazite, Central City district,
               Colorado: 3-3445.
    Zinc, deposits and sedimentary features, Tennes-
               see: 3-2771.
    Zinc-lead, supergene alteration in limestone:
               3-944.
     Illinois, mineralogy and zoning: 3-1705.
Mineral resources. For areal, See Economic geology
               under the various states and countries;
               the more important mineral resources.
    Courses for general college student: 3-2400.
    Oceans, mineral potential: 3-2402.
Mineralogy. See also Clay minerals and mineralogy;
               Crystallography; Feldspar; Gems and
               gem materials; Geochemistry; Heavy
               minerals; Mica; Quartz; Silicates.
    Agate and chalcedony, formation: 3-3818.
    Allanite, Quijotoa Mountains, Arizona: 3-1947.
    Amphibolite rocks, fluorescent X-ray spectro-
               graphic analyses: 3-1972.
    Analytic classification and quadriplanar chart-
               ing of analyses with nine or more components: 3-4199.
    Apatite, microscopic determination, Nebraska
               soils: 3-900.
     Morefield pegmatite, Virginia: 3-901.
    Apatite and clay minerals, Oklahoma: 3-1270.
    Apatite and magnesium clay, Oklahoma: 3-1269.
    Apatite group, structure and diadochic substitu-
               tions: 3-766.
   Arizona, new occurrences, minerals: 3-1951.
    Autunite, formation and solution: 3-902.
    Basalt crust, weathered, west Volynya, U.S.S.R.:
               3-2725.
    Bauxite, Paleozoic, Leon, Spain: 3-958.
     Weipa, Queensland: 3-1933.
   Bertrandite, Mica Creek, Queensland: 3-3378.
Beryl, Moody Mountain, Oxford County, Maine:
               3-903.
     Structure, position alkali metals: 3-2692.
    Beryllium minerals, field test: 3-1334.
     In pegmatite, nepheline syenites, Ilimaussaq: 3-2335.
   Betafite: 3-3368.
   Biotite and actinolite, monomineralic contact
              bands, Westfield, Massachusetts:
               3-2360.
   Birnessite and hollandite: 3-569.
   Boltwoodite, alkali uranyl silicate: 3-1943.
   Borates, Boron, California: 3-2334.
   Bornite, euhedral, crystals on barite: 3-568.
   Brookite, authigenic, on leucoxene grains, Indi-
              ana: 3-1260
    Calciostrontianite, Pulaski and Rockingham coun-
               ties, Virginia: 3-3075.
    Calcite, Crestmore blue, color centers: 3-1627.
    California: 3-3822.
     Crestmore: 3-2722.
    Carbonate rocks, analysis by X-ray diffraction:
               3-1259.
   Carbonate sediments, sedimentary carbonate rocks:
               3-536 through 3-540.
   Carburan, nature: 3-3072.
    Caspian sea, modern sediments: 3-250.
   Celestite and caliostrontianite, Wise County, Vir-
              ginia: 3-1936.
    Chaicedony, synthesis and origin: 3-1940.
   Chalcedony and quartz crystals in silicified coral,
              Florida: 3-3374.
    Chalcokyanite series: 3-4160.
   Chamosite clays, Caucasus, U.S.S.R.: 3-1652.
    Chevkinite in volcanic ash: 3-574.
    Chlorite, dioctahedral: 3-3382.
    Chrysotile fiber, synthetic, growth: 3-4163.
    Cinnabar and metacinnabarite, genesis: 3-4158.
    Cleavage and identification, minerals: 3-1914.
   Clinopyroxenes, from igneous rocks, Si-Ai relation:
               3-580.
     Optical properties and specific gravity: 3-1949.
```

Coal, mineral impurities: 3-326.

```
Mineralogy - Continued
      Cockade textures, role replacement in origin:
                    3-1628.
       Coesite, in man-made diamonds: 3-3380.
        Wabar crater, Al Hadida: 3-1632.
       Cohenite, pressure indicator, iron meteorites:
                     3-1245.
       Compilation mineral species: 3-4156.
      Copper arsenide minerals: 3-867.
Cordierite "fossils," Virginia: 3-3076.
Corundum, Georgia: 3-3129.
       Cummingtonite, manganoan, Nsuta, Ghana: 3-4167.
         Manganoan (tirodite), Talcville, New York.
3-4166.
       Curie point meter, design: 3-4147.
       Cuspidine, occurrence in phosphorous furnace slag:
                     3-4174.
       Davidite, chemical characteristics: 3-898.
         Constitution: 3-2688.
       Dehydration studies by infrared spectroscopy:
                     3-3056.
        Deweylite, Cedar Hill, Pennsylvania: 3-1945
        Diamond formation by explosive shock: 3-2684.
        Dillnite and relation to zunyite, Czechoslovakia:
                      3-4172.
        Ettringite ("woodfordite"), Crestmore, California:
                      3-3375.
          Franklin, New Jersey: 3-1944.
        Euxenite-polycrase and priorite-blomstrandine
                      series: 3-3809.
        Fayalite-bearing pegmatite, Burnet County, Texas:
                      3-4169.
        Fersmite, rare calcium columbate: 3-1261.
        Fireclays, Latah County, Idaho: 3-2697. Fluorescing pegmatite, Maine: 3-248.
        Galena and clausthalite, differential thermal anal-
        Galena and claustrafite, or yols: 3-1928.
yols: 3-1928.
Gedrite, Oxford County, Maine: 3-4168.
Gelatin mounting medium for repeated oil immersion minerals: 3-3055.
        Gemstones, Texas: 3-1953.
Geodes: 3-3080.
         Georgia, lost mineral localities: 3-3133.
        Glauconite, Cretaceous, Caucasus: 3-245.
Stalingrad Volga region, U.S.S.R.: 3-4165.
        Green River formation, Wyoming, Utah, Colorado, silicate mineralogy: 3-2337.
Gypsum, Mesgarabad Mine, Iran: 3-899.
         Gypsum (selenite) crystals, Fort Foote area, Mary-
land: 3-1263.
         Halite, blue: 3-571.
         Halotrichite and melanterite, decomposition prod-
                       ucts of pyritized carbonaceous shale:
                        3-4161.
         Heating micro-coil for study mineral fragments and
         heat-etching polished sections: 3-1912.

Hewettite and metahewettite, polymorphism and hydration characteristics: 3-369.

Holmquistite, Barraute, Quebec: 3-575, 3-2336.

Huntite, Kurgashinkan deposits, Uzbekistan: 3-244.
         Hydrous calcium carbonate, lake issyk-Kul: 3-243. "Iddingsite," mechanism alteration of olivine: 3-1946.
          Identification by ultraviolet light: 3-2683.
          limenite, magnetite, feldspar alteration under re-
                        ducing conditions: 3-1630.
          Indiana: 3-1952.
            Lower Pennsylvanian conglomerate, Lawrence Coun-
                         ty: 3-1267.
          Iron ore, Ma On Shan mine, Hong Kong: 3-3126.
             Use magnetic powder to study composition: 3-2019.
           Jadeite, Sanbagawa crystalline schists, Japan:
                         3-576.
          Kimzeyite, zirconium garnet, Magnet Cove, Arkan-
                         sas: 3-4171
           Knoop hardness numbers, opaque minerals: 3-1913.
Krasnozems on eluvium of igneous rocks: 3-3390.
           Kyanite, genesis in quartz veins; 3-4173.
           Laumontite, in conglomerates, western Transbaikal: 3-246.
           Lawsonite, pumpellyite, in glaucophane schist,
California: 3-577.
```

Lillianite, Bukuka deposit, U.S.S.R.: 3-3814.

Ludwigite, aluminian, Crestmore, California:

3-2690.

```
Magnussonite, Sterling Hill, New Jersey: 3-3815.
Manganese ores, Kodur, Srikakulam district, India:
             3-589.
Michigan, mineralogical guide: 3-1268.
Microscopic determination, thickness and plane-
ness, platelets in fine materials:
             3-547.
Mineral-picking apparatus: 3-543.
Mineral properties, principles and explanations:
             3-2332.
Mineral samples, fluorescent X-ray spectrographic
             analyses: 3-3357.
Minerals and rocks, photographs: 3-1911.
Monazite, cyrtolite crystals, Day, New York, peg-
             matite: 3-908.
   Pegmatitic, geology and composition: 3-230.
N,N-Dimethylformamide, new diluent for methylene
lodide heavy liquid: 3-3351.

Neighborite, NaMgF<sub>3</sub>, Eocene Green River formation,
Utah: 3-2686.
New Jersey, Franklin and Sterling Hill: 3-3389.
Trap rock minerals: 3-3388.
 Nickel hydroxide, natural occurrence, Tasmania:
              3-3074.
 Nickel ores, textures, Ungava: 3-3365.
Nobleite, hydrous calcium borate, Death Valley
              region: 3-4159.
 Norsethite, BaMg(CO<sub>3</sub>)<sub>2</sub>, Green River formation,
Wyoming: 3-2689.
 North Carolina, chlorite, vermiculite, talc,
              Webster region: 3-1264.
 Opal, determination in marine sediments: 3-887.
 Palladium, native, Colombia: 3-3813.
  Paratellurite, Sonora, Mexico: 3-3370
 Pennsylvania-New Jersey, Jacksonburg formation,
Ordovician: 3-1271.
  Phenakite, formation, role fluorine compounds:
               3-2662.
  Pilinite, re-examination and identification with
               bavenite: 3-573.
  Platinum nugget, Columbia University: 3-1629.
  Pollucite (cesium) in Canada: 3-2420.
  "Pressure independent" minerals: 3-3001.
  Principles of mineralogy, textbook: 3-3350.
  Pseudo-eutectic intergrowths in arsenical ores,
Sudbury: 3-3366.
Pseudomorphs of kyanite, Winnsboro, South Caro-
                lina: 3-1633.
  Psilomelane-type minerals, poorly crystallized,
  low barium: 3-2687.
Pyrochlore: 3-3368.
  Pyrophyllite deposits, system Al<sub>2</sub>0<sub>3</sub>-Si0<sub>2</sub>-H<sub>2</sub>0:
                3-1941.
   Pyrosmalite, Wafansi deposit, China: 3-3829.
   Quartz, colored, growth and properties: 3-3372.
                3-3373.
  Quick identification potash feldspar, plagioclase
                and quartz for thin section analysis:
                3-4150.
. Ranquilite, calcium uranyl silicate, Argentina: 3-578.
   Rare-earth minerals, radioactive, Mohave County,
Arizona: 3-1712.
   Rare-earth pegmatite, Nuevo, California: 3-906.
   Refractometers, method of minimizing damage from
                use arsenic tribromide liquids: 3-545.
   Rodingite dike, Hindubagh, Pakistan: 3-590.
Rowlandite, Baringer Hill, Texas: 3-3376.
Ruby spinel, Pereval deposit, U.S.S.R., secondary
                alterations: 3-1286.
   Salt stratum, west Asgir, U.S.S.R.: 3-1653.
   Sand-calcite crystals, Stoneham, Colorado: 3-1262.
Sands, Recent, Gulf Coast, U.S.: 3-1304.
      Rhode Island shore: 3-1305.
    Saponite, Silver Bay region, Minnesota: 3-3377.
   Sapphirine-bearing rocks, Bug region, U.S.S.R.:
                 3-2357.
    Scapolite, X-ray method identification: 3-3362.
    Sedimentary rocks, authigenic minerals: 3-3339.
    Serpentine, six-layer orthohexagonal, Labrador
                 Trough: 3-3379.
    Seyrigite, Usinsk ore deposit, Magadan batholith,
U.S.S.R.: 3-3816.
```

```
Mineralogy ~ Continued
                                                                         Use water-well data in interpreting occurrence
    Shattuckite, differential thermal analysis: 3-1942.
                                                                                   aquifers: 3-4216.
                                                                       Minerals and rocks, guide: 3-3387.
    Silica minerals, radiation coloration: 3-1938. Silicified wood, Hawaii: 3-1939.
                                                                       Mountain Iron-Virginia area, ground-water explora-
                                                                                    tion: 3-3433.
    Soil clays, analysis: 3-2712.
                                                                       Ostracoda, Ordovician Decorah shale: 3-2949.
    Soils: 3-3234.
                                                                       Precambrian geology and geochronology: 3-1450.
    South Canadian River channel sands, New Mexico,
                                                                       Randal region, Pleistocene geology: 3-3610.
                 Texas, Oklahoma: 3-1984.
                                                                       Saponite, Silver Bay region: 3-3377.
    Southern Rhodesia: 3-3079.
                                                                  Miocene. See Tertiary.
    Spencite, Haliburton County, Ontario: 3-3376.
Spensartite garnet, Jail Hill, Haddam, Connecticut: 3-904.
                                                                  Mississippi.
                                                                       Archeogastropoda, Mesogastropoda, Late Creta-
                                                                       ceous: 3-1164.
Dipmeter surveys, interpretation: 3-1445.
Faulting associated with deep-seated salt domes:
    Strontium minerals, Wise County: 3-249.
    Sulfide, use zone theory in problems, polymor-
                 phism, Agge and Aggs: 3-4157.
    Sulfide concretions, coal beds, Angren deposit, U.S.S.R.: 3-259.
                                                                                    3-1440.
                                                                       Faunal characteristics, barrier island, Horn Is-
                                                                                    land: 3-1538.
    Tavrida formation, Triassic-Jurassic, Crimea:
                                                                       Hendersonia occulta, gastropod, Pleistocene: 3-808.
                 3-266.
    Tellurites, tellurates, Sonora, Mexico: 3-3073.
                                                                       Highway 16, Alabama line to Canton, geologic
    Tennantite and colusite on enargite, oriented
                                                                                    study: 3-2897.
    overgrowths: 3-3367.
Tephroite, Franklin, New Jersey: 3-4170.
In manganese deposits, California: 3-1631.
                                                                       Horn Island, Pascagoula Valley, guidebook: 3-1068.
                                                                       Lake Washington, effect irrigation withdrawals on
                                                                                    stage: 3-2754.
     Thin sections, polished, preparation and use:
                                                                       Pelecypod Nemocardium nicolletti, Paleocene: 3-2934.
                 3-3054.
    Thorium mineralization, Lemhi Pass area, Idaho:
                                                                       Petroleum, Little Creek field, Lincoln and Pike
                 3-1711.
                                                                                    counties: 3-1726.
    Titanium mineralogy, bauxites: 3-959.
Titanomaghemite in igneous rocks: 3-1932.
                                                                       Southeast, Cenozoic, guidebook: 3-1763.
Vicksburg National Military Park: 3-1392.
    Todorokite, Cuba and Japan: 3-570.
      New occurrences: 3-1931.
                                                                       Water supplies, public and industrial, northern:
                                                                                    3-3104.
       Studies: 3-1930.
    Tourmaline and pegmatite minerals, Himalaya mine:
                                                                  Mississippi delta.
                                                                       Building, deltaic sequence: 3-1661.
                 3-1265.
                                                                       Marginal environments, sediments and growth:
    Tourmalines, manganese: 3-1948.
                                                                                    3-1660.
    U.S.S.R., detrital minerals in Mesozoic-Cenozoic
                deposits, petroleum areas, Azerbaijan:
                                                                       Phytoplankton production: 3-1662.
                                                                       Recent sedimentation and peat accumulation:
                 3-3650.
    Uraninite, chemical analyses: 3-3804.
                                                                                    3-3405.
                                                                  Mississippi Valley, Cretaceous sedimentation, upper
Mississippi embayment: 3-263.
    Uranium minerals, reference book: 3-3811.
    Urano-organic mineral association: 3-2775.
    Vanadates, descloizite-mottramite series, Angola:
                                                                  Mississippian. See also Carboniferous.
                 3-572.
                                                                       Alaska, northern, De Long Mountains: 3-2550.
    Vermont, mines and mineral localities: 3-588.
                                                                       Alberta-Williston basin, Mississippian-Pennsyl-
    Vernadskite discredited: 3-1937.
Virginia, mineral localities: 3-587
                                                                                   vanian boundary: 3-1130.
                                                                       California, Quartz Spring area, Inyo County: 3-475.
    Volborthite, British Columbia: 3-3371
    Vulcanite, new copper telluride: 3-2685.
                                                                       Colorado: 3-2152.
    Whewellite and celestite, San Juan County, Utah:
                                                                       England, spring domes in limestone, Lancashire:
                 3-1934.
                                                                                    3-3402.
    Wöhlerite-lavenite and rinkite-mosandrite groups:
                                                                       Idaho, Brazer limestone, Mackay: 3-1815.
                 3-3805.
                                                                       Illinois, Caseyville and Chester sediments,
    Zinc, native, Keno Hill, Yukon: 3-3812.
                                                                                    differentiation, Illinois basin: 3-477.
    Zinc-lead ores, Illinois: 3-1705.
                                                                         Pomona region: 3-3261.
Mining geology.
                                                                       Indiana, St. Louis limestone, breccia and cave
    Block caving mining, application nuclear explo-
                                                                                    filling: 3-3401.
                 sives: 3-998.
                                                                       lowa, Gilmore City formation: 3-1458.
    Canada, Precambrian Shield, soil problems: 3-1367.
Colorado, mine geologist role at Pitch uranium
mine: 3-3441.
                                                                       Japan, boundary with Pennsylvanian: 3-478.
Kansas, surface and subsurface limits, oil and
                                                                                    gas, map: 3-2881.
    Craelius core orientator: 3-2763.
                                                                       Kentucky, clay mineral sequence, Mississippian-
    Determination apparent angles, inclined linear
elements: 3-1695.
Explosives in marble: 3-4282.
                                                                                    Pennsylvanian unconformity, Illinois
                                                                                    basin: 3-3257.
                                                                       Montana, evaporite solution breccias: 3-3411.
    India, ground-water control, Neyvell lignite field,
Madras: 3-2819.
                                                                         Madison group, Williston basin: 3-1484.
                                                                       Nevada, eastern, Devonian-Mississippian boundary:
    Labrador-Ungava, Schefferville region, permafrost
                                                                                   3-3252.
                 investigations: 3-2815.
                                                                       New Mexico, Sangre de Cristo Mountains: 3-107.
    Mining engineering, geological aspects: 3-2818.
Mining geophysics, trends and prospects: 3-3315.
Montana, role of geologist at Butte: 3-2018.
                                                                       Nova Scotia, Cape Breton Island, metallic mineral
                                                                                    prospecting: 3-3131.
                                                                          Cape Breton Island, stratigraphy and structure:
    Nuclear explosives and mining costs: 3-2450.
                                                                                    3-3255.
    Rock mechanics, practical use: 3-3910.
                                                                         Horton group, Windsor-Horton district: 3-476.
    Stability rock slopes at mines: 3-4284.
                                                                       Ohio, shale sequence, literature survey: 3-2551.
Minnesota.
    Clay County, geologic and ground-water data: 3-2753.
                                                                       Oklahoma, correlation problems: 3-1131.
                                                                         Noel shale, northeastern: 3-1128.
Oklahoma City uplift: 3-3256.
    Diabase-granophyre relations, Endion sill, Duluth:
                 3-2350.
                                                                          Tiff member, Goddard formation: 3-108.
    Ground-water levels and air temperatures: 3-3434.
                                                                        Pennsylvania, Corry sandstone, paleontology,
    Lyon County, aquifers in meltwater channels, Des
                                                                                   stratigraphy, sedimentation: 3-2619.
```

Saskatchewan, southeastern and south-central:

3-2552.

Moines lobe: 3-4217.

Availability, ground water: 3-3432.

```
Mississippian - Continued
                                                                               St. Regis-Superior area, Mineral County: 3-3598.
    U.S.S.R., boundary Visean-Tournaisian, Bashkiria:
                                                                               Three Forks basin, origin and development: 3-3599.
                   3-109.
                                                                             Economic geology.

Coal, Birney-Broadus coal field: 3-329.
     U.S., Glen Dean and equivalent formations, Ken-
                   tucky, Virginia, West Virginia: 3-1521.
                                                                                Columbium-rare earth deposits, southern Ravalli
     Utah, breccia blocks, Welcome Spring area: 3-95.
Lisbon Valley anticline, structure map:
                                                                                             County: 3-626.
                                                                                Jefferson County, mines and mineral deposits: 3-1717.
                   3-738.
                                                                                Mining enterprises, 1960, directory: 3-2791.
Missouri.
     Cambrian gastropod <u>Cloudia buttsi</u>: 3-1494.
Geological Survey, biennial report, 1958-1960:
                                                                                Petroleum, Tule Creek area: 3-2070.
Tungsten, Philipsburg batholith, Granite and Deer
                   3-2102.
      Gravity survey, underground and surface, Leadwood: 3-2966.
                                                                                              Lodge counties: 3-1339.
                                                                              Engineering geology.

Knowles and Perma dam sites, lower Flathead River,
Sanders County: 3-334.
      Northeastern, guidebook: 3-3957.
      Ptychoblastus, new Mississippian blastoid: 3-1486.
                                                                                Madison River slide, flood emergency: 3-4290.
 Mohorovičić discontinuity.
                                                                              Geochemistry.
      Deep-crust rock, Puerto Rico trench: 3-2916.
                                                                                 Lead isotopes, ores and rocks, Butte: 3-1619, 3-1620, 3-1621.
      Geochemical aspects: 3-211.
      Middle America trench, seismic refraction studies:
3-2190, 3-2191.

Mohole project: 3-2911.

Preliminary drilling successful: 3-2534.
                                                                              Geohydrology.
                                                                                 Deer Lodge valley, geology and ground-water re-
                                                                                               sources: 3-2755.
                                                                                 Northern Blaine County, geology and ground water:
         Sea floor drilled 2 miles down: 3-1795.
                                                                                               3-2012.
         Test holes as aid to oil industry: 3-4257.
       Petroleum exploration to gain from Mohole: 3-2048.
                                                                               Geophysics.
                                                                                 Hebgen Lake earthquake, Aug. 1959: 3-512, 3-4107.
       Phase transition at M, mechanism of geosynclinal
subsidence: 3-1796.
Relation structural relief and gravity anomalies:
                                                                               Historical geology.

Cambrian-Ordovician boundary: 3-2222.
                                                                                  Cenozoic stratigraphy and structural geology,
                                                                                               northeast Yellowstone National Park:
                     3-160.
  Mollusca. See also Cephalopoda; Gastropoda; Inverte-
                                                                                                3-4044.
                                                                                 Devonian, Beartooth Butte formation, paleogeo-
graphic significance: 3-4027.
Little Rocky Mountains and foothills: 3-128.
                      brata; Pelecypoda.
       California, Pleistocene, paleoecologic molluscan
geography: 3-3273.
        Catalog and illustrations, mollusks described by
                                                                                Maps, Geologic.
                                                                                  Bighorn dolomite and correlated formations:
                     Wesley Newcomb: 3-806.
       Coniconchia, notes on the class: 3-1496.
Hyolithes, operculum and mode of life: 3-1497.
Illinois, Wisconsin faunas, Illinois Valley re-
                                                                                                3-2124.
                                                                                  Boulder quadrangle: 3-2123, 3-2882.
Drummond area: 3-3188.
                                                                                  Flint Creek Range: 3-3189.
Glacial map, east of Rocky Mountains: 3-3945.
                      gion: 3-485.
        Kentucky, Wisconsin faunas, Jefferson County:
                                                                                   Igneous and metamorphic rocks, uranium deposits:
                      3-807.
        Magnesium, strontium, barium concentrations and
                                                                                                3-57.
                                                                                   Jefferson City quadrangle: 3-1037, 3-1038.
Vaughn quadrangle: 3-3944.
                      calcite-aragonite ratios, recent
                      shells: 3-3044.
        Mexico, Miocene, Isthmus of Tehuantepec: 3-1493.
        Neopilina, living fossil, Cedros trench, Baja Cal-
                                                                                 Mineralogy.
                                                                                   Fersmite, rare calcium columbate: 3-1261.
                       ifornia, Mexico: 3-3288.
                                                                                 Paleontology.

Ankhelasma, new Mississippian coral genus: 3-1485.

Corals, Madison group, Williston basin: 3-1484.

Diptera, Tertiary: 3-488.
        Nevada, Upper Triassic marine, Natchez Pass for-
                      mation: 3-3287.
         Ohio, nonmarine Pleistocene, ecology, use in
                                                                                    Oligocene plants, upper Ruby River basin: 3-1197.
                       Pleistocene history: 3-2270.
         U.S.S.R., Eocene, Ukraine: 3-154.
U.S., Georgia and Carolinas, late Miocene, check
                                                                                 Petrology.
                                                                                    Evaporite solution breccias, Mississippian:
                       list: 3-3286.
                                                                                                  3-3411.
                                                                                    Pseudoleucite in tinguaite, Bearpaw Mountains:
         Distribution in mineralized zones: 3-2649.
                                                                                                 3-2354.
         Geochemical method, determination in soil and
                                                                                    Smoky Butte intrusives: 3-1275.
                                                                                    Stillwater complex, primary textures, mineral associations, ultramafic zone: 3-1962.
                       rock: 3-934.
         New Brunswick, Mount Pleasant area: 3-2773.
New Mexico, Questa region: 3-2035, 3-2410.
Nicaragua, Macuelizo: 3-4243.
                                                                                    Boulder deposit, Flint Creek valley: 3-3616.
Cenozoic history, northeastern: 3-1431.
                                                                                  Physiography.
         U.S.S.R., geochemistry, in soils, Kazakhstan:
                                                                                  Structural geology.

Beartooth Mountains: 3-2199, 3-4009.
                        3-3038.
    Monazite.
         Bibliography: 3-2778.
Colorado, Central City district, petrography and
                                                                                     Copernican ray system, ballistics: 3-2537.
                                                                                Moon .
                       origin: 3-3445.
          Pegmatitic, geology and composition: 3-230.
Utah, rutile deposits, Lemhi County: 3-940.
                                                                                     Cosmic dust on surface: 3-3769.
                                                                                     Domes, origin: 3-2535.
Earth Sciences Session, Lunar and Planetary Ex-
     Mongolia, continental Permo-Triassic deposits: 3-112.
                                                                                                  ploration Colloquium: 3-2856.
          Bureau Mines & Geology, biennial report, 1958-1960:
     Montana.
                                                                                     Evolution: 3-2857.
                                                                                     Exploration: 3-346.
                        3-2838.
                                                                                        National program: 3-3942.
          Role geologists at Butte: 3-2018.
                                                                                      Features and problems: 3-1766.
        Areas described.
          Cherry Creek and Ruby Mountains areas, pre-Belt-
                                                                                      Maps: 3-1057.
                                                                                      Photo topography for lunar charts: 3-3932.
Photointerpretation, surface: 3-3933.
                         ian geology: 3-1402.
          Glacier National Park, geologic history: 3-1401.
                                                                                      Present knowledge and theories: 3-3214.
           Glacier National Park and Flathead region: 3-68.
          Kootenai-Flathead area, Lincoln County: 3-1403,
                                                                                      Seismic activity: 3-2635.
                                                                                      Seismic experiment: 3-199.
Strange world of the moon: 3-1012.
                         3-3206.
           Little Rocky Mountains and foothills: 3-128.
           Lloyd quadrangle, Bearpaw Mountains: 3-2506.
```

Maddux quadrangle, Bearpaw Mountains: 3-1069.

Water supply, origin: 3-2017.

Moraines.

```
New York, developments, 1960: 3-3503.
     Connecticut, southeastern: 3-447.
                                                                             Occurrence, principal rules: 3-641.
    Northwest Territories, Stopover Lake area, ab-
                                                                            Ohio, developments, 1960: 3-3504, 3-3894.
                  lation slide moraines: 3-2518.
                                                                              Oil and gas industry, contributions: 3-3893.
                                                                             Oklahoma, Arkoma basin and Ouachita province,
    Agadir earthquake, Feb. 29, 1960: 3-1860. Geomorphological features: 3-788.
                                                                                          recent exploration: 3-310.
                                                                               Developments, 1960: 3-3505, 3-3513.
Mountain building. See Orogeny.
                                                                               Panhandle region: 3-3889.
Reserve study, Morrow sand, Light field, Bea-
Mud voicanoes, Alaska, Copper River basin: 3-3991.
Muskeg. See Organic terrain.
National parks and monuments.
                                                                                          ver County: 3-311
                                                                               Underground LPG storage: 3-2811, 3-2558.
    Bandelier National Monument and vicinity, New
                                                                          Oklahoma-Arkansas, Arkoma basin growth: 3-2073.
                  Mexico, map: 3-2125.
                                                                            Ontario, Fuel Board report, 1959: 3-2100.
Pennsylvania, developments, 1959, 1960: 3-1361,
    Banff National Park, guide: 3-751.
Capitol Reef National Monument, Utah, water-sup-
                                                                                         3-3507, 3-3896.
                 ply possibilities: 3-2015.
                                                                             Foxburg quadrangle, oil and gas field atlas:
     Carlsbad Caverns National Park, New Mexico,
                                                                                           3-2126.
     guidebook: 3-2163.
Crater Lake National Park, Oregon, map: 3-2493.
                                                                            Saskatchewan, statistics, 1900-1959: 3-2432. Solubility in aqueous salt solutions: 3-3762.
     Craters of the Moon National Monument, Idaho:
                                                                             South America, developments, 1960: 3-3522.
                  3-2724.
                                                                             South Carolina, possible underground storage: 3-1736.
    Glacier National Park, Montana: 3-68, 3-1401.
Grand Canyon National Park, Arizona: 3-54, 3-3185.
Jasper National Park, Alberta: 3-3586 through
                                                                            South Dakota, possible underground storage: 3-4285.
                  3-3591.
                                                                             Tennessee, developments, 1960: 3-3509.
     Jewel Cave National Monument, South Dakota, geol-
                                                                             Texas, developments, 1960: 3-3510 through 3-3516.
Eocene Wilcox formation, south: 3-3473.
                  ogy and ground-water occurrence:
                  3-4225.
                                                                             South, exploration: 3-2795.
Underground storage, liquefied methane: 3-652.
    Mt. Rainier National Park, Washington, map:
                  3-741.
                                                                             U.S.S.R., Apsheron peninsula, changes in composi-
     Rainbow Bridge National Monument, Utah, protec-
                                                                            tion: 3-3890.

Azerbaijan and R.S.F.S.R.: 3-325.

Exploration: 3-978, 3-984.

U.S., Atlantic Coastal States, developments,
                 tion: 3-339, 3-2854.
     Scotts Bluff National Monument, Nebraska, map:
                  3-1039.
    Sunset Crater National Monument, northern Arizona:
                  3-3391.
                                                                                          1960: 3-3483.
                                                                               Four Corners region, Pennsylvanian: 3-309.
    Vicksburg National Military Park, Mississippi,
                                                                               Green River basin possibilities, Wyoming, Utah,
                  map: 3-1392.
    Wind Cave National Park, South Dakota, map:
                                                                                          Colorado: 3-3475.
                                                                               Helium, Four Corners area: 3-2061.
                  3-2494.
                                                                              Hugoton embayment-Anadarko basin yearbook:
    Yellowstone National Park, Cenozoic stratigraphy
                                                                                           3-1362.
                 and structural geology: 3-4044.
                                                                               Montana, North Dakota, South Dakota, develop-
ments, 1960: 3-3500.
       Earthquake effects: 3-3327.
       Tertiary volcanic breccias, origin: 3-2344.
     Yosemite National Park, Yosemite Valley, map:
                                                                               North midcontinent, developments, 1960: 3-3485.
                                                                               Reserves and resources, 1850-1975: 3-966.
Southeastern States, developments, 1960: 3-3484.
West Coast area, developments, 1960: 3-3486.
                 3-2121.
    Zion National Park, Utah, dinosaur tracks: 3-2590.
Natural gas. See also Petroleum.
                                                                             Utah, developments, 1960: 3-3517.
    Africa, developments, 1960: 3-3530. Alaska, developments, 1960: 3-3487.
                                                                             Utah-Colorado, Uinta basin exploration: 3-3474.
                                                                             West Virginia, developments, 1960: 3-3518.
     Arizona, Black Mesa basin possibilities: 3-3472.
                                                                              Oriskany development, structural map, Onondaga-
       Developments, 1960: 3-3488.
                                                                                          Huntersville: 3-2431.
    Arkansas, developments, 1960: 3-3489.
Asia, developments, 1960: 3-3531, 3-3532.
Bibliography: 3-1351.
                                                                             World occurrences; principal North American fields:
                                                                                       3-3471.
                                                                             Wyoming, developments, 1960: 3-3519.
     Canada, developments, 1960: 3-3479, 3-3480.
                                                                     Fields: 3-1363.
Nautiloidea. <u>See</u> Cephalopoda.
     Caribbean region, developments, 1960: 3-3522.
     Casing-head reserves, calculation: 3-3476.
                                                                      Nebraska.
     Change of composition, casing-head gases along
                                                                            Apatite, microscopic determination, study phos-
                  stratigraphic section: 3-977.
                                                                                          phorous, soils: 3-900.
     Colorado: 3-1716.
                                                                             Arctoryctes and other Oligocene vertebrates: 3-1170.
      Developments, 1960: 3-3490.
     Europe, developments, 1960: 3-3523.
                                                                             Fillmore County, wells: 3-928. Frog, Eocene: 3-1166.
     Gasometry wells, prospecting importance: 3-3469.
     Hellum, argon, carbon content: 3-1607.
                                                                             Hamilton County, wells: 3-929.
Miocene Harrison formation, heavy minerals: 3-1994.
Petroleum, developments, 1960: 3-3490.
     Idaho, developments, 1960: 3-3519.
     Illinois, developments, 1960: 3-3491.
       Industry, 1959: 3-643.
                                                                             Quaternary, late Wisconsin age terrace alluvium,
North Loup River: 3-4053.
     Underground storage: 3-3161.
Indiana, developments, 1960: 3-3492.
                                                                             Scotts Bluff National Monument, map: 3-1039.
Sedimentation characteristics, sand-bed streams:
     International oil and gas development, 1959:
                3-980.
                                                                                           3-4193.
    Kansas, developments, 1959: 3-644.
                                                                             Uranium, Chadron area, geology: 3-3444.
Western, Tertiary and Pleistocene stratigraphy
      Underground storage: 3-653.
    Kentucky, developments, 1960: 3-3494.
Logging after drilling: 3-3470.
                                                                                           and paleontology, guidebook: 3-3600.
    Louisiana, developments, 1960: 3-3489, 3-3498.
Rayne field: 3-1725.
Mexico, developments, 1960: 3-3520.
                                                                             Yankton area, geology: 3-1414.
                                                                      Neon, in carbonaceous chondrites and ureliites: 3-3767.
                                                                        Netherlands, tidal flat basins, sedimentation: 3-4194.
                                                                        Nevada.
    Michigan, developments, 1960: 3-3499.
    Middle East, developments, 1960: 3-3531.
Nebraska, developments, 1960: 3-3490.
Nevada, developments, 1960: 3-3517.
                                                                           Areas described.
                                                                             Jackson Mountains, Humboldt County: 3-69.
Silver Island Mountains, guidebook: 3-2165.
```

New Mexico, developments, 1960: 3-3488, 3-3511.

Topopah Spring and Timber Mountain quadrangles:

3-3601.

```
Nevada - Continued
                                                                        St. Mary Bay: 3-3178.
  Economic geology.
                                                                        St. Stephen, Charlotte County: 3-674.
Sevogle region: 3-3562.
     Petroleum, developments, 1960: 3-3517.
  Explosion cavern, Rainier underground nuclear ex-
                                                                      Paleontology.
                                                                        Fossil plants, Pennsylvanian, Minto coalfield:
                 plosion, Sept. 1957: 3-3159.
                                                                                     3-2286.
     "Granite" exploration hole, Nevada Test Site,
                                                                    New England, "alkalic" rocks, lead-alpha and isotopic
                 physical properties: 3-650.
     Logan event, cavity definition, radiation, temper-
ature distributions: 3-3158.
                                                                                     age determinations: 3-2255.
                                                                    New Guinea.
                                                                         Glaciation, Mt. Wilhelm, Australian New Guinea:
     Nevada Test Site, Ui2e tunnel system: 3-2808.
     Project Buckboard report, explosives in basalt:
                                                                                      3-452.
                                                                         Paleotemperature analyses, Mesozoic Belemnoidea;
                  3-4283.
                                                                                      3-2171.
   Geohydrology.
                                                                     New Jersey.
     Crescent Valley, ground-water potentialities:
                                                                       Geohydrology.
Earthquake fluctuations in wells: 3-4205.
                  3-4219.
     Nevada Test Site, hydrologic significance core
holes in carbonate rocks: 3-3854.
                                                                       Geophysics.
     Records wells, test holes, springs: 3-3853.
Nevada Water Conference, 1960, proceedings:
                                                                         Paleomagnetism, Triassic: 3-3691.
                                                                       Historical geology.
Palisades sill, potassium-argon measurements:
3-3267.
                   3-4218.
      Newark Valley, White Pine County, ground-water
                                                                       Maps, Geologic.
                  appraisal: 3-2013.
      Winnemucca Lake valley, ground-water reconnais-
sance: 3-4220.
                                                                          Frenchtown quadrangle: 3-2883.
                                                                        Mineralogy.
                                                                          Ettringite, Franklin: 3-1944.
                                                                          Franklin and Sterling Hill minerals: 3-3389.
   Geophysics.
      Crustal structure Nevada Test Site-Kingman, Ari-
                                                                          Gibbsite vermiforms, Pensauken formation: 3-2715.
                   zona, seismic and gravity observa-
                                                                          Jacksonburg formation, Ordovician: 3-1271.
                   tions: 3-1582.
                                                                          Magnussonite, Sterling Hill: 3-3815.
      Gamma-radioactivity investigations, Nevada Test
                                                                          Tephroite, Franklin: 3-4170.
Trap rock minerals: 3-3388.
                   Site: 3-3754.
      Nuclear explosions as seismic sources; list ex-
                                                                        Paleontology.
                   plosions, Nevada Test Site: 3-2993.
                                                                          Jurassic soaring reptile, North Bergen: 3-1836.
      Seismic investigation, crustal structure: 3-522.
       Strong motion measurements, underground nuclear
                                                                        Petrology.
                                                                          Upper Cambrian dolomites, Warren County, petrog-
                   detonations: 3-2313.
                                                                                       raphy, sedimentation: 3-1316.
                                                                          Upper Triassic Lockatong argillite, west-central:
    Historical geology.
       Devonian correlations, eastern: 3-105.
                                                                                       3-604.
       Devonian-Mississippian boundary, eastern: 3-3252.
       Ordovician miogeosynclinal margin, central:
                                                                      New Mexico.
                                                                        Areas described.
                                                                           Carlsbad Caverns National Park, guidebook: 3-2163.
Rio Chama country, guidebook: 3-1404 through
                    3-2226.
       Paleozoic continental margin, central: 3-2251.
       Permian, Carlin Canyon: 3-110.
                                                                                        3-1413.
                                                                           Sacramento Mountains escarpment, Otero County:
     Maps, Geologic.
       Humboldt County: 3-1393.
Osgood Mountains quadrangle: 3-1394.
                                                                                        3-2507.
                                                                         Economic geology.
                                                                           Copper and zinc, intrusion and ore deposition:
     Paleontology.
       Late Pliocene floras east of Sierra Nevada: 3-495.
       Upper Triassic marine mollusks, Natchez Pass forma-
                                                                                        3-941.
                                                                            Institute of Mining and Technology, biennial re-
                    tion: 3-3287.
                                                                           port, 1959-1960: 3-4252.
Kyanite, Petaca district: 3-957.
     Petrology.
       Santa Rosa Range, contact metamorphism: 3-257.
                                                                            Linchburg ore body, Socorro County, genesis and control: 3-3866.
     Physiography.
       Desiccation fissures, Black Rock and Smoke Creek
                                                                            Luna County, mineral deposits: 3-3459.
                                                                            Molybdenite, Questa region: 3-2035, 3-2410.
                    deserts: 3-2178.
                                                                            Petroleum, Bisti field, San Juan County, hydro-
     Structural geology.
       Basin Ranges, problem late Cenozoic structure: 3-2210
                                                                                        dynamic entrapment, oil and gas:
                                                                                         3-2071 .
                                                                              Chama basin, exploration: 3-1413.
Developments, 1959, 1960: 3-3488, 3-3501, 3-3511.
Oil and gas fields, southeastern: 3-3502.
   New Brunswick.
     Areas described.
        Hayesville and McNamee map-areas: 3-428.
                                                                              San Juan basin, Pennsylvanian production: 3-4272.
     Economic geology.
        Copper, trace elements in organic soil as guide:
                                                                            Selenium, recovery from sandstone ores: 3-2774.
                     3-2403.
        Cupriferous peat, embryonic copper ore?: 3-4241.
Sulfides, geophysical methods across Caribou sul-
                                                                          Geohydrology.
                                                                            Albuquerque area, availability ground water:
                                                                                         3-3855.
                                                                            Gallup area, availability ground water: 3-3435.
                     fide deposit, Bathurst: 3-4236.
                                                                            Gila National Forest, availability ground water:
           Massive, Bathurst: 3-2025.
          Murray deposit, geochemical-geophysical dis-
covery: 3-4235.
                                                                                         3-2757.
                                                                            Grants-Bluewater area, Valencia County, geology,
ground-water resources: 3-614, 3-2758.
        Tin, tungsten, molybdenum mineralization, Mount
                                                                            Ground-water levels, 1956: 3-2756.
Red Lake area, Navajo Indian Reservation, ground water: 3-2007.
                     Pleasant area: 3-2773.
      Engineering geology.

Beechwood earth-fill dam: 3-2090.
                                                                             Roswell region, saline ground water: 3-615.
Water levels, 1955-1956: 3-613.
      Geochemistry.
        Sulfur isotopes, origin, sulfide deposits, Bath-
urst-Newcastle area: 3-1622.
                                                                           Geophysics.
                                                                             Earthquakes, July 1960: 3-3713.
      Historical geology.
        Silurian, minimum age Middle Silurian, K-Ar meth-
```

od: 3-4051.

Rolling Dam, Charlotte County: 3-672.
St. George, Charlotte County: 3-673.

Big Bald Mountain, Northumberland County: 3-3175.

Maps, Geologic.

Musquash: 3-671.

Historical geology.

Cretaceous, Dakota sandstone, Mancos shale, San Juan basin: 3-1408.

Cretaceous-Tertiary relationships: 3-1821. Devonian-Mississippian, Sangre de Cristo Moun-tains: 3-107. New Mexico - Continued Mesozoic, Chama quadrangle: 3-1411. Mesozoic-Cenozoic boundary, San Juan basin: Physiography. Evolution till-stone shapes: 3-79. Finger Lakes region, origin and nature: 3-3625. 3-1409 Glacial drainage, Syracuse-Oneida area: 3-78. Ordovician-Silurian, Montoya and Fusselman dolo-mite, Silver City region: 3-2227. Glacial geology, bibliography: 3-2903. Precambrian, rubidium-strontium ages, basement New Zealand. Olivine orientation in dunite, relation to tectonic environment: 3-469. rocks, northwestern: 3-1829. Tusas Mountains: 3-1405. Triassic, northern: 3-1407. Orthopyroxene with low optic axial angle, North Island: 3-3069. Maps, Geologic. Speleology: 3-3983. Cedar Mountains: 3-3572. Newfoundland. See also Labrador. Las Cruces quadrangle: 3-733. Cow Head breccias, nature and origin: 3-265. Precambrian rocks: 3-3190. Kings Point, geologic map: 3-2114. Southern Peloncillo Mountains: 3-3946. Virden quadrangle: 3-734. Michikamau Lake, geologic map: 3-413. Maps, Ground water.
White Sands Missile Range, conservation flood water, map: 3-2884. Shabogamo Lake, geology: 3-62. Trout River, geologic map: 3-675. Nicaragua. Maps, Miscellaneous.

Bandelier National Monument and vicinity: 3-2125. Mineral resources: 3-4253. Nueva Segovia Department, geology: 3-3959. Phosphate, Rivas Department, geological and min-Mineralogy. Mixed-layer clay mineral associated with evaperal reconnaissance: 3-4251. Punta Gorda valley, geological reconnaissance: orite: 3-2709. 3-3960. Paleontology. Cretaceous-Tertiary palynology, San Juan basin: Santiago and Cerro Negro volcanoes, activity: 3-813. 3-4178. Eugonophyllum, new Pennsylvanian and Permian Silver and gold mines, old, Macuelizo: 3-4239. algal genus: 3-4074. Tungsten and molybdenum, Macuelizo: 3-4243. Fossil Tadarida, guano bat, Carlsbad Caverns: Nickel. 3-2593. Analyses metallic meteorites, electron-probe Hadrosaurian dinosaur, Cretaceous: 3-3295. microanalyser: 3-1896. Triassic reptiles, amphibians, and fish: 3-1407. Vertebrate fauna, Permian: 3-1406. Arkansas, in soapstone deposits, Saline County: 3-1707. In tektites: 3-227. Dedolomitization, Permian Tansill formation: Ontario, Sudbury, pseudo-eutectic intergrowths in arsenical ores: 3-3366.
Quebec, Ungava ores, textures: 3-3365.
U.S.S.R., Kola peninsula, biogeochemical method 3-3844. Permian basin, dolomitization by seepage refluxion: 3-1309. prospecting: 3-2767. Physiography. Nittis-Kumuzhye-Travyanaya massif: 3-2772. Sacramento Mountains, drainage development: 3-2532. Structural geology. Yukon Territory, Quill Creek and White River Chama platform, central: 3-1412. areas: 3-2034. Domal structures, Recent, southeastern: 3-1111. Niobium. Lincoln fold system, origin: 3-2201. Geochemistry: 3-1239. In plants, determination: 3-3047.
Montana, southern Ravalli County: 3-626. New South Wales. See Australia. New York. Geological research, 1960: 3-2839. Ontario, complexes east of Lake Superior: 3-2419. Economic geology. Titanium mineralogy, bauxites and parent materials: Petroleum, developments, 1960: 3-3503. 3-959. Engineering geology.
Collapse of fill, wave, West Point, Hudson River: U.S.S.R., in nepheline syenite massifs, Vishnevyie mountains: 3-2654. Lovozero alkalic massif, geochemistry: 3-3775. 3-3919. Geochemistry.
Tomhannock Creek chondrite: 3-2327. Utah, rutile deposits, Lemhi County: 3-940. Nitrogen. Turbidites of Normanskill formation: 3-3035, Geochemistry: 3-3759. 3-3036. Greenland, West, waters: 3-3045. Geohydrology.

Barton Hill project, hydrology limestone terrain, In aerobic sea water: 3-3796 In anaerobic sea water: 3-3797. Schoharie: 3-2759. In thermal waters, Lake and Colusa countles, Call-fornia: 3-2742. Salt-water body, Magothy formation, Nassau County, Long Island: 3-1676. Synthetic detergents in ground waters, Suffolk Nodules. Arizona, obsidian in perlite, Superior region: County, Long Island: 3-3848. 3-3083. California, Miocene, silicified Turbellaria: 3-2265. Geophysics Crustal structure, New York-Pennsylvania area: 3-1583. Historical geology.

Ordovician, Bald Mountain limestone, Taconic geology: 3-1809. Manganese, Pacific Ocean: 3-890, 3-1318. Nomenclature. <u>See also Dictionaries</u>. Alberta, Banff area, upper Paleozoic, revision: 3-2557. Algarites: 3-979. Heavy minerals, glacial drift, western: 3-2340. Brachiopods, <u>Spirifer occiduus</u>, new name: 3-1489. Chattanooga formation, <u>Devonian-Mississippian</u>, Oklahoma: 3-1128. Monazite, cyrtolite crystals, Day, pegmatite: 3-908. Tirodite, manganoan cummingtonite, Talcville: Code stratigraphic nomenclature: 3-2543. 3-4166. Diamictite, substitute term for symmictite: 3-2368. Paleontology. Endothyra scitula, new name for E. symmetrica Zeller: 3-2600. Arthropods, Syracuse formation, Silurian: 3-1502. Graptolite fauna, Poultney slate, Ordovician: Foraminifera, Bigenerina perkinsi, Saccamminis, 3-1834. new names, Kansas: 3-1518. Metriophylloid coral genera, Devonian Hamilton Haplophragmoides sandiegoensis, nom. nov.: group: 3-3276. 3-2599. Silurian <u>Hemiarges</u> (Trilobita): 3-3289. indo-Pacific camerinids: 3-2602. Petrology. Operculina and Operculinella: 3-2601.

Geomorphic expression, metaphor: 3-443.

Potsdam sandstone (Cambrian): 3-1995.

```
Nomenclature - Continued
                                                                                Mineral industry, 1954-1959: 3-3886.
     Geotechnique, new word, old science: 3-3534.
                                                                                Petroleum, production statistics and engineering
     Graywacke, term: 3-1298.
                                                                                              data, 1960: 3-3892.
     Ground-water maps: 3-2378.
                                                                                Pyrophyllite deposits, system Al<sub>2</sub>0<sub>3</sub>-Si0<sub>2</sub>-H<sub>2</sub>0:
     Ordovician, Dnester region, U.S.S.R.: 3-102.
                                                                                             3-1941.
     Ostracode <u>Bairdia</u> and related genera: 3-1524.
Paleozoic, Ontario, lexicon: 3-2546.
Pennsylvanian, Illinois: 3-795.
                                                                                Wilmington-New Bern area, ground-water resources:
                                                                                              3-2395.
                                                                           North Dakota.
     Permian, Carlin Canyon, Nevada: 3-110.
Permian(?), early, proposed American standard,
                                                                                Bottineau County, well samples, Silurian-Creta-
                                                                                              ceous: 3-2929, 3-2930.
                   Kansas: 3-1134.
                                                                                Cambrian-Ordovician, Winnipeg and Deadwood forma-
      Permophorus Chavan, 1954, new name: 3-2583.
                                                                                              tions: 3-2919.
      Russian stratigraphic names: 3-1120.
                                                                                 Cenozoic history, northwestern: 3-1431.
      Slips and separations: 3-91.
                                                                                Geological Survey, biennial report, 1958-1960:
      U.S.S.R., Oselkovoye formation: 3-2544.
                                                                                              3-1378.
 North America.
                                                                                 McKenzie County, well samples, Silurian-Creta-
     Bibliography geology, 1958: 3-2468.
                                                                                              ceous: 3-2927.
   Economic geology.

Natural gas, principal fields: 3-3471.

Natural gas, principal fields: 3-3471.
                                                                                 Petroleum, Burke County area, oil fields: 3-2435.
                                                                                   Production statistics and engineering data:
      Petroleum, exploratory drilling, 1960: 3-3482.
                                                                                               3-2434.
      Uranium, relation to tectonic pattern central Cor-
dilleran foreland: 3-3874.
                                                                                 Red River Valley, saline area, ground-water in-
vestigations: 3-4221.
   Geophysics.

Explosion studies, continental structure: 3-3737.
                                                                                 Walsh County, well samples, Ordovician, Silurian,
                                                                                               Jurassic: 3-2926.
                                                                            Williams County, well samples, Devonian-Creta-
ceous: 3-2928.
Northern Territory. See Australia.
      Gravity control network, evaluation: 3-1544.
      Great Lakes region, geophysical implications,
                    Viking exploration: 3-2293.
    Historical geology.
                                                                             Northwest Territories.
       Carboniferous, marine, correlation with Europe: 3-3253.
                                                                                  Arctic bibliography, v.9: 3-1013.
Arctic exploring: 3-3168.
                                                                                  Jacobsen-McGill University Expedition, Axel Hei-
berg Island, 1959-1961: 3-4294.
       Cretaceous-Tertiary boundary, western interior, youngest marine rocks: 3-2240.
       1,000 m.y. old minerals, eastern U.S. and Canada:
                                                                                Areas described.
                     3-1474.
                                                                                   Belcher Islands: 3-2497.
       Ordovician, graptolites in eugeosynclinal facies,
                                                                                   Fort Liard and La Biche map-areas: 3-64.
                     paleogeographic implications, western:
                                                                                   Horn River map-area: 3-63.
                                                                                   Virginia Falls and Sibbeston Lake: 3-1399.
                      3-1802.
          Stratigraphy and correlations: 3-4022.
                                                                                Economic geology.

Mackenzie District, mineral industry: 3-2423.

Petroleum, Eagle Plains area, exploration: 3-1358.
          System, classification: 3-2224.
       Paleozoic, relationship boundaries to marine
                                                                                     Lower Mackenzie basin and arctic coastal areas,
                      transgressions and orogenic movements:
                                                                                                 prospects: 3-4269.
                      3-99.
        Pennsylvanian, sporological evidence on boundar-
                      ies, subdivisions, Upper Pennsylvanian: 3-3260.
                                                                                 Geochemistry.
                                                                                   Sulfur isotope investigations, gold-quartz depos-
its, Yellowknife district: 3-1623.
        Permian formations, correlation: 3-1133, 3-4036.
Potassium-argon dates, biotites from Cordilleran
                                                                                 Geophysics.
                                                                                   Arctic Archipelago, geological interpretation, aeromagnetic profiles: 3-4089.
                      granites: ages of orogeny: 3-2256.
        Stratigraphic facies, concepts and applications:
                                                                                    Ellesmere Island, gravitational and seismic depth
determinations, Gilman Glacier and ice
                      3-2216.
        Stratigraphic practice in vertebrate paleontol-
                                                                                                  cap: 3-4084.
                                                                                    Gravity meter survey, Arctic Coastal Plain, op-
erational report: 3-4083.
                      ogy: 3-2215.
      Paleontology.
                                                                                    Mackenzie River, marine seismograph and sparker
        Devonian Tycopods: 3-2284.
        Devonian stromatoporoid microstructures, wide-
                                                                                                  survey: 3-4122.
                      spread distribution, stratigraphic sig-
                                                                                    Seismograph station, Resolute: 3-2977.
         nificance: 3-2264.
Didelphid marsupials, Oligocene, review: 3-1511.
                                                                                  Historical geology.
                                                                                    Carboniferous-Permian formations, Mackenzie Dis-
         Hadrosaurian dinosaurs, cranial morphology:
                                                                                                  trict: 3-2921.
                                                                                     Cretaceous, Liard-Mackenzie rivers region: 3-3262.
                       3-3294.
                                                                                    Devonian, central Mackenzie River region: 3-4026.
         Ordovician Stromatoporoidea: 3-2573.
                                                                                     Jurassic-Cretaceous, Richardson Mountains: 3-li
Mesozoic-Tertiary, Arctic Archipelago: 3-4039.
Permian, rocks and faunas, Grinnell Peninsula,
Arctic Archipelago: 3-479.
                                                                                                                                           3-1138.
       Physiography.
         Bogs and peats, types: 3-3239.
Great Lakes region, pre-classical Wisconsin:
                        3-2176.
                                                                                     Precambrian geology, summary account: 3-4015.
         Late-Pleistocene environments, North Pacific:
                                                                                     Proterozoic and Paleozoic, Baffin Island, Admiral-
                       3-2169.
          Pleistocene shorelines, correlation with Europe:
                                                                                                  ty Inlet region: 3-3250.
                                                                                   Maps, Aeromagnetic.

Magnetic anomaly East of Quinn Lake, Mackenzie
                        3-2186.
          Pliocene and Pleistocene climate: 3-776.
                                                                                                   District: 3-1382.
       Structural geology.
          Pre-Devonian unconformity, evidence Caledonian orogeny: 3-2206.
                                                                                   Maps, Geologic.

Mackenzie District, north-central: 3-374.

Mingo Lake, Baffin Island: 3-3176.
          Rocky Mountain region, late Tertiary major crustal deformations: 3-2209.
                                                                                      Nahanni region: 3-3567.
     North Carolina.
          Chlorite, vermiculite, talc, Webster: 3-1264.
Dare Beaches sanitary district, ground-water
supply: 3-2394.
                                                                                   Paleontology.
                                                                                      Devonian brachiopods, Hay River: 3-2269.
Devonian faunas, Anthozoa, Brachiopoda 3-496.
                                                                                      Devonian rugose corals, lower Mackenzie valley:
          Deep River-Wadesboro Triassic basin, gravity
features: 3-4085.
                                                                                      Devonian spores, Melville Island, Canadian Arctic
Archipelago: 3-2287.
Jurassic ammonites, Arctic: 3-486.
Late Silurian fauna, Sutherland River formation,
                                                                                                    3-4059.
```

Limestones, crystalline, piedmont and mountain regions: 3-293.

Northwest Territories - Continued St. Ann's, Cape Breton Island: 3-1030. Devon Island: 3-2960. St. Mary Bay: 3-3178. Micropaleontological (Foraminifera) zonation, Shelburne region: 3-3563. Cretaceous Sans Sault group, lower Mac-Paleontology.
Ostracoda, Silurian Stonehouse formation, Arisaig: kenzie River area: 3-4069. Permian coral, King Oscars Land, Ellesmere Island: 3-2282. 3-2574. Rhenish Lower Devonian brachiopods, implications: Silurian Hemiarges (Trilobita), Cornwallis Island: 3-2268. 3-3289. Nuclear explosions. See Explosions.
Ocean basins. See the various oceans; Earth crust;
Submarine geology. Petrology.

Baffin Island, gneisses, Cumberland Sound: 3-2358.

Marine sediments, Prince of Wales Strait, Amundsen
Gulf: 3-917. Oceans. Biography of the sea: 3-1011. Physiography.

Baffin Island, southwestern, geomorphology and glacial geology: 3-2192. Mineral potential 3-2402. Mineralogy, 016/018 ratios, strontium and magnesium contents brachiopods, history Bathurst Inlet: 3-3624. oceans: 3-3347. Cornwallis Island, geomorphology: 3-787. Ocean-wide surveys: 3-344, 3-345. Oceanography, symposium: 3-3925. Ellesmere Island, glaciological studies, Lake Hazen region: 3-3968. Physical oceanography, textbook: 3-3553. Mackenzie District, surficial geology: 3-1086. Melville Peninsula, late "Wisconsin" glaciation: World ocean floor, relief, map: 3-3950. Ohio. 3-2519. Dept. Natural Resources, annual report, 1959-Maximum postglacial marine submergence: 3-785. 1960: 3-2840. Oceanographic observations, Arctic Archipelago: Areas described. 3-786. Cincinnati region, guidebook: 3-3602. Peel-Mackenzie rivers, fluviomorphological features: 3-2521. Economic geology. Queen Elizabeth Islands, soils: 3-2183. Stopover Lake, crevasse fillings and ablation Coal, Monongahela and Dunkard, resources: 3-1365. Resources: 3-1364. Petroleum, developments, 1960: 3-3504, 3-3894. Oil and gas industry, contributions: 3-3893. slide moraines: 3-2518. Structural geology. Sub-Trenton data sheets, map: 3-3895. Arctic Islands, simple concentric folding, depth Engineering geology.

Lake Erie bottom deposits: 3-2466. of basal shearing plane: 3-2200. Structural history since Precambrian: 3-792, Shoreline, maps: 3-736, 3-1395, 3-1396, 3-2885 through 3-2888. 3-4006. Axel Heiberg Island, gypsum tectonics: 3-3998. Shale foundation, heaving: 3-996. Parry Islands fold belt and Cornwallis folds, Bathurst Island: 3-4007. Geohydrology. Richardson Mountains, Cretaceous and Tertiary structural history: 3-4008. Fairborn area, ground-water resources of valleytrain deposits: 3-2014. Ohio Brush, Eagle, Straight, and Whiteoak Creek Evaporite piercement structures: 3-3999. Norway. basins, water inventory: 3-4222. Valley-train deposits, Mad River valley, cyclic-Glacier caves, Svartisen: 3-3969. Norsk Polarinstitutt, activities in Svalbard: fluctuation methods to determine perme-3-4295. ability: 3-2739. <u>Historical qeology</u>.

Devonian-Mississippian shale sequence, literature Nova Scotia. Areas described. survey: 3-2551.
Precambrian, Grenville boundary: 3-473. Nictaux-Torbrook map-area: 3-429. Port Hawkesbury area: 3-3196. Shubenacadie and Kennetcook map-areas: 3-1059. Maps, Oil and gas.
Oil and gas fields: 3-735. Economic geology.

Annual report mines, 1960: 3-2470. Mineralogy. Cape Breton Island, prospecting metallic miner-Clay mineralogy, Silurian Brassfield limestone: 3-3820. als, Mississippian rocks: 3-3131. Geophysics. Paleontology. Halifax Harbor region, anisotropy, rock: 3-520. Devonian-Mississippian shale sequence, fossil Historical geology. list: 3-2551. Nonmarine Pleistocene mollusca, ecology, use in Pleistocene history: 3-2270. Mississippian, Cape Breton island, stratigraphy and structure: 3-3255. Pentremitidea filosa, blastoid, Silica formation: 3-484. Horton group, Windsor-Horton district; 3-476. Paleozoic, lower, Pictou County: 3-2920. Triassic, Chedabucto Bay area, sedimentary rocks: Physiography. Glacial Teays lake, extent: 3-3976. 3-1136. Maps, Aeromagnetic. Paulding County, surficial materials and soils: Antigonish, Antigonish and Guysborough counties: 3-1096. 3-3. Sunn Hill region: 3-3992. Wisconsin glacial deposits, northeastern, classi-Cape George, Antigonish and Inverness counties: 3-4. fication: 3-449. Cheticamp, Inverness County: 3-5. Oil. See Petroleum. Cheticamp River, Inverness and Victoria counties: Oil and gas fields. 3-6. Alberta-British Columbia, map: 3-2111. Arkansas-Oklahoma, guidebook: 3-2500. Dingwall, Victoria County: 3-7. Lake Ainslie, inverness and Victoria countles: Bisti field, New Mexico, hydrodynamic entrapment: 3-8. 3-2071. Malignant Cove, Antigonish and Kings counties: California, San Joaquin-Sacramento valleys and 3-376. northern coastal regions: 3-3142. Margaree, Inverness County: 3-9. Summary of operations: 3-3141. Merigomish, Pictou and Antigonish countles: 3-377. California-Alaska, maps: 3-2490. Pleasant Bay, inverness and Victoria counties: Glen Ewen field, Saskatchewan: 3-2797. 3-10. Glick field, petrophysical aspects, Mississippian chert, Kiowa County, Kansas: 3-315. Port Hood, Inverness County: 3-378. Maps, Geologic.
Cape Canso: 3-375. Kansas, Mississippian, map: 3-2881.

Northeastern: 3-2067.

Hopewell: 3-3177.

	SUBJECT	INDEX
11	and gas fields - Continued	
	Silurian-Devonian "Hunton" rocks, map: 3-2880. Lac Blanc field, Vermilion Parish, Louisiana: 3-1722.	Engineering geology. Sedimentation, Denison dam and reservoir, Red River: 3-1738.
	Lake Arthur field, Jefferson Davis Parish, Lou-	Underground LPG storage: 3-2811. Geohydrology.
	isiana: 3-1724. Light field, gas reserve study, Beaver County, Oklahoma: 3-311.	Fluctuations water levels in wells: 3-2740. Ground water: 3-2396.
	Lisbon field, Utah, prospects: 32075.	Salt springs, western: 3-2743.
	Little Creek field, Lincoln and Pike counties,	Geophysics. Wichita Mountains Seismological Observatory:
	Mississippi: 3-1726. Milligan Creek oil field, British Columbia, Half	3-509, 3-3702.
	way sand: 3-3400. Missouri, northwest: 3-2067.	Historical geology. Cambrian(?), Lukfata sandstone, nature of under-
	Mukhanov field, U.S.S.R.: 3-990.	lying rocks: 3-1123.
	New Mexico, southeastern: 3-3502.	Cretaceous, lignite in Red Branch member, Wood- bine formation: 3-1140.
	North America, principal gas fields: 3-3471.	Mississippian, Noel shale, northeastern: 3-1128.
	North Dakota, production statistics and engineer- ing data, 1960: 3-3892.	Oklahoma City uplift: 3-3256. Tiff member, Goddard formation: 3-108.
	North Fork oil field, Wyoming, map: 3-3949.	Mississippian-Pennsylvanian correlation problems: 3-1131.
	North Okarche field, Kingfisher County, Oklahoma: 3-2800.	Ordovician, Chazyan faunule from lower Tyner:
	Northeast Thompsonville field, south Texas:	3-1125. Pennsylvanian, Hartshorne sandstone: 3-2555.
	3-3473. Ohio, map: 3-735.	Heavy-mineral segregation, Springer sandstones,
	Oklahoma, maps: 3-2492. Person field, Karnes County, Texas: 3-1727.	Anadarko and Ardmore basins: 3-2554. Layton sandstone, Logan County: 3-1132.
	Rayne field, Louisiana, structure and stratig-	Permian, evaporites: 3-2234. LPG storage, cores, Beaver County: 3-2558.
	raphy: 3-1725. Sacatosa field, San Miguel sandstone, Texas:	Stratigraphic section, west-central: 3-1135.
	3-3143.	Pleistocene basin, Harper County: 3-123. Precambrian-Pennsylvanian, isopach, structural,
	Salem oil field, Illinois: 3-3592. Stockton field, Marietta basin, Oklahoma: 3-2801.	paleogeologic study pre-Des Moinesian
	Swan Hills oil field, Alberta, Devonian limestone reef reservoir: 3-4268.	units, north-central: 3-101. Maps, 0il and gas.
	Texas, Abilene area: 3-318.	Oil and gas fields, structure, isopachs: 3-2492.
	U.S., Rocky Mountain region, map: 3-719. Vassar field, Osage County, Kansas, first commer-	Mineralogy. Apatite and clay minerals, Roger Mills county:
	cial producing well: 3-4271.	3-1270. Apatite and magnesium clay, Caddo County: 3-1269.
	West Sentinel oil field, Washita County, Oklahoma: 3-317.	Paleontology. Chitinozoan, Mississippian: 3-145.
	Wilmington oil field, California, subsidence prob- lems: 3-2831.	Conchostracan distribution, Permian: 3-1320.
	Wyoming: 3-1363.	Crinoid, <u>Paragassizocrinus</u> : 3-2580. Pennsylvanian, Ardmore region: 3-1159.
	1 sands, combustion, experimental studies: 3-1353.	Synbathocrinus? antiquus, Silurian, Henryhouse formation: 3-2579.
	Bibliography, U.S. Bureau of Mines publications,	Crinoids, Chester: 3-1160.
	Colorado: 3-1716.	Inadunate, Carboniferous: 3-1162. Late Pleistocene basin, Harper County: 3-123.
	Green River, yields: 3-1357. Piceance Creek basin: 3-3477.	Orthocone, Pennsylvanian: 3-2505.
	Explosions in Pinot experiment, Colorado: 3-3160.	Ostracoda, Bromide (Middle Ordovician), new: 3-2950.
	Illinois, chemical evaluation: 3-642. United States deposits: 3-3140.	Primitiopsid: 3-1193. Ostracode, index, Arbuckle limestone: 3-1194.
OH	Rahoma. Bibliography and index geology, 1960: 3-2837.	a 1 -b-b douglopment: 4=1190.
	Common minerals, rocks, fossils: 3-1375.	Pennsylvanian, restricted biofacies, Lenapah lime stone: 3-1163.
	Areas described. Arkoma basin, north-central Quachita Mountains,	Permian hystrichospherid: 3-1195. Polydeltoideus, new Silurian blastoid: 3-2575.
	quidebook: 3=3/U/.	Productid Reticulatia, Pennsylvanian, Beile City
	Boktukola syncline area, Ouachita Mountains:3-2508. East Lindsay area, pre-Pennsylvanian subsurface	limestone: 3-2582. Siliceous spherules in tracheids, cordaitean wood
	geology: 3-3208. Eufaula-Texanna area, surface geology: 3-70.	3-149.
	Hughes County, subsurface geology: 3-3203.	Petrology. Magnetite-pyroxene textures, basic rocks, Wichita
	Lincoln County, northeastern: 3-1071. Southeast, Cretaceous; oil-field papers; guide-	Mountains: 3-1280. Sedimentation survey, Lake Carl Blackwell: 3-3404
	book: 3-2500.	Spavinaw granite, Precambrian, petrography: 3-128
	West Sentinel oil field, Washita County: 3-317. Wichita Mountain area, road log: 3-2693.	Physiography.
	Cement company near Pryor, raw materials: 3-1347.	a. 1ining and landscape modification: 374000:
	Natural das. Arkoma basin and Quachita province;	Topographic control by igneous structures, Ragged
	recent exploration: 3-310.	Oligocene. <u>See</u> Tertiary.
	Reserve study, Morrow sand, Light fleid, Beaver	Olivine. Alteration to "iddingsite": 3-1946.
	County: 3-311.	Orientation in dunite, relation to tectonic en- vironment, Nelson, New Zealand: 3-469
	Dayslanments - 1960: 3=3505; 3=3512:	a testa
	Kingfisher County, oil and gas: 3-1360. North Okarche field, Kingfisher County: 3-2800.	Bibliography, Cambrian-Quaternary geology, these:
	Ouachita reserves: 3-2072.	Precambrian geology, theses: 3-2836.
·	West Sentinel oil field, Washita County: 3-317.	Areas described.

```
Ontario - Continued
                                                                           Grace Lake, Thunder Bay and Kenora districts:
    Bennett-Tanner area: 3-430.
                                                                                        3-32.
     Coleman Township and Gillies Limit, Timiskaming
                                                                           Greenmantle Lake, Thunder Bay district: 3-33.
                district: 3-65, 3-3197.
                                                                           Greig Lake, Kenora district: 3-683.
    Dunchurch area: 3-1754.
Dyment area: 3-431.
                                                                           Gullrock Lake, Kenora district: 3-386.
                                                                           Harvey Lake, Thunder Bay and Kenora districts: 3~684.
    Galt map-area, Pleistocene geology: 3-2143.
Gunflint iron formation, Whitefish Lake area:
                                                                           Henfrey Lake, Kenora district: 3-685.
                 3-2145.
                                                                           Jervis Bay Lake, Kenora district: 3-34.
    Maclennan and Scadding townships: 3-2146.
Port Arthur region, Gunflint iron range: 3-2144.
                                                                           Kabania Lake, Kenora district: 3-387.
                                                                           Kagiami Falls, Thunder Bay and Cochrane districts:
    Rice Lake-Port Hope, Trenton map-areas: 3-753.
                                                                                        3-686.
  Economic geology.
                                                                           Kanuchuan Lake, Kenora district: 3-388.
    Big Duck Lake area, mineral deposits: 3-1349.
                                                                           Kapikotongwa Lake, Thunder Bay district: 3-687.
    Bucke Township, Timiskaming district, mining prop-
                                                                           Kawitos Lake, Thunder Bay and Kenora districts: 3-389.
                erties: 3-294.
    Coleman Township, Concession V, Timiskaming dis-
trict: 3-2424.
                                                                           Kellow Lake, Thunder Bay and Kenora districts: 3-390.
    Dept. of Mines, annual report, 1959: 3-2099.
Fuel Board, annual report, 1959: 3-2100.
Iron, Michipicoten iron formation, genetic aspects: 3-4244.
Limestone industries: 3-634.
                                                                           Kennedy Lake, Kenora district: 3-391.
                                                                           Kilbarry Lake, Thunder Bay district: 3-35.
                                                                           Kirkness Lake, Kenora district: 3-392.
                                                                           Kitchie Lake, Kenora district: 3-688.
    Mineralized conglomerates, Blind River: 3-953.
Nepheline syenite: 3-1346, 3-2422.
                                                                           La Rose Lake, Cochrane district: 3-689.
                                                                           Lansdowne House, Kenora district: 3-393.
Linklater Lake, Thunder Bay district: 3-36.
Louella Falls, Cochrane district: 3-690.
Lysander Lake, Kenora district: 3-37.
    Niobium-bearing complexes, east of Lake Superior: 3-2419.
    Uranium, Blind River ores, origin: 3-1703.
Granitic dikes, Bancroft district: 3-622.
                                                                           Machawaian Lake, Kenora district: 3-394.
                                                                           McInnes Lake, Kenora district: 3-395.
    Uranium and thorium, Huronian system, Sudbury dis-
                 trict: 3-2412.
                                                                           McIntyre Lake, Kenora district: 3-691
                                                                           Mahamo Lake, Thunder Bay district: 3-396.
Makoki Lake, Thunder Bay district: 3-397.
Makokibatan Lake, Kenora and Thunder Bay dis-
  Engineering geology.
     Chalk River, radioactivity sampling devices for
                 water and soil: 3-2822.
                                                                                        tricts: 3-692.
    Deep pumping station, Ottawa sewage plant: 3-2457.
    Kingston carbonate rock reaction: 3-3537.
                                                                           Mameigwess Lake, Kenora district: 3-398.
                                                                           Margot Lake, Kenora district: 3-693.
    Road system, northern, geologic investigations:
                                                                           Maxey Lake, Kenora, Cochrane, and Thunder Bay
                 3-2814.
                                                                                        districts: 3-694.
    Silver Fails tunnel and surge tank design: 3-3542.
                                                                           Michikenis Lake, Kenora district: 3-38.
    Site investigations, Toronto subway: 3-335.
                                                                           Miminiska Lake, Kenora and Thunder Bay districts:
  Geochemistry.
                                                                                         3-39.
    Hydrology tritium, Ottawa Valley: 3-1906.
                                                                           Mojikit Lake, Thunder Bay district: 3-399.
Nankika Lake, Kenora district: 3-400.
  Geohydrology.
Ottawa-Hull area: 3-3097.
                                                                           Neawagank Lake, Kenora district: 3-40.
  Geophysics.
                                                                           Nechigona Lake, Kenora district: 3-695.
Northwind Lake, Kenora district: 3-696.
     Sudbury basin, paleomagnetic study: 3-2297.
  Historical geology.
                                                                           Norton Lake, Kenora district: 3-697.
                                                                           Nottik Island, Cochrane and Kenora districts: 3-698.
    Devonian, Formosa reef limestone, age and strati-
graphic relations: 3-1814.
       Kettle Point formation: 3-4028.
                                                                           Nungesser and Coli lakes, Kenora district: 3-401,
       Sylvania sandstone: 3-1813.
                                                                           Obabigan Lake, Kenora district: 3-41.
     Ordovician, paleoecological interpretations: 3-2225.
                                                                           Ogoki Lake, Thunder Bay district: 3-699.
                                                                           Opikeigen Lake, Kenora and Thunder Bay districts:
     Ordovician-Silurian, Lake Timiskaming area: 3-3251.
                                                                                        3-402.
     Paleozoic names, lexicon: 3-2546.
                                                                           Owen Lake, Kenora district: 3-700.
     Precambrian, age measurements, Cutler batholith:
                                                                           Ozhiski Lake, Kenora district: 3-42.
                3-125.
                                                                           Patience Lake, Thunder Bay and Cochrane districts: 3-701.
     Quaternary, palynological and geological study
Pleistocene, James Bay lowlands: 3-1470.
                                                                           Pattle Lake, Kenora district: 3-43.
Percy Lake, Thunder Bay and Cochrane districts: 3-702.
    Sudbury-Blind River, mineral and rock ages: 3-3266.
  Maps, Aeromagnetic.
    Achapi Lake, Thunder Bay and Kenora districts: 3-24.
                                                                           Prime Lake, Kenora district: 3-703.
                                                                           Pruner Lake, Thunder Bay and Kenora districts:
    Berens Lake, Kenora district: 3-381.
                                                                                         3-44.
    Big Beaver House, Kenora district: 3-25.
Big Canoe Lake, Cochrane district: 3-676.
                                                                           Puiham Lake, Kenora district: 3-704.
                                                                           Pym Island, Kenora district: 3-705.
    Bruce Lake, Kenora district: 3-677.
                                                                           Red Lake, Kenora district: 3-403.
    Burntrock Lake, Thunder Bay district: 3-26.
                                                                           Sagiminnis Lake, Kenora district: 3-404.
     Collishaw Lake, Kenora district: 3-27.
                                                                           Sampson Lake, Kenora district: 3-706.
Seach Lake, Kenora and Thunder Bay districts:
3-45.
    Crerar Lake, Kenora and Thunder Bay districts:
                 3-28.
    Critchell Lake, Kenora district: 3-382.
                                                                           Sebert Lake, Kenora and Cochrane district: 3-707.
    Dillen Lake, Kenora district: 3-29.
                                                                           Sennett Lake, Kenora district: 3-46.
    D'Orsonnens Lake, Thunder Bay district: 3-383.
                                                                           Sheridan Lake, Kenora district: 3-47.
Shibley Lake, Kenora district: 3-708.
    Dusey Lake, Thunder Bay and Cochrane districts: 3-678.
                                                                           Sim Lake, Thunder Bay district: 3-405.
    Eby Falls, Cochrane district: 3-679.
                                                                           Stark Lake, Kenora district: 3-406.
Symons Lake, Kenora district: 3-709.
    Eyes Lake, Kenora district: 3-30.
    Favourable Lake, Kenora district: 3-384.
                                                                           Totogan Lake, Kenora district: 3-48.
Triangular Lake, Kenora and Thunder Bay districts:
    Fishtrap Lake, Kenora district: 3-680.
    Fort Hope, Kenora district: 3-385.
                                                                                         3-407.
    Goldpines, Kenora district: 3-681.
                                                                            Trout Lake, Kenora district: 3-710.
    Goldsborough Lake, Thunder Bay district: 3-31.
                                                                           Wabakimi Lake, Thunder Bay district: 3-49.
    Goods Lake, Kenora district: 3-682.
```

Wabassai Falls, Kenora district: 3-711.

cario - Continued Wapikopa Lake, Kenora district: 3-408.	Distorted oolites and pseudoolites: 3-3403.
Wapitotem Lake, Kenora district: 3-409.	Texas, Gulf Coast: 3-1303.
Wegg Lake, Kenora district: 3-410.	Ordovician.
Whiteclay Lake, Thunder Bay district: 3-50.	Alabama, clarification subdivisions by Bryozoa:
Whiteloon Lake, Kenora district: 3-712.	3-1452. Red Mountain area: 3-4024.
Whitewater Lake, Thunder Bay district: 3-51.	Classification Cincinnatian: 3-1810.
Wigwascence Lake, Kenora district: 3-52.	Colorado, geologic history: 3-2151.
Windfall Creeks, Kenora district: 3-713. Windsor Lake, Kenora district: 3-714.	Indiana, lawrence County, deep test well: 3-1808.
Winisk Lake, Kenora district: 3-715.	Montana, Cambrian-Ordovician boundary: 3-2222.
Wunnummin Lake, Kenora district: 3-53.	Montana-Wyoming, Bighorn dolomite and correlative
Mans. Geologic.	formations, map: 3-2124.
Algoma district, townships 167 & 168: 3-2488.	Nevada, central, miogeosynclinal margin: 3-2226.
Balmer township: 3-1031.	New Mexico, Montoya dolomite, Silver City region:
Belfast township, Nipissing district: 3-14.	3-2227. New York, Bald Mountain limestone: 3-1809.
Big Duck Lake area, Thunder Bay district: 3-11.	North America, classification: 3-2224.
Cobden township, Algoma district: 3-17. Coleman township, Timiskaming district: 3-1751,	strationaphy and correlations: 3-4022.
3-2875.	Western, graptolites in eugeosynclinal facies,
Cynthia township, Nipissing district: 3-13.	paleogeographic implications: 3-1002.
Dome township: 3-1032.	North Dakota, Winnipeg and Deadwood formations:
Espanola sheet: 3-1748.	3-2919.
Flanders Lake area, Thunder Bay and Algoma dis-	Oklahoma, Chazyan faunule from lower Tyner: 3-1125. Ontario, paleoecological interpretation: 3-2225.
tricts: 3-3564.	Queenston shale, mineral constitution: 3-3386.
Fox (township): 3-1383.	Ontario-Quebec, Lake Timiskaming area: 3-3251.
Hobbs and McCallum townships, Nipissing district:	Dennsylvania and bordering states: 3-2223.
3-2876.	Pennsylvania-New Jersey, Jacksonburg formation,
Island Lake: 3-2113.	mineralogy: 3-12/1.
Lac des Mille Lacs area: 3-18. Lake St. Joseph, Kenora and Thunder Bay districts:	Quebec, Anticosti Island: 3-1487.
3-2115.	saskatchewan, Bighorn group, faunas: 3-201/.
LeRoche township, Nipissing district: 3-12.	U.S.S.R., age Armasu formation, Tien Shan: 3-1126.
Long township, Algoma district: 3-19.	Age unfossiliferous strata, Dnestr region: 3-102. Menilite series, Carpathians, dolomite and sider-
McGiverin township, Algoma district: 3-20.	ite: 3-2735.
Mack township, Algoma district: 3-21.	U.S., central Appalachians, depositional environ-
Milligan, Cochrane district: 3-1749.	ment. carbonates: 3-4195.
Miminiska region: 3-3565.	North and South Dakota, Montana and adjoining
Mortimer (township): 3-1384.	areas. Canada: 3-4023.
North Caribou Lake: 3-3179. North Spirit Lake, Kenora district: 3-3180.	Vermont, Chipman formation, west-central: 3-474.
North Spirit Lake, Renord district. 5 5.00.	Ore deposits, origin. See Mineral deposits, origin:
Perth region: 3-3566. Phyllis township, Nipissing district: 3-16.	For ore deposits in general see Eco-
Port Coldwell area, Thunder Bay district: 3-2487.	nomic geology; Mineral deposits. For regional studies, <u>see</u> subheading Eco-
Scarfe Township, Algoma district: 3-22.	nomic geology under the various states
etimson (township): 3-1385.	and countries.
caribor township. Algoma district: 3-43.	0
Tisdale township, south half: 3-2400 through	Bull Run No. 2 water supply dam, Portland: 3-1003.
3-2486.	contar lake, floor: 3=1272.
Toronto, bedrock contours: 3-1386. Trout Lake, Kenora district: 3-379.	Crater Lake National Park and Vicinity, map:
Trout Lake, Kenora district: 5 3/3.	
Tambaston townshins, Ninissing district:	3-2493.
Vogt and Torrington townships, Nipissing district.	Dept of Geology and Mineral Industries, biennial
Vogt and Torrington townships, Nipissing district.	Dept. of Geology and Mineral Industries, biennial
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekohi Jake. Algoma district: 3-380.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960; 3-2103. Chaparral formation, southeastern, postglacial history, 3-2613.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Brainia-Mission Bottom area, Willamette
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. The deal begits crystals on barite: 3-568.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Brainia-Mission Bottom area, Willamette
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores,	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Expanishifers, intertidal, coast: 3-2609.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Overston shale: 3-3386.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960; 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction,
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction,
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Mestern Cascades north of 430N., geologic recon-
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district:	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Unblocated crater breccia, petrographic and geo-	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geo-	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Waiker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district:	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445,
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445,
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Waiker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 43°N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs:
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 43°N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2089.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 43°N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2089.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2089. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings:
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2089. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings:
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3886. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2089. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Waiker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221. Structural geology:	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2089. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221. Structural geology. Brent crater, Algonquin park: 3-790. Probable meteorite crater, Precambrian, Holleford:	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2446. Muskeg, access studies using aerial photographs: 3-2498. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239. Orogeny. Canada, western, Caledonian earth movements:
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3886. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2446. Muskeg, access studies using aerial photographs: 3-2089. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239. Orogeny. Canada, western, Caledonian earth movements: 3-2207.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic Intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221. Structural geology. Brent crater, Algonquin park: 3-790. Probable meteorite crater, Precambrian, Holleford: 3-4000.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2498. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239. Orogeny. Canada, western, Caledonian earth movements: 3-2207. Earth, diastrophism and spacing of discontinuities in interior, relation to stations.
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Waiker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221. Structural geology. Brent crater, Algonquin park: 3-790. Probable meteorite crater, Precambrian, Holleford: 3-4000. Oolites.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2446. Muskeg, access studies using aerial photographs: 3-2446. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239. Orogeny. Canada, western, Caledonian earth movements: 3-2207. Earth, diastrophism and spacing of discontinuities in interior, relation to stations
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Walker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221. Structural geology. Brent crater, Algonquin park: 3-790. Probable meteorite crater, Precambrian, Holleford: 3-4000. Oolites. Bahamian oolitic sand: 3-606. Brensylvania: 3-1302.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2089. Engineering progress: 3-1366. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239. Orogeny. Canada, western, Caledonian earth movements: 3-2207. Earth, diastrophism and spacing of discontinuities in interior, relation to stations of planets: 3-1113. Earth's volume change, significance for orogen-
Vogt and Torrington townships, Nipissing district. 3-2877. Wakwekobi Lake, Algoma district: 3-380. Waiker, Cochrane district: 3-1750. Mineralogy. Euhedral bornite crystals on barite: 3-568. Pseudo-eutectic intergrowths in arsenical ores, Sudbury: 3-3366. Queenston shale: 3-3386. Spencite, Haliburton County: 3-3376. Paleontology. Fauna, Devonian Formosa reef limestone: 3-1537. Petrology. Grenville-Temiskaming contact, Sudbury district: 3-2362. Holleford crater breccia, petrographic and geochemical study: 3-3408. Nephelinization, Haliburton-Bancroft district: 3-3396. Sudbury lopolith, form: 3-596. Ultrabasic rocks, Lac des Mille Lacs area: 3-2727. Physiography. Cornwall map-area, surficial geology: 3-1087. Lake Superior, submarine valleys: 3-2180. Tills, southern: 3-3221. Structural geology. Brent crater, Algonquin park: 3-790. Probable meteorite crater, Precambrian, Holleford: 3-4000. Oolites.	Dept. of Geology and Mineral Industries, biennial report, 1958-1960: 3-2103. Chaparral formation, southeastern, postglacial history: 3-2613. French Prairie-Mission Bottom area, Willamette Valley, wells, water levels, quality ground water: 3-3436. Foraminifera, intertidal, coast: 3-2609. John Day dam, Columbia River: 3-2454. Petroleum, offshore possibilities: 3-3506. Terrace gravels for Highway 101 construction, Coos Bay area: 3-2447. Western Cascades north of 430N., geologic reconnaissance: 3-434. Willow Lake Intrusion, Elkhorn Mountains: 3-253. Organic terrain. Canada: 3-3234. Manitoba, northern, muskeg problem: 3-2445, 3-2446. Muskeg, access studies using aerial photographs: 3-2446. Muskeg, access studies using aerial photographs: 3-2446. Research conference, 6th, 1960, proceedings: 3-3545. North America, bogs and peats, types: 3-3239. Orogeny. Canada, western, Caledonian earth movements: 3-2207. Earth, diastrophism and spacing of discontinuities in interior, relation to stations of planets: 3-1113.

```
Orogeny - Continued
    Greenland, Caledonian: 3-4003.
     Instability inhomogeneous viscoelastic halfspace
                 under initial stress: 3-856.
    North America, Caledonian, pre-Devonian uncon-
                 formity: 3-2206.
       Cordillera, ages orogeny: 3-2256.
      1,000 m.y. ago, eastern U.S., Canada: 3-1474.
Relationship Paleozoic boundaries to marine
                 transgressions and orogenic movements:
                 3-99.
      Rocky Mountain region, late Tertiary: 3-2209.
    U.S., Appalachian tectonics: 3-2208.
      Basin Ranges, late Cenozoic structure: 3-2210.
     Wyoming, Bighorn Mountains, relation Precambrian rocks to Laramide structure: 3-1798.
                See Changes of level.
Oscillation.
Ostracoda.
     Alabama, Jackson Eocene, Cocoa sand: 3-4072.
     Alaska, Pleistocene, Arctic Coastal Plain: 3-4073.
     Aparchitidae, Aechminidae, Leperditellidae, Dre-
                 panellidae, Eurychilinidae, Punct-
                 aparchitidae, Ordovician, Minnesota:
                  3-2949.
     Bairdia and related genera, Paleozoic: 3-1524.
     Bairdiinae, Recent, ecology and taxonomy: 3-1191.
Catalog, v. 14, v. 15: 3-1522, 3-1523.
     Ceratoleperdita arbucklensis, Arbuckle limestone,
Oklahoma: 3-1194.
     Conchostracan distribution, Permian, Kansas-Okla-
                 homa: 3-1526.
     Eocypridina campbelli, n. gen., n. sp., Devonian, Indiana: 3-494.
     Florida, west coast, Recent: 3-1525.
     Kansas, conchostracan-bearing beds, Harvey and
     Sedgwick counties: 3-4057.
Leaild conchostracan genera: 3-2948.
     Marine, environmental boundaries: 3-1191.
     Nova Scotia, Upper Silurian Stonehouse formation,
                Arisaig: 3-2282.
     Oklahoma, Ordovician, new genera and species:
                 3-2950.
     Ostracoda: 3-4071.
     Platybolbina, Middle Ordovician, Michigan: 3-3311.
     Primitiopsidae, Oklahoma, systematics: 3-1193.
Overthrusts. See Faulting.
Oxygen.
     Isotope, content in water masses, Philippine
                 trench: 3-1257.
       Fractionation, atmospheric: 3-2675.
       Ratios, Blue Glacier, Olympic Mountains, Washing-
                 ton: 3-1624.
       Ratios in rocks and minerals, determining:
                 3~3793.
Pacific Ocean. <u>See also</u> Submarine geology.
Alexa Bank, drowned atoll, Melanesian border pla-
                 teau: 3-1103.
     California area, possible pre-Pleistocene deep-sea fans: 3-83.
     California coastal area, Pioneer oceanographic
                 project: 3-2843.
     Consolidated slabs on floor, eastern: 3-1318.
     Diatoms, bottom deposits, northwest: 3-146.
East Pacific rise: 3-1114, 3-2539.
     Horizontal displacements in floor, northeastern:
                 3-3996.
    Magnetic survey off west coast North America, 32°N.-52°N.: 3-4090, 3-4091.
     Manganese nodules, chemical composition: 3-890.
     Marianas trench, sulfur compounds in bottom de-
     posits: 3-3787.
Metallogeny Pacific Ocean belt: 3-2047.
     Middle America trench, topography-structure, seis-
mic refraction studies: 3-2190, 3-2191.
     Mohole project, preliminary drilling, Guadalupe
                 Island: 3-2534.
     Pelecypoda, Recent, Panamic-Pacific: 3-2584.
     Philippine trench, content heavy oxygen isotope
                 in water masses: 3-1257.
     Rayleigh wave dispersion and crustal structure,
                 eastern: 3-3727.
     Sea floor east of Guadalupe Island, geology:
                 3-3623.
    Seamount, Gulf of Alaska: 3-2530.
     Tonga trench, gravity anomalies and crustal sec-
```

```
tion: 3-2292.
     Travel times, longitudinal and transverse waves,
                  nuclear explosions, Marshall Islands:
                  3-846.
    Western North Pacific, ionium-thorium chronology
                  deep-sea sediments: 3-2682.
Pakistan.
    Rodingite dike, Hindubagh, mineralogy and petrol-
ogy: 3-590.
Serpentinite-limestone contact, Taleri Mohammad
Jan, Zhob Valley: 3-581.
Paleobotany.
See also Algae; Micropaleontology; Pale-
                  ontology; Palynology.
    Alaska, amber, Cretaceous, Arctic Coastal Plain:
                  3-147.
     Angiosperms, age: 3-2611.
     British Columbia, radioactive dating, Tertiary plant-bearing deposits: 3-1828.
     California, Cretaceous angiosperm fruit: 3-2612.
     California-Nevada, late Pliocene floras east of
                 Sierra Nevada: 3-495.
     Cordaitean wood, siliceous spherules in tracheids,
                 Upper Pennsylvanian, Oklahoma: 3-149.
     Epiphyton, morphology and systematic position:
                  3-3667.
     Europe-North America, upper Carboniferous, West-
                  phalian-Stephanian boundary: 3-3258.
     Flower evolution, ecological aspects: 3-3272.
    Greenland, central East, Rhaeto-Liassic flora:
                  3-4075.
     India, Recent microscopic flora, Bengal delta:
                  3-1196.
     Kansas, bacteria, Permian Wellington salt: 3-1531,
                  3-1532.
    <u>Larix(?) pleistocenicum</u>, extinct conifer, Yarmouth interglacial deposits, Indiana: 3-4076.
    Lepidodendron schizostelicum, sp. nov., Pennsyl-
vanian, Kansas: 3-148.
     Lycopods, Devonian, North America: 3-2284.
     Montana, Oligocene plants, upper Ruby River basin:
                  3-1197.
    New Brunswick, fossil plants, Pennsylvanian, Minto coalfield: 3-2286.
     Oklahoma, history of development: 3-1198.
     Oregon, chaparral formation, postglacial history:
                  3-2613.
    Palynology, paleofloras, and paleoenvironments: 3-2954.
    Petrified wood, formation new quartz: 3-4162.
    Protosalvinia arnoldii, n. sp., Devonian, Kentucky: 3-2285.
    Studies in paleobotany, textbook: 3-1840.
U.S.S.R., fossil wood <u>Cupressinoxylon cupressoides</u>,
Suifun series, Miocene, south Primore:
                  3-3651.
       Mammoth epoch, northern Siberia, vegetation: 3-3663.
       Novo-Caspian flora, western Turkmenia: 3-1533.
       Oligocene coal-bearing sediments, Dilizhan re-
       gion, Armenia: 3-120.
Pliocene flora, western Turkmenia: 3-3668.
       Quaternary flora, Zhidovshchizna, river Neman: 3-150.
       Seed plants, Quaternary, lower Aldan and Lena
                  rivers: 3-3669.
    West Virginia, guide to common fossil plants: 3-1199.
Paleocene. <u>See</u> Tertiary.
Paleoclimatology. <u>See also</u> Paleotemperatures.
Alaska, Nome, coastal plain, Quaternary: 3-2249.
     Antarctic, determination past climate by thermo-
                  luminescence rocks: 3-897.
    Arctic: 3-3653.
    Arizona, early Plaistocene record, Sonoran desert:
                  3-777.
    Brazil-Uruguay, early Mesozoic wind patterns from dune bedding: 3-3619.
     California, Pleistocene, paleoecologic molluscan
                  geography: 3-3273.
     Climatic changes, since last interglacial: 3-2168.
       Tertiary-Quaternary: 3-444.
    Connecticut, southeastern, postglacial history: 3-1082.
     Descriptive paleoclimatology, symposium: 3-3215.
```

```
Paleoclimatology - Continued
                                                                                 U.S., trilobites, Conococheague and Frederick
     Europe, late Pleistocene climate, review: 3-3216.
Gulf of Mexico, northern, Quaternary: 3-1668.
                                                                                                limestones, central Appalachians:
                                                                                                3-1503.
     Indiana, pollen study, early Wisconsin bogs:
                                                                                 Wyoming, trilobites, Wind River Mountains: 3-1504.
                   3-1418.
     Jurassic, paleotemperature analyses, Belemnoidea:
                                                                               Carboniferous.
                                                                                  Australia, brachiopod faunas, Queensland: 3-1491.
                    3-3217.
                                                                                  Egypt, Foraminifera, Western Desert: 3-2603.
Oklahoma, crinoids, inadunate: 3-1162.
     North America, North Pacific region: 3-2169.
     Pliocene and Pleistocene: 3-776.
Peru, Talara region, Pleistocene: 3-2566.
Pleistocene climate changes: 3-3962.
                                                                                Cenozoic.
                                                                                  Foraminifera Camerina: 3-810.
                                                                                  Primates, fossil, new: 3-490.
Texas, Felidae, Panhandle: 3-493.
      Texas, pollen studies, peat deposits: 3-1083.
      U.S.S.R., marine interglacial deposits, Onega
                    river basin: 3-1471.
                                                                                Cretaceous.
        Plant remains, periglacial zones, Russian plain: 3-1534.
                                                                                  Alabama, cheloniid sea turtle: 3-2272.
                                                                                  Dinosaurs, Selma formation: 3-2274.
Alaska, amber, arctic coastal plain: 3-147.
        Pollen from dark-conifer forests, Quaternary,
Olkhon island, lake Baikal: 3-3670.
                                                                                     Ammonites, Seabee formation, northern: 3-1500.
                                                                                   Pelecypods, <u>Inoceramus</u>: 3-136.
Alberta, Foraminifera, Smoky River area: 3-811.
      U.S., southwest, late Pleistocene: 3-1176.
 Paleoecology. See Ecology.
                                                                                     Hadrosaurian ichnite, Cretaceous: 3-4058.
 Paleogeography. See also Geologic history: Paleocli-
                                                                                   Ammonite, bitten by mosasaur: 3-143.
                    matology.
                                                                                     Muscle attachment impressions: 3-3284.
      Canada, western, Jurassic-Cretaceous boundary:
                                                                                   Arizona, hadrosaur, Empire Mountains: 3-1837.
                     3-2235.
                                                                                   Australia, Western, mosasaur remains: 3-1509.
      Coastal studies provide more questions than an-
                                                                                   California, angiosperm fruit: 3-2612.
Bibliography microfossils: 3-3302.
                    swers: 3-1352.
       Egypt, lower Carboniferous: 3-2603.
                                                                                     Foraminifera <u>Lacosteina paynei</u>:
Silicoflagellates: 3-2279.
      Gulf of Mexico, Orinoco basins, regional aspects
                    modern sedimentation: 3-1670.
                                                                                   Caribbean islands, Orbitolinas: 3-3308.
       Implications hot ash flows: 3-2250.
                                                                                   Catalog fossil spores and pollen, v. 10: 3-1200.
       Malaya, basement rocks, paleogeographic signif-
                                                                                   Colombia, ammonites, Lower Cretaceous: 3-1165.
Costa Rica, Foraminifera: 3-3307.
Europe, Baltic flintstones, microfossils: 3-2952.
      icance, Southeast Asia: 3-1805.
Mississippi, faunal characteristics, barrier
island, Horn Island: 3-1538.
                                                                                   Northwestern, <u>Globigerina cretacea</u>: 3-1188.
Guatemala, calcareous alga: 3-1530.
       Montana-Wyoming, Devonian Beartooth Butte forma-
       tion, significance: 3-4027.
Nevada, Paleozoic continental margin, central:
                                                                                   Kansas, Actinocamax, Benton and Niobrara formations: 3-3285.
                     3-2251.
                                                                                      New armored dinosaur: 3-1168.
       North America, western, Ordovician graptolites in eugeosynclinal facies: 3-1802.
                                                                                   Mexico, Foraminifera, La Peña formation, Nuevo
León: 3-3305.
       Nova Scotia, Rhenish Lower Devonian brachiopods,
                                                                                      Foraminifera, Tampico-Tuxpan basin: 3-3306.
                      implications: 3-2268.
                                                                                   Mexico-Texas, Comanche series, biostratigraphy: 3-2239.
       Texas, Upper Triassic Dockum group, cross-bedding
                     directions: 3-1311.
                                                                                   New Mexico, hadrosaurian dinosaur: 3-3295.
       U.S.S.R., Caucasian geosynclinal province, Meso-
                                                                                      Palynology, San Juan basin: 3-813.
                     zoic-Cenozoic: 3-1982.
                                                                                   North America, western interior, extinction Meso-
          Dnepr-Donets depression, Carboniferous: 3-2922.
                                                                                                 zoic animals: 3-2240.
          Late glacial neotectonic conditions and paleo-
                                                                                    Northwest Territories, Foraminifera zonation, Sans
                     geography: 3-1473.
          Paleogene sea, southern limit, western Siberian
                                                                                                  Sault group, lower Mackenzie River:
                                                                                                  3-4069.
                                                                                    South Dakota, primitive cheloniid sea turtle: 3-i508.
                      lowland: 3-3654.
          Permian landscape, southern Tataria: 3-1472.
       U.S., Lake Superior region, late Keweenawan to
Late Cambrian: 3-1145.
Wisconsin, Upper Cambrian Franconia formation,
                                                                                    Tennessee-Mississippi, Archeogastropoda, Mesogas-
tropoda: 3-1164.
                                                                                    Texas, holostean fish Macrepistius: 3-1167. Paleoecology, Denton formation: 3-1477.
                      cross-lamination analysis: 3-1312.
  Paleomagnetism. See Magnetism of rocks and minerals.
Paleontology. See also subheading Paleontology under
                                                                                    Trinidad, benthonic Foraminifera: 3-2246.
                                                                                    U.S.S.R., freshening Hauterivian sea, Ulyanovsk-
Volga region: 3-130.
                      the states and countries; phyla and
                      classes; Evolution; Geographic distri-
bution; Micropaleontology; Paleobotany;
                                                                                    U.S., ammonite family Binneyltidae Reeside, west-
ern interior: 3-4061.
                                                                                       Ammonite successions, Gulf Coast: 3-2271.
                      Palynology.
        Bibliography vertebrates: 3-482, 3-3268, 3-3659.
                                                                                    U.S.-Canada, western, Mowry shale and contemporary formations: 3-152.
        Boron content rocks, paleoecological research tool:
                      3-1150.
                                                                                    Utah, dinosaurs, disappearance, Cretaceous-Ter-
tiary boundary: 3-2241.
        Deep-sea fauna, antiquity: 3-1149.
Evidence life beyond Earth: 3-1476.
                                                                                    Utah, mammal, Dragon Canyon: 3-3297.
        Fossils, what they mean, how to collect: 3-4056. Laboratory manual: 3-2918.
                                                                                  Devonian.
                                                                                    Blastoid, Devonoblastus Reimann: 3-2576.
        North American vertebrate paleontology, strati-
                                                                                    California, Quartz Spring area, Inyo County: 3-475.
                      graphic practice: 3-2215.
                                                                                    Germany, Montecaris lehmanni, new crustacean:
        Oceans: 3-3925.
        Rock paintings of extinct horse: 3-1175.
Texas fossils, amateur collector's handbook: 3-814.
                                                                                                   3-1506.
                                                                                    Greenland, East, vertebrates: 3-4066.
                                                                                    Indiana, cypridinacean ostracod: 3-494.
     Cambrian.
        Boreal regions, faunal provinces: 3-2221.
British Columbia, <u>Hyolithes</u>, operculum and mode
of life: 3-1497.
                                                                                    Kentucky, Protosalvinia arnoldii, n. sp.: 3-2285.
                                                                                    Lycopods, North America: 3-2284.
Manitoba, fauna Devonian Manitoba group: 3-2616.
        Salterian molting, trilobite Ogygopsis: 3-2586.
Missouri, gastropod <u>Cloudia buttsi</u>: 3-1494.
U.S.S.R., Archeocyatha, Bazaikh horizon, Kiya
river: 3-132.
                                                                                    New York, metriophylloid coral genera, Hamilton
                                                                                                   group: 3-3276.
                                                                                    Northwest Territories, Anthozoa, Brachiopoda:
           Hyolithids, systematics: 3-1482.
Problematic fossils, Siberian platform: 3-1478.
Tersilds, Chitinsk district: 3-131.
                                                                                                   3-496.
                                                                                       Brachiopods, Hay River: 3-2269.
Rugose corals, lower Mackenzie valley: 3-4059.
```

```
Paleontology - Continued
       Spores, Melville Island: 3-2287.
                                                                         Pennsylvanian.
                                                                            Conostichus, scyphomedusid jellyfish: 3-1154.
     Nova Scotia, Rhenish brachiopods, implications: 3-2268.
                                                                            Kansas, aquatic amphibian; origin tetrapods:
    Ohio, Pentremitidea filosa, blastoid, Silica formation: 3-484.
Ontario, Formosa reef limestone fauna: 3-1537.
                                                                                         3-2587.
                                                                               Emendations Upper Pennsylvanian aranaceous For-
aminifera: 3-1518.
                                                                            Lipidodendrid stem, problem cambium, phloem in lycopods: 3-148.

New Brunswick, fossil plants, Minto coalfield: 3-2286.
    Stromatoporoid microstructures, stratigraphic
                  significance: 3-2264.
    U.S.S.R., brachiopod <u>Vagrania</u>, new genus, family
Atrypidae Gill, Kolyma region: 3-3660.
                                                                            New Mexico, Eugonophyllum, new algal genus: 3-4074.
       Catalog fossil spores and pollen, v. 12: 3-1201.
       Kizel horizon, Birsk saddle: 3-1455.
                                                                            Oklahoma, crinoid, Ardmore region: 3-1159.
                                                                              Crinoid, Paragassizocrinus: 3-2580.
Lenapah limestone, restricted biofaces: 3-1163.
       Kuznetsk basin, fauna: 3-1539.
Pelecypod assemblages, Volga-Ural province:
                                                                               Orthocone: 3-2585.
                 3-1127.
                                                                              Productid <u>Reticulatia</u>, Belle City limestone: 3-2582.
    Wyoming, conodonts, Bighorn Mountains: 3-4070.
  Jurassic.
    Alaska, Bajocian ammonites: 3-3283.
                                                                              Siliceous spherules, tracheids, cordaitean wood:
    Catalog fossil spores and pollen, v. 10: 3-1200.
                                                                                         3-149.
    Greenland, Rhaeto-Liassic flora, Scoresby sound:
                                                                           U.S., Gastropoda, southwestern: 3-138.
                 3-4075.
                                                                              Siliceous sponges, midcontinent: 3-1480.
    Mexico, Parathyridina mexicana, intraspecific
                                                                         Permian.
    variations: 3-3661.
New Jersey, soaring reptile: 3-1836.
Northwest Territories, ammonites: 3-486.
                                                                           Arizona, <u>Palaeohelcura</u>: 3-1507.
Australia, ammonoids: 3-4062.
Brachiopods <u>Ingelarella</u> and <u>Notospirifer</u>, <u>Queensland</u>: 3-1492.
Terebratuloid genera: 3-3279.
    Saskatchewan, microfaunas: 3-2605.
    U.S.S.R., middle Liassic Foraminifera, north Cau-
    casus: 3-3647.
U.S., algae, Gulf Coast: 3-1529.
                                                                            California, Nosoni and Dekkas formations: 3-480.
                                                                            Clam Pleurophorus Chavan, 1954: 3-2583.
Cotylosaur, basicranial articulation: 3-3292.
 Mesozoic.
    Australia, megaspores, Tasmania and South Austra-
                                                                            Greenland, East, fish fauna: 3-4067.
                                                                            Invertebrate faunas, central East: 3-4064.
Kansas, bacteria, Wellington salt: 3-1531, 3-1532.
                 lia: 3-1204.
    California, Big Bend quadrangle: 3-432.
  Mississippian.
                                                                             Paleolimnology, Harvey and Sedgwick counties,
    Ankhelasma, new coral genus: 3-1485.
                                                                                         stratigraphy and biota: 3-4057.
    Blastoid Tricoelocrinus, type: 3-2577.
                                                                           Kansas-Oklahoma, conchostracan distribution:
    California, Quartz Spring area, Inyo County:
                                                                                         3-1526.
                 3-475.
                                                                            New Mexico, Eugonophyllum, new algal genus: 3-4074.
    Canada, ammonoids, northwestern: 3-1499.
                                                                              Vertebrate fauna: 3-1406.
    England, Orbitremites and Ellipticoblastus, type species: 3-1158.
                                                                            Northwest Territories, coral, Ellesmere Island:
                                                                              3-2574.
Faunas, Grinnell Peninsula, Canadian Arctic Is-
    Globoblastus Hambach, type species: 3-1156.
    Illinois, <u>Calcisphaera</u>, Salem limestone: 3-1527.
Indiana, fenestrate bryozoans, Glen Dean lime-
                                                                                         lands: 3-479.
                                                                            Oklahoma, hystrichospherid: 3-1195.
                 stone: 3-2581.
                                                                            Texas, fusulinids, Hess member, Leonard formation, Glass Mountains: 3-2604.
    Kentucky, Virginia, West Virginia, conodonts,
                 Glen Dean and equivalent formations:
                                                                              Siliceous sponges: 3-1480.
                  3-1521.
                                                                            Timor, Deltoblastus, new blastoid: 3-2578.
    Missouri, Ptychoblastus, new blastoid: 3-1486.
                                                                           U.S.S.R., pollen and spores, Cherdyn and Aktyubinsk areas, Cis-Urals: 3-2615.
    Montana, corals, Madison group, Williston basin: 3-1484.
                                                                           U.S., Gastropoda, southwestern: 3-138.
    Nova Scotia, Horton group, plants and inverte-
                                                                           Wyoming, sponge occurrence, Park City formation:
                 brates: 3-476.
                                                                                         3-3275.
    Oklahoma, Chester crinoids: 3-1160.
                                                                         Precambrian.
      Chitinozoan: 3-145.
                                                                           Australia, animals, Ediacara Hills, South Austra-
lia: 3-2262.
    Pennsylvania, Corry sandstone: 3-2619.
    Utah, fenestrate Bryozoa: 3-1488.
                                                                           U.S.S.R., stromatolites, Riphean, Urals: 3-3666.
  Ordovician.
                                                                         Quaternary.
    Alabama, Bryozoa: 3-1452.
                                                                           Alaska, Ostracoda, Pleistocene, Arctic Coastal
Plain: 3-4073.
    Bryozoan genera <u>Batostoma</u>, <u>Anaphragma</u>, <u>Amplexopora</u>: 3-2266.
                                                                           Arizona, Pleistocene fauna, 111 Ranch area: 3-1844.
    Corals, zaphrentoid, systematic position: 3-1483.
                                                                            Rampart Cave coprolite, ecology, Shasta ground
    Michigan, ostracod <u>Platybolbina</u>: 3-3311.
Minnesota, Ostracoda, Decorah shale: 3-2949.
                                                                                         sloth, Pleistocene: 3-1176.
                                                                           Brazil, upper Juruá river deposits: 3-3265.
    New York-Vermont, graptolite fauna, Poultney
                                                                           California, coyotes, Pleistocene and Recent: 3-492.
Geomys, Vallecito Creek Pleistocene: 3-3300.
                 slate: 3-1834.
    North America, Stromatoporoldea: 3-2573.
Western, grapholites in eugeosynclinal facles:
                                                                              Paleoecologic molluscan geography, Pleistocene:
                                                                                         3-3273.
                  3-1802.
                                                                             Pleistocene flightless goose, Chendytes: 3-2275,
    Oklahoma, Bromide ostracods, new: 3-2950.
                                                                                         3-3296.
      Index ostracod, Arbuckle limestone: 3-1194.
                                                                           Collecting Pleistocene vertebrate fossils: 3-2938.
       Primitiopsid Ostracoda, systematics: 3-1193.
                                                                           Florida, Pleistocene vampire bat: 3-2592.
    Pennsylvania, sponge spicules, Bellefonte dolo-
                                                                           Illinois, molluscan faunas, Wisconsinan, Illinois
Valley region: 3-485.
                 mite: 3-1479.
    Quebec, cryptostome Bryozoa, Anticosti Island:
                                                                           Indiana, extinct conifer, <u>Larix(?)</u> pleistocenicum,
Yarmouth interglacial deposits: 3-4076.
                 3-1487, 3-2933.
    Trilobites, <u>Dunderbergia</u> zone: 3-1503.
Saskatchewan, faunas, Bighorn group: 3-2617.
                                                                             Parrish and Glasford mastodons: 3-1513.
                                                                           Kansas, Hzards, Cragin Quarry fauna: 3-1510.
    Texas, nautiloids, Ordovician Gorman and Honey-
                                                                             Pleistocene carnivores, southwestern: 3-2594.
                 cut: 3-2936.
                                                                           Kentucky, Wisconsin molluscan faunas, Jefferson
    U.S.S.R., trilobites, central Kazakhstan: 3-141.
```

Paleozoic.

Ostracode Bairdia and related genera: 3-1524.

Terebratuloids, new genera, upper: 3-3278.

County: 3-807.

Massachusetts, rebedded pollen, late-glacial sedi-

ments, Taunton: 3-1843.

Mammoths, frozen: 3-1838.

```
Paleontology - Continued
                                                                           Silicoflagellates: 3-2279.
California-Nevada, late Pliocene floras east of
Sierra Nevada: 3-495.
    Mexico, drawings of mammals on bone: 3-809.
       Pleistocene, invertebrates, Punta San José, Baja
                  California: 3-1153.
       Pleistocene invertebrates, Punta Rosalía, Baja
                                                                            Colorado, early Miocene rodents and insectivores:
                 California: 3-1152.
                                                                                        3-1171.
     Michigan, woodland musk ox, radiocarbon date:
                                                                              Osteology, Mylagaulus laevis, fossorial rodent, Miocene: 3-1177.
                  3-1515.
                                                                            Costa Rica, Foraminifera: 3-3307.
    Mississippi, <u>Hendersonia occulta</u>, gastropod,
Pleistocene: 3-808
                                                                              Miocene echinoids: 3-3277.
    Nebraska, western, guidebook: 3-3600.
New Mexico, fossil <u>Tadarida</u>, guano bat, Carlsbad
Caverns: 3-2593.
                                                                              Miocene Foraminifera, mollusks, barnacle: 3-3312.
                                                                            Egypt, anthropoid frontal bone, Oligocene: 3-1173.
                                                                              Farafra oasis, micropaleontology: 3-2953.
                                                                            Fiji, upper Eocene and Oligocene Foraminifera, Viti
     Ohio, nonmarine Pleistocene Mollusca, ecology,
                                                                                          Levu: 3-1839.
     methods study: 3-2270.
Oklahoma, late Pleistocene basin, Harper County:
                                                                            Florida, paleoecology Miocene Choctawhatchee de-
                                                                                         posits: 3-3274.
                  3-123.
                                                                            France, Necrolemur, cranial anatomy: 3-1512.
     Peru, Talara region, Pleistocene: 3-2566.
                                                                            Geolabidinae, erinaceoid insectivores: 3-489.
     Philippines, fish fauna, Lake Lanao: 3-801.
                                                                            Kansas, Pliocene lizard Eumecoides: 3-2273.
     Pleistocene marine species, environmental inter-
                                                                            Louisiana, L.L.&E., et al Well, Unit 1-L, No. 1, paleontological study: 3-3671.
                 pretation: 3-483.
     South Dakota, late Pleistocene mammals: 3-1516.
Texas, Bison latifrons and other fossils: 3-3664.
                                                                            Mexico, Miocene molluscs, salt basin, Isthmus of Tehuantepec: 3-1493.
     U.S.S.R., flora, Zhidovshchizna, river Neman: 3-150.
                                                                              Pliocene invertebrates, Punta Rosalía, Baja Cal-
                                                                                         ifornia: 3-1152.
       Mammoth epoch, northern Siberia, ecology: 3-3663. Marine interglacial deposits, Onega river basin: 3-1471.
                                                                            Mississippi, pelecypod <u>Nemocardium nicolletti</u>: 3-2934.
       Novo-Caspian flora, western Turkmenia: 3-1533.
Plant remains, periglacial zone, Russian plain:
                                                                            Montana, Oligocene plants, upper Ruby River basin:
                                                                                         3-1197.
                                                                            Montana-Colorado, Diptera, Miocene-Oligocene:
                  3-1534.
       Pollen from dark-conifer forests, Quaternary,
Olkhon island, lake Baikal: 3-3670.
                                                                                         3-488.
                                                                            Nebraska, Arctoryctes, other Oligocene vertebrates:
                                                                                         3-1170.
     Seed plants, lower Aldan and Lena rivers: 3-3669. Utah, Pleistocene bighorn sheep, Salt Lake City
                                                                            Western, guidebook: 3-3600.
Nevada, Eocene frog: 3-1166.
                  region: 3-3298.
                                                                            New Mexico, palynology, San Juan basin: 3-813.
     Virginia, fossil modern black bear: 3-2939.
                                                                            North America, Oligocene didelphid marsupials: 3-1511.
   Silurian.
     British Columbia, <u>Dinobolus</u>, Sandpile group: 3-2267.
                                                                            Pantodonta, Paleocene: 3-1174.
                                                                            Puerto Rico, Foraminifera, Miocene, Lajas Valley:
     California, trilobites, Klamath Mountains: 3-1505.
                                                                                         3-3310.
     Corals, zaphrentoid, systematic position: 3-1483.
                                                                               Foraminifera, San Sebastián-Isabela section:
     England, Eurypterida, Welsh Borderland: 3-4063.
     Maine, graptolites, early Ludlow: 3-1481.
New York, arthropods, Syracuse formation: 3-1502.
                                                                                         3-3309.
                                                                               Jacaguas group, middle Eocene, micropaleontology
     Northwest Territories, fauna, Sutherland River
formation, Devon Island: 3-2960.
                                                                                         and biostratigraphy: 3-2951.
                                                                            Rodents, origin: 3-3299.
                                                                            South Carolina, microfossils, Parris Island area:
     Northwest Territories and New York State, <u>Hemi-arges</u> (Trilobita): 3-3289.
                                                                                         3-1466.
                                                                             Trinidad, benthonic Foraminifera: 3-2246.
     Nova Scotia, Ostracoda, Stonehouse formation, Ari-
                                                                            U.S.S.R., faunas Buchak and Kiev formations, U-
     saig: 3-2281.

Oklahoma, Polydeltoideus, new blastoid: 3-2575.
                                                                                         kraine: 3-154.
                                                                               Foraminifera, upper Eocene Kerestinsk formation:
       Synbathocrinus? antiquus, crinoid, Henryhouse formation: 3-2579.
                                                                                         3-1468.
                                                                               Fossil wood, Miocene, Suifun series, south Pri-
     Quebec, cryptostome Bryozoa, Anticosti Island:
                                                                                         more: 3-3651.
                   3-1487, 3-2933.
                                                                               Lower Tortonian fauna, Podolia, Ukraine: 3-3672. Miocene starnosed mole, Central Asia: 3-1172.
     Saskatchewan, faunas Interlake group: 3-2617.
     Tennessee, <u>Lissatrypoidea concentrica</u> (Hall), lectotype: 3-134.
                                                                               Nassidae, lower Sarmation, Moldavian S.S.R.: 3-140.
     Yukon Territory, trilobites, graptolites, brachi-
                                                                               Nerinea inkermanica, n. sp., Montian, Crimea:
                  opods, Prong Creek: 3-4065.
                                                                                          3-139.
   Tertiary.
                                                                               Oyster beds, Miocene, southeastern Ustyurt:
     Alabama, Jackson Eocene Ostracoda, Cocoa sand:
                                                                                          3-121.
                   3-4072.
                                                                               Pliocene flora, western Turkmenia: 3-3668.
       Microforaminifera, Oligocene Marianna limestone:
                                                                               Sarmatian mactrids, Mangyshlak and Ustyurt:
                  3-1189.
                                                                                          3-137.
     Argentina, teleosts: 3-3290.
                                                                               Spore-pollen complexes, Pliocene, lower Kama:
       Valvatidae: 3-4060.
                                                                                          3-151.
     Arizona, micropaleobotanical research: 3-1842.
                                                                             U.S., biogeography horses, northern Great Basin:
     Australia, planktonic Foraminifera, Lakes Entrance
oil shaft, Victoria: 3-1190.
California, Big Bend quadrangle: 3-432.
                                                                                          3-1514.
                                                                               Georgia and Carolinas, check list late Miocene
                                                                                         molluscan species: 3-3286.
       Coccolithophorids and related nannoplankton:
                                                                               Neoscaphiopus and other Pliocene pelobatid
                   3-2940.
                                                                                          frogs: 3-2588.
        Foraminifera, Eocene Sacate formation: 3-3304.
                                                                            Virginia, microfauna, Yorktown formation, James River: 3-812.
       Fossil tortoises: 3-3293.
New rodent genus, Miocene Tick Canyon formation:
                                                                               Miocene whale near Hampton: 3-144.
                   3-2276.
                                                                             Washington, marine carnivore, Miocene Clallam
        Orbulina time surface, vindication: 3-2608.
                                                                                          formation: 3-491.
        Paleocene vertebrate fauna, El Paso Mountains:
                                                                               Nautiloid, <u>Eutrephoceras</u> <u>eyerdami</u>, Eocene Cow-
litz formation: 3-3282.
                   3-2618.
        Pliocene fresh-water gastropods, San Mateo
                                                                             Wyoming, Miocene rodent Palustrimus Wood: 3-3301.
       County: 3-1495.
Silicified Turbellaria, Calico Mountains nod-
                                                                          Triassic
```

ules: 3-2265.

Argentina, vertebrate-bearing strata, Mendoza

```
Paleontology - Continued
                                                                                     boundaries subdivisions Upper Pennsyl-
                 region: 3-114.
                                                                                     vanian: 3-3260.
    British Columbia, ammonoid faunas, Pardonet for-
                                                                        Identification coal beds, application elementary statistics: 3-1202.
                 mation: 3-3662.
     Canada, western, marine faunas: 3-2959.
                                                                        Indiana, pollen study, early Wisconsin bogs:
     Egypt-Israel, Middle Triassic nautiloids: 3-1498.
    Greenland, Rhaeto-Liassic flora, Scoresby sound:
                                                                                     3-1418.
                                                                        Massachusetts, rebedded pollen, late-glacial sedi-
ments, Taunton: 3-1843.
                 3-4075.
     Nevada, marine mollusks, Natchez Pass formation:
                                                                        Michigan, pollen spectra, bryophytic polsters,
                 3-3287.
    New Mexico, reptiles, amphibians, fish, northern:
                                                                                     Inverness Mud Lake bog: 3-1536.
                                                                        New Mexico, Cretaceous-Tertiary, San Juan basin: 3-813.
                 3-1407.
    Pennsylvania, new procolophonid, reptile, Bowmans-
ville: 3-2589.
                                                                        Northwest Territories, Devonian spores, Melville
Island: 3-2287.
    Svalbard, arctoceratids. 3-2937.
U.S., coelacanth fishes, Triassic, western: 3-2391.
                                                                        Ontario, Pleistocene deposits, James Bay lowlands:
                                                                                     3-1470.
       Fishes, eastern: 3-142.
                                                                        Palynology, paleofloras, and paleoenvironments:
Paleosols.
                                                                                     3-2954.
    Bermuda: 3-3985.
    U.S.S.R., Oligocene, Kulunda: 3-3235.
                                                                        Pollen grain preservation: 3-1841.
       Syrt deposits, Quaternary, southern trans-Volga
                                                                        Pollen in drilling-mud "thinners," source contami-
                                                                                     nation: 3-2956.
                region: 3-3652.
                                                                        Pseudochitinous and resinous microfossils, tools
Paleotemperatures.
    Belemnoidea, analyses: 3-3217.
Australia, Mesozolc: 3-2171.
                                                                                     for subsurface geologist: 3-4014.
                                                                        Studies in paleobotany, textbook: 3-1840.
Svalbard, lower Carboniferous, Vestspitsbergen:
       Germany and Poland, Mesozoic: 3-1768.
     Italy, Plio-Pleistocene, Le Castella, Calabria:
                                                                                     3-1203.
                                                                        Techniques, handbook: 3-2614.
Texas, pollen studies, peat deposits: 3-1083.
                 3-2170.
Paleozoic.
                                                                        Tool for economic geology: 3-2955.
    Alberta, Banff area, revision nomenclature: 3-2557.
Arizona, Alpine-Nutrioso area, Apache County:
                                                                        Torispora securis Balme, spore or sporangial wall cell?: 3-2957.
                 3-4049.
                                                                        U.S.S.R., plant remains, periglacial zone, Russian
    Colorado, lower and middle, guidebook: 3-3955.
                                                                                     plain: 3-1534.
    Greenland, lower Paleozoic: 3-4021.
                                                                          Pollen and spores, Permian, Cherdyn and Aktyu-
     Maine, Moose River synclinorium, stratigraphy:
                3-2571.
                                                                                     binsk areas, Cis-Urals: 3-2615.
      West-central, guidebook: 3-2162.
                                                                           Pollen from dark-conifer forests, Quaternary,
                                                                          Olkhon island, lake Baikal: 3-3670.
Spore-pollen complexes, Pliocene, lower Kama:
    Mexico, pre-Carboniferous rocks, central Chihua-
                hua: 3-1124.
    Nevada, continental margin: 3-2251.
                                                                                     3-151.
    North America, relationship boundaries to marine
                                                                   Paragenesis.
                                                                                   See also Mineral deposits, origin.
                 transgressions and orogenic movements:
                                                                        Colorado, mineral paragenesis, Precambrian rocks,
                                                                                     Tenmile Range: 3-256.
                 3-99.
                                                                        Dark minerals in alkalic rocks: 3-3017.
    Northwest Territories, Admiralty Inlet region:
Baffin Island: 3-3250.
                                                                        Zinc-lead ores, Illinois: 3-1705.
    Nova Scotia, Pictou County: 3-2920.
                                                                   Patterned ground.
    Oklahoma, pre-Pennsylvanian subsurface, East Lind-
                                                                        Greenland, Dundas, Thule air base: 3-3614.
                                                                          East, frost polygons and ground slope: 3-1419.
Sorted patterns in gravel over melting ice sur-
                 say area: 3-3208.
     Ontario, lexicon Paleozoic names: 3-2546.
                                                                                    face, Thule: 3-3613.
    South Carolina, piedmont metasedimentary rocks:
                                                                        Nevada, desiccation fissures, Black Rock and Smoke Creek deserts: 3-2178.
                 3-3211.
    Texas, central and west, history: 3-773.
History Fort Stockton-Del Rio region: 3-774.
    Swisher gabbroic terrane, Panhandle: 3-98. U.S.S.R., age salt-bearing formations, Russian
                                                                        Equivalent weight humic acid from peat: 3-210.
                                                                        Free radicals, origin: 3-3341.
Louisiana, Mississippi River region, Recent ac-
                 platform: 3-103.
       Arctic: 3-4020.
                                                                                     cumulation: 3-3405.
       Kirghiz range, Cambrian-Ordovician, Tien Shan:
                                                                        North America, types: 3-3239.
                 3-2545.
                                                                        U.S.S.R., Novo-Caspian flora, western Turkmenia:
       Kotelnyy island: 3-1811.
                                                                                     3-1533.
       Northwestern Siberian platform: 3-3642.
                                                                   Pebbles.
       Pseudoconglomerates, Karelia and Kola peninsula:
                                                                        Columns associated with epigenetic ore deposits:
                 3-1640.
                                                                                     3-3111.
    U.S., Appalachians, systemic boundaries: 3-2219.
                                                                        Indiana, glacial till, Parke and Putnam counties:
       Early, tectono-stratigraphic patterns: 3-2220.
                                                                                     3-1651.
                                                                          Pebble composition, Wisconsin outwash sediments,
Wabash Valley: 3-1985.
       Upper Mississippi Valley, dispersal center, clastics: 3-4197.
      West Texas to northern Montana, stratigraphic
                                                                        Limestones, plastic deformation: 3-1785.
    cross section: 3-4019.
Venezuela, Mérida Andes, fossillferous localities:
                                                                        Microstriations: 3-2369.
                                                                        Utah-Arizona, Glen-San Juan Canyon region, anal-
                 3-1806.
                                                                                     ysis: 3-1987.
    Wisconsin, central, guidebook: 3-2899.
                                                                   Pedology. See Soils.
Palynology.
                                                                   Pegmatites.
    Application in petroleum exploration: 3-1535.
                                                                        Antarctica, Lutzow-Holm Bay, age measurements:
    Aquilapollenites, pollen: 3-2958.
Arizona, late Tertiary: 3-1842.
                                                                                     3-2924.
                                                                        Australia, dolerite patch pegmatites, analcite
    Sonoran desert, early Pleistocene record: 3-777.
Australia, lower Mesozolc megaspores, Tasmania
                                                                                     basalt intrusion, Sydney region:
                                                                                     3-1968.
```

California, rare earth pegmatite, Nuevo: 3-906.

New York, monazite, cyrtolite crystals, Day: 3-908. Pegmatitic monazites, geology and composition:

Colorado, Hyatt Ranch, Larimer County: 3-1342. Greenland, beryllium minerals, Ilimaussaq: 3-2335.

Maine, fluorescing pegmatite: 3-248.

3-230.

and South Australia: 3-1204.

Catalog of fossil spores and pollen, v. 10, v.12:

3-1200, 3-1201. Connecticut, southeastern, pollen diagram: 3-1082.

Europe and North America, sporological evidence on

Canada, Maritime Provinces, spore genera, upper Carboniferous: 3-3259.

, Dobbact	
matites - Continued	
Quebec, holmquistite occurrences, Quebec Lithium	Lititz quadrangle: 3-2133.
Corp., Barraute: 3-2336.	Lumberville quadrangle: 3-424.
Rare element distribution, sharply zoned granite pegmatites: 3-3018.	Manheim quadrangle: 3-2134.
Rare-metal granite, geochemistry: 3-3782.	New Holland quadrangle: 3-2135. Palmyra quadrangle: 3-3577.
South Dakota, Keystone district, Black Hills:	Red Lion quadrangle: 3-3578.
3-254.	Richland quadrangle: 3-2136.
Pegmatite-granite relationships, Calamity Peak	Sinking Spring quadrangle: 3-2137.
area, Black Hills: 3-2364.	Telford quadrangle: 3-425.
Texas, fayalite-bearing pegmatite, Burnet County:	Terre Hill quadrangle: 3-2138.
3-4169.	Womelsdorf quadrangle: 3-2139.
U.S.S.R., Afrikanda massif: 3-3084. Gabbroic, Urals: 3-2731.	York quadrangle: 3-3579. Maps, Geologic.
Micaceous, age determination: 3-1282.	Foxburg quadrangle, oil and gas field atlas:
Middle Dnepr region, potassium-argon and lead	3-2126.
ages: 3-2570.	Frenchtown quadrangle: 3-2883.
Origin oval forms, Sangilen highlands, Yenisey	Pennsylvania: 3-419.
ridge: 3-1644.	Mineralogy.
Zircons, Hf/Zr ratio: 3-2653. lecypoda.	Deweylite, Cedar Hill: 3-1945. Jacksonburg formation, Ordovician: 3-1271.
Inoceramus, Upper Cretaceous, northern Alaska:	Paleontology.
3-136.	Corry sandstone, Mississippian, northwestern:
Mactrids, Sarmatian, Mangyshlak and Ustyurt,	3-2619.
U.S.S.R.: 3-137.	Fossil collecting, western: 3-153.
Nemocardium nicolletti, Paleocene, Mississippi:	Sponge spicules, Ordovician Bellefonte dolomite:
3-2934.	3-1479. Triassic procolophonid, Bowmansville: 3-2589.
Oyster beds, Miocene, southeastern Ustyurt, U.S.S.R.: 3-121.	Petrology.
Pacific Ocean, Panamic-Pacific province, Recent:	Chamosite oolites, Devonian, Harrisburg region:
3-2584.	3-1302.
Permophorus Chavan, 1954, new name: 3-2583.	Physiography.
U.S.S.R., upper Devonian assemblages, Volga-Ural	Drainage basins, channels, flow characteristics,
province: 3-1127.	streams, central: 3-1774. [[]] [] [] [] [] [] [] [] [] [] [] [] []
nnsylvania.	Structural geology.
Bibliography to 1949: 3-3929. Areas described.	Glenarm series, Chester County: 3-1789.
Cornwall, guidebook: 3-3604.	Sweet Arrow fault, east-central: 3-1108.
Loysville quadrangle: 3-3603.	Pennsylvanian. See also Carboniferous.
Economic geology.	Alabama, "coal measures," correlation: 3-4031.
Clays, high-alumina-Mercer, relationship to stra-	Alberta-Williston basin, Mississippian-Pennsylva- nian boundary: 3-1130.
tigraphy and petrography, Pottsville	Colorado: 3-2153.
sandstones: 3-962. Coal, fuel competition: 3-3906.	Europe and North America, sporological evidence
Iron ore, Cornwall, guidebook: 3-3604.	on boundaries subdivisions Upper Penn
Mineral industry, 1958, 1959: 3-639, 3-3887.	sylvanian: 3-3260.
Petroleum, developments, 1959, 1960: 3-1361,	Illinois, Anvil Rock sandstone and channel cut-
3-3507, 3-3896.	outs, Herrin coal: 3-3150. Caseyville group, Pomona region: 3-3261.
Leasing and operating oil and gas lands, guide to information: 3-3508.	Caseyville and Chester sediments, differentia-
Uranium occurrences: 3-3876.	tion, Illinois basin: 3-477.
Engineering geology.	Classification: 3-795.
Grading methods, Pittsburgh's runway: 3-2812.	Clay resources, Knox County: 3-630.
Presque Isle Peninsula, Erie, beach erosion con-	Illinois basin: 3-3149.
trol: 3-1373.	Indiana, Brazil quadrangles, coal deposits: 3-99 Cave filling in St. Louis limestone: 3-3401.
Geohydrology.	Channel-fill sandstones: 3-1819.
Montana earthquake effect on mine-water pools:	Merom sandstone, type region: 3-1459.
Geophysics.	Iowa, Des Moines, Missouri, Virgil series: 3-353
Crustal structure, New York-Pennsylvania area:	lanan, houndary with Mississippian: 3-4/0.
3=1583.	Kansas, petrology, marine bank limestones, Lansi
Geologic interpretation, aeromagnetic maps, Bucks,	group: 3-605. Kentucky, clay mineral sequence, Mississippian-
Montgomery, Lehigh counties: 3-500.	Pennsylvanian unconformity, Illinois
Lancaster, Berks, Lebanon counties: 3-2296.	basin: 3-3257.
Heat flow, wells: 3-1580. Historical geology.	Kentucky-Tennessee, sedimentation, early: 3-2231
Cambro-Ordovician stratigraphy, northwestern:	Ohio, Monongahela formation, coal resources:
3-2223.	3-1365. Oklahoma, Anadarko and Ardmore basins, heavy-min
Well-sample descriptions, northwestern: 3-3658.	Oklahoma, Anadarko and Ardmore basins, heavy min eral segregation, Springer sandstones
Maps, Aeromagnetic.	3-2554.
Alburtis quadrangle: 3-3573.	Correlation problems: 3-1131.
Ambler quadrangle: 3-58. Bedminster quadrangle: 3-420.	Hartshorne sandstone: 3-2555.
Rernville guadrangle: 3-35/4.	Layton sandstone: 3-1132.
Collegeville quadrangle: 3-421.	Lenapah limestone, Perry Farm member, restrict
Columbia East guadrangle: 3-212/.	biofacies: 3-1163. Pennsylvania, Pottsville sandstone, relation to
Dovlestown quadrangle: 3-422.	high-alumina Mercer clay: 3-962.
Ephrata quadrangle: 3-2128.	Tennessee, marine cyclothems: 3-262, 3-3837.
Gap quadrangle: 3-2129. Glen Rock and New Freedom quadrangles: 3-3575.	Texas, Glass Mountains, limestone petrology, car
Hummelstown quadrangle: 3-3576.	bon isotope distribution: 3-3412.
Lancaster quadrangle: 3-2130.	Grosvenor quadrangle: 3-436.
Lansdale quadrangle: 3-423.	West-central, reef patterns: 3-770. U.S., cyclothems, Dunkard group, Pennsylvania,
Lebanon quadrangle: 3-2:31.	West Virginia, Ohio: 3-3836.
Leola quadrangle: 3-2132.	

```
Pennsylvanian - Continued
       Four Corners region, geology gas: 3-309. Great Basin: 3-4034.
                                                                                     3-1460.
                                                                        U.S., cyclothems, Dunkard group, Pennsylvania,
West Virginia, Ohio: 3-3836.
    Utah-Colorado, saline facies, Paradox member, Her-
                                                                          Great Basin: 3-4034.
                 mosa formation: 3-796.
                                                                        Wyoming, Meade Peak phosphatic member, Phosphoria
    West Virginia, Conemaugh and Monongahela forma-
                                                                                     formation, petrology: 3-1996.
                 tions, paleotopographic control sedi-
mentation; joint patterns: 3-4032.
                                                                          Park City formation, stratigraphic implications:
                                                                                     3-3275.
    Wyoming-Colorado: 3-2154.
Peridotite, Tennessee, Clark Hollow, aeromagnetic study: 3-3321.
Periglacial phenomena. See also Patterned ground. Canada, Geographical Branch studies: 3-779.
                                                                        Wyoming-Colorado: 3-2154.
                                                                        Yukon Territory, northern: 3-2233.
                                                                   Peru.
                                                                        Copper mineralization, contact metasomatic, Cal-
zada mine: 3-3119.
       Literature review: 3-3979.
                                                                        Petroleum, Maquia, new producing area: 3-322.
Permafrost.
                                                                        Pleistocene, Talara region, geology and paleon-
    Alaska, timber piles for foundation, Kotzebue:
                                                                                     tology: 3-2566.
                 3-2093.
                                                                        Pyrite body and copper ore bodies, Cerro de Pasco
    Bases and foundations on frozen soil: 3-3544.
                                                                                     mine: 3-2770.
    Bibliography: 3-2902.
                                                                   Petrofabrics.
     Canada, investigations: 3-3978.
                                                                        Deformed rocks, symmetry concepts in structural
     Canada and U.S.S.R., distribution, relation to
                                                                                     analysis: 3-3244.
                air temperature: 3-780.
    Electrical resistivity: 3-172.
Foundations in, Alaska: 3-2816.
                                                                        Geometric classification rocks and mineral de-
                                                                                     posits: 3-96.
    Greenland, permafrost, surface features in arid
                                                                        New Zealand, olivine orientation in dunite, rela-
                                                                                     tion to tectonic environment: 3-469.
                 areas: 3-3977.
                                                                        Phosphorites, Karatau basin, U.S.S.R.: 3-3842.
       Seismic refraction soundings, Thule: 3-4121.
                                                                        Pseudotachylite, Gairloch district, Scotland:
     Ice-thawing process: 3-3612.
    Labrador-Ungava, central: 3-2905.
                                                                                     3-3831.
      Schefferville region, investigations, pilot project: 3-2815.
                                                                        Reorientation calcite crystals in limestone:
                                                                                     3-1443.
                                                                        Thermodynamic theory of nonhydrostatically
    Manitoba, pier-supported building: 3-1733.
                                                                                    stressed solids: 3-1442.
    Muskeg research conference, 6th, 1960, proceed-
                 ings: 3-3545.
                                                                        Ussurite, variety alkali basalt rocks: 3-3827.
Permeability.
                                                                   Petrogenesis.
    Alluvium, Quaternary, Kanawha County, West Virginia: 3-4229.
                                                                       High temperature, oxidation: 3-2671.
Ontario, Sudbury lopolith: 3-596.
                                                                        Pakistan, serpentinite-limestone contact, Zhob
    Determination by resistivity logging: 3-833.
                                                                                     Valley: 3-581.
    Measurement, in heterogeneous media: 3-4199.
     Physics flow through porous media: 3-3419.
                                                                   Petrography (general). For areal, see subheading Pe-
    Rocks, effect polarity and presence carbonate particles: 3-3465.
                                                                                     trology under the various states and
                                                                                     countries.
    Valley-train deposits, Mad River valley, Ohio;
                                                                        Coal: 3-2438.
                                                                        Impregnation sands with "bio-plastic" for grain
                cyclic-fluctuation methods for deter-
                 mining: 3-2739.
                                                                        orientation study: 3-1295.
Iron ores, Silurian, Georgia: 3-3123.
    Alberta, Jasper area, stratigraphy, post-Carbon-
                                                                        Loess: 3-3540.
      iferous unconformity: 3-3591.
Rocky Mountain group, Banff area: 3-2232.
                                                                        Sandstones collected for high-silica evaluation,
                                                                                     Indiana: 3-914.
    Arizona, Concha limestone and Rainvalley forma-
                                                                        Syngenesis and epigenesis, study mineral deposits:
                 tion: 3-4037.
                                                                                     3-2021.
    California, Nosoni and Dekkas formations: 3-480. Greenland: 3-4035.
                                                                   Petroleum.
                                                                       Accumulation in stratigraphic traps, capillary
       Central East: 3-4033.
                                                                                    pressure-hydrodynamic relationship:
    Kansas, proposed American standard, early Permi-
                                                                                     3-2055.
                 an(?) rocks: 3-1134.
                                                                        Africa, developments, 1960: 3-3530.
                                                                         Geologic conditions, current activity, oil po-
tential: 3-2080.
      Wellington conchostracan-bearing beds, Harvey
                and Sedgwick counties: 3-4057.
    Mongolia, central: 3-112.
                                                                           Spanish Sahara prospects: 3-4277
    Nevada, Carlin Canyon: 3-110.
                                                                          Togoland-Dahomey prospects: 3-2081.
    North America, correlation: 3-1133, 3-4036.
                                                                        Alaska, developments, 1960: 3-3487.
Geology and possibilities: 3-2433.
    Northwest Territories, Grinnell Peninsula, rocks
and faunas: 3-479.
Mackenzle District: 3-2921.
                                                                          Kenai Peninsula, oil and gas fleids, maps:
                                                                                    3-2490.
    Ohio, Dunkard group, coal resources: 3-1365.
                                                                        Alberta, Athabaska deposit, geochemistry: 3-3342.
    Oklahoma, cores, Beaver County: 3-2558.
                                                                          Athabasca tar sands, mining and ore disposal:
       Evaporites, southwestern: 3-2234.
                                                                                    3-981.
                                                                          Facies analysis, Devonian Wabamun group: 3-104.
Swan Hills oil field, Devonian limestone reef
       West-central, stratigraphic section: 3-1135.
    Texas, Glass Mountains, limestone petrology, car-
bon isotope distribution: 3-3412.
                                                                                    reservoir: 3-4268.
       Grosvenor quadrangle: 3-436.
Wichita group, Brazos River Valley: 3-2559.
                                                                        Argentina, map: 3-1056.
                                                                        Arizona, developments, 1960: 3-3488.
    Texas-New Mexico, Tansill formation, dedolomitization: 3-3844.
                                                                        Arkansas, developments, 1960: 3-3489.
                                                                        Asia, developments, 1960: 3-3531, 3-3532.
    U.S.S.R., Asselian-Sakmarian sea, southern
Tataria, evolutionary changes of salin-
                                                                        West-central, exploration: 3-3529.
Australia: 3-1729.
      ity: 3-3840.
Cis-Caucasia, transition complex: 3-1462.
                                                                           Developments, 1960: 3-4278.
                                                                           Discovery, Tara, Queensland: 3-2437.
      Coal-bearing strata, central Pechora, rhythmic features: 3-3839.
                                                                        Bibliography: 3-1351.
                                                                        Oil shale and shale oil, U.S. Bureau of Mines
publications, 1917-1959: 3-2062.
Brazil, further exploration useless: 3-2077.
      Landscape, southern Tataria: 3-1472.
      Manrak range, Kazakhstan: 3-3646.
      Northern Pamir: 3-1461.
                                                                        British Columbia, Dept. Mines, annual report, 1959:
      Solikamsk series, age: 3-111.
                                                                                     3-963.
      Transbaikal deposits, stratigraphic system:
                                                                          Northeastern, Cretaceous possibilities: 3-797.
```

```
Petroleum - Continued
                                                                                               International oil and gas development, 1959:
      Bulgaria, physical properties producing carbonate
      formations: 3-3524.

Calculation recoverable reserves: 3-3462.
                                                                                                                3-980.
                                                                                               Jamaica, exploration: 3-2076.
                                                                                                Jordan, prospects: 3-2078.
      California, oil and gas fields, maps: 3-2490, 3-3141.
                                                                                               Kansas, developments, 1959: 3-644.
                                                                                                  Eubank area, prospects: 3-2069.
Northeastern, oil and gas fields: 3-2067.
Northern: 3-2068.
         San Joaquin-Sacramento valleys and northern
                       coastal regions, oil and gas fields:
                       3-3142.
                                                                                                   Osage County, first commercial producing wells: 3-4271.
      Canada, Arctic, economic, physical factors: 3-2796.

Developments, 1960: 3-3479, 3-3480.

Paleogeomorphology in exploration: 3-973.
                                                                                                   Petrophysical characteristics, Mississippian
      Western, occurrence, recovery: 3-2063.
Carbon isotope studies, crude oils and porphyrin aggregates: 3-4142.
                                                                                                                "chat" Glick field: 3-315.
                                                                                                Kentucky, Allen County, recent discoveries: 3-3496.
Developments, 1960: 3-3494.
                                                                                                   Geology, recent deep drilling, eastern: 3-3495.
      Carbonate reservoir rocks, geophysical exploration:
                                                                                                   Goose Creek dome: 3-67.
                                                                                                Greenville quadrangle, structure map: 3-721.
Oil and gas conservation act, 1960: 3-3497.
Log interpretation, sandstone reservoirs: 3-176.
Logging coordinator in operating company, duties:
                       3-3700.
      Caribbean region, developments, 1960: 3-3522.
Chile-Argentina, Tierra del Fuego: 3-321.
China, geological surveying and prospecting: 3-640.
Resources development: 3-2803.
                                                                                                                 3-178.
       Colorado: 3-1716.
                                                                                                 Logs, carbonate reservoirs: 3-177.
Louisiana, developments, 1960: 3-3489, 3-3498.
Lac Blanc field, Vermilion Parish: 3-1722.
          Developments, 1960: 3-3490.
Douglas Creek area, Dakota structure contour map:
                        3-1390.
                                                                                                    Lake Arthur field, Jefferson Davis Parish:
          Green River oil shale, yields: 3-1357.
Horse Draw area, Mancos B structure contour map:
                                                                                                                 3-1724.
                                                                                                    Salt domes, maps and data sheets: 3-316.
South Pass Block 27 field, offshore, Plaque-
mines Parish: 3-1359.
                        3-1391.
       Crude oil, composition: 3-1354.
       Development oil and gas fields, planning program:
                                                                                                    Turtle Bayou-Kent Bayou-North Turtle Bayou com-
                       3-968.
                                                                                                                 plex: 3-1723.
       Effect mineralogic composition of rocks on petro-
                                                                                                 Mexico, developments, 1960: 3-3520.
Origin in relation to deposition, basins
                         leum: 3-3467.
       Egypt, oil fields: 3-992.
Entry into commercial sandy reservoirs,
                                                                                                                  3-3521.
                                                                    epigenetic
                                                                                                 Michigan, developments, 1960: 3-3499.
                        minerals as indicators: 3-1720.
                                                                                                 Middle East, developments, 1960: 3-3531.
       Europe, developments, 1960: 3-3523.
                                                                                                 Persian Gulf, new oil province: 3-2802.

Mineral rights: 3-3440.

Mississippi, Little Creek field, Lincoln and Pike counties: 3-1726.
       Exploration, airborne geophysical surveying:
                         3-4259.
           Chlorine logging in cased holes: 3-3137.
           Electric log interpretation: 3-1218, 3-2301.
Elongation of sand grains and trend of sand body:
                                                                                                 Mohole project, aid to oil industry: 3-4257.
                                                                                                 Montana, Tule Creek area: 3-2070.
                         3-4256.
                                                                                                 Mud analysis logging: 3-2427.
           Foraminiferal paleoecology: 3-1184. Future, address: 3-4254.
                                                                                                 Mud analysis logging: 3-2427.

Nebraska, developments, 1960: 3-3490.

Neutron-gamma logs for determination oil-water contact: 3-3753.

Nevada, developments, 1960: 3-3517.

New Mexico, Bisti field, hydrodynamic entrapment, oil and gas: 3-2071.

Chama basin, exploration: 3-1413.

Developments, 1959 1960: 3-2488. 3-3501. 3-2511.
           Gain from Mohole: 3-2048.
           Geobotanical indicators, bitumen: 3-3139. Geochemical prospecting: 3-4258.
           Geophysical method, need for new approach:
                         3-2053.
           Gravity-magnetics as tool: 3-4260.
                                                                                                    Developments, 1959,1960: 3-3488, 3-3501, 3-3511.
Oil and gas fields, southeastern: 3-3502.
           Importance drill cores and cuttings: 3-4255.
           Need for new approach: 3-970.
                                                                                                     San Juan basin, Pennsylvanian production:
           Operations research: 3-297.
           Paleogeography, coastal studies: 3-1352.
Palynology and its application: 3-1535, 3-2955,
                                                                                                                  3-4272.
                                                                                                  New York, developments, 1960: 3-3503.
                                                                                                 North America, exploratory drilling, 1960: 3-3482.
North Dakota, Burke County area, oil fields:
3-2435.
                         3-2956.
           Philosophy: 3-296.
Principles: 3-3461.
                                                                                                 Production statistics and engineering data,
1960: 3-2434, 3-3892.
Northwest Territories, lower Mackenzie basin and
            Radiation surveys can find oil: 3-2052.
            Radioactivity surveying: 3-3326.
            Seismic methods: 3-3745.
                                                                                                 arctic coastal areas, prospects: 3-4269.
Occurrence, in any type rocks: 3-975.
In basement rocks: 3-974.
            Sidewall core analysis in formation evaluation:
                         3-3136.
           Stratigraphic traps in shaly sands, electric log interpretation: 3-4102.
Surface as clue to stratigraphic traps: 3-2054.
                                                                                                     Principal rules: 3-641.
                                                                                                  Ohio, developments, 1960: 3-3504, 3-3894.
Oil and gas fields, map: 3-735.
           Uses clay minerals: 3-299, 3-2708.
Wildcat odds tougher: 3-2794.
                                                                                                     Oil and gas industry, contributions: 3-3893.
                                                                                                     Sub-Trenton data sheets: 3-3895.
         Florida, Bend area, Comanche (Cretaceous) section:
                                                                                                  Oil field development, use tritium isotope of hy-
           3-314
Prospects: 3-2065.
                                                                                                  drogen: 3-972.
Oil for the world: 3-967.
        Formation, diagenesis clay minerals: 3-976.
                                                                                                  Oklahoma, Arkoma basin, north-central Ouachita
        Formation resistivity factor-porosity relation-
                                                                                                     Mountains, guidebook: 3-3207.
Developments, 1960: 3-3505, 3-3513.
                         ships: 3-2300.
        Free radicals, origin: 3-3341.
        Geochemical prospecting: 3-971.
Geochemical prospecting: 3-971.
Geochemistry, symposium: 3-301 through 3-308.
Geophysical investigation wells, multi-channel telemeter: 3-825.
Idaho, developments, 1960: 3-3519.
                                                                                                     Hughes County: 3-3209.
                                                                                                     Kingfisher County: 3-1360.
North Okarche field, Kingfisher County: 3-2800.
Stockton field, Marietta basin: 3-2801.
                                                                                                   Oklahoma-Arkansas, Ouachita reserves: 3-2072.
                                                                                                   Ontario, Fuel Board, report, 1959: 3-2100.
                                                                                                  Oregon, offshore possibilities: 3-3506.
Origin: 3-800.
         Illinois, developments, 1960: 3-3491.
        Industry, 1959: 3-643.
Indiana, developments, 1959,1960: 3-2066, 3-3492.
                                                                                                      Accumulation sediment hydrocarbons to form crude
```

Spencer County, recent development: 3-3493.

```
Petroleum - Continued
                                                                                Prospecting features, buried structures: 3-988.
                 oil: 3-308.
                                                                                R.S.F.S.R. reserves and exploration: 3-3145.
      And oil deposits: 3-3468.
                                                                                Radiometric method, prospecting: 3-3138.
      Change of composition, casing-head gases along stratigraphic section: 3-977.
                                                                               Securing increase proved oil and gas reserves:
                                                                                           3-3144.
      Chemical aspects genesis, related to source bed recognition: 3-2057.
                                                                               Selengin depression, Baikal region, prospects, hydrogeologic research: 3-3902.
       Dependence on climate: 3-1356.
                                                                               Southern, lower Albian: 3-3897.
Stavropol area, exploration: 3-3898.
Tersin depression, prospects in Devonian sedi-
      Diagenesis metabolites, origin petroleum hydro-
                 carbons: 3-307.
      Distribution n-paraffins, clue to recognition
                                                                                           ments; conditions formation, Klenovka
                 source beds: 3-2056.
                                                                                           uplift: 3-3527.
      Hydrocarbons in sedimentary rocks: 3-2058.
                                                                                Turkmenia, southeastern: 3-775.
      Organic matter in sedimentary rocks: 3-2059.
                                                                                Turkmenia-Uzbekistan prospects: 3-2079.
      Significance hydrocarbons in sediments and pe-
                                                                                Tuymazy field, lithologic characteristics, Devonian sediments: 3-3328.
      troleum: 3-2060.
Views I.M. Gubkin: 3-3525.
                                                                               Uranium content, Azerbaijan: 3-3039.
    Paleogeologic maps, textbook: 3-794.
Paleogeomorphology, principles: 3-2049.
                                                                               Volga-Ural district, Carboniferous oil-source
                                                                                 deposits: 3-3146.
History exploration: 3-3526.
    Pennsylvania, developments, 1959, 1960: 3-1361,
      3-3507, 3-3896.
Foxburg quadrangle, oil and gas field atlas:
                                                                               West Central Asia, prospects: 3-3904.
                                                                               West Siberian lowland, exploration: 3-3903.
                  3-2126.
                                                                             U.S., Atlantic Coastal States, developments, 1960:
      Leasing and operating oil and gas lands, guide
                                                                                          3-3483.
                  to information: 3-3508.
                                                                                Crude potential 90 billion barrels: 3-313.
    Permeability, determination by resistivity logging:
                                                                               Exploration, future course: 3-3891.
                 3-833.
      Of rocks, effect polarity and carbonate parti-
                                                                                  1960: 3-2064.
                  cles on: 3-3465.
                                                                               Gulf Coast, Cretaceous reefs, exploration: 3-4270.
    Peru, Maquia, new producing area: 3-322.
                                                                                  Lower Frio changes in depth: 3-2799.
    Pigments, Recent fresh-water sediments: 3-305.
                                                                                  Stratigraphy, role in exploration: 3-1721.
    Porosity determination according to SP parameters:
                                                                                Hugoton embayment-Anadarko basin yearbook:
                  3-832.
     Porous media, having storage pores, alternating
                                                                                           3-1362.
                  flow to characterize: 3-2428.
                                                                                Minerals yearbook, 1959, v. 2: 3-964.
                                                                                Montana, North Dakota, South Dakota, develop-
ments, 1960: 3-3500.
       Physics flow through: 3-3419.
    Production well logging techniques: 3-298.
                                                                                North midcontinent, developments, 1960: 3-3485.
    Quebec, well data, Gaspe peninsula, through 1959:
                                                                                Northern Rocky Mountain province, significance
                  3-3481.
    Reservoir nonuniformities, identification, classification, prediction: 3-2430.
                                                                                           interruptions to hydrodynamics: 3-2429.
                                                                               Reserves and exploration, 1960: 3-2798.
Reserves and resources, 1850-1975: 3-966.
Rocky Mountain region, oil and gas fields map:
    Resources in basement rocks: 3-300. Romania, Surani anticline: 3-323.
    Saskatchewan, Glen Ewen field: 3-2797.
                                                                                          3-719.
    Statistics, 1900-1959: 3-2432.
Separation n-octadecane-1-C^{14} from asphaltic mix-
                                                                                Southeastern States, developments, 1960: 3-3484.
                                                                             West Coast area, developments, 1960: 3-3486.
Wildcats located by geology: 3-969.
Uranium and other metals content: 3-2668, 3-2669.
                  tures by elution chromatography:
                  3-1587.
                                                                             Uranium and trace element content: 3-1609.
Utah, developments, 1960: 3-3517.
Lisbon field prospects: 3-2075.
    South America, developments, 1960: 3-3522. Tennessee, developments, 1960: 3-3509.
    Texas, developments, 1960: 3-3510 through 3-3516.
      Exploration, Edwards trend: 3-2074.

Guif Coast, Cretaceous Comanchean reef trend: 3-4274.
                                                                               Lisbon Valley anticline, maps, correlation chart, table: 3-738, 3-739, 3-740.
                                                                             Utah-Colorado, saline facies, Paradox member, Her-
         Production, exploration: 3-4273.
                                                                                          mosa formation: 3-796.
                                                                             Venezuela, future development, industry: 3-1728.
Washington, Port Angeles-Lake Crescent area, map: 3-1055.
       North-central: 3-2436.
       Person field, Karnes County: 3-1727.
       San Miguel sandstone, logging and coring program: 3-3143.
                                                                             Water-oil contact, transition zone in determina-
tion: 3-3466.
       Stratigraphic distribution hydrocarbon produc-
                                                                             Water-saturation of oil-bearing stratum, determin-
                  tion, Abilene area: 3-318.
                                                                             ing: 3-3464.
Water tracers in petroleum reservoirs, radioiso-
    U.S.S.R., algarites, Azerbaijan: 3-979, 3-3478.
       Arlano-Dyurtyulin oil-bearing zone: 3-989.
      Azerbaijan, exploration: 3-3147.
Possibilities, Maykop formation:3-1313.
Azerbaijan and R.S.F.S.R.: 3-325.
                                                                                          topes: 3-3463.
                                                                             Well logging, computers for interpretation:
                                                                                           3-2290.
       Baku crude oils, napthenic acids: 3-1355.
                                                                               Electrical logs for locating stratigraphic traps: 3-4264.
       Cis-Carpathian downwarp, outer zone: 3-3528.
       Cis-Caucasus: 3-986.
                                                                               Logging empty holes: 3-4263. Methods: 3-4261.
       Eruptive plugs and asphalt pebbles, Pliocene,
       Apsheron peninsula: 3-3899.
Exploration, 1958, 1959-1965: 3-984, 3-985.
                                                                                Tests on noninvaded thin beds with shielded
                                                                                          electrodes: 3-4265.
                                                                               True resistivities from electric logs: 3-4262.
         Offshore reserves, Caspian: 3-324.
       Fergana depression, structure and prospects:
                                                                             Well spacing: 3-2051.
                  3-3900.
                                                                             West Virginia, annual report, Dept. Mines, 1959:
      Geological prospecting, effectiveness and dis-
tribution: 3-3888.
Germanium content: 3-2670.
                                                                                           3-343.
                                                                               Developments, 1960: 3-3518, 3-3533.
Lewis and Gilmer counties: 3-320.
       Impact Soviet oil, address: 3-4275.
                                                                               Kanawha County: 3-319.
       Kum Dag uplift region: 3-3901.
                                                                             Wyoming, developments, 1960: 3-3519.
       Lower Carboniferous Mukhanov field: 3-990.
                                                                               Fields: 3-1363.
      North Caspian depression: 3-987.
Oil and gas exploration, Central Asia: 3-991.
Oil man looks at U.S.S.R.: 3-350.
                                                                               Mesaverde formation, Cretaceous, prospects:
                                                                                         3-1141.
                                                                             X-ray computer "fingerprints" rock samples:
```

3-2050.

Production and future: 3-4276.

```
Petroleum - Continued
Yukon Territory-Northwest Territories, Eagle
Plains area, exploration: 3-1358.
Petrology (general). For areal, see subheading Petrology under the various states and
                                                                                 Caroline Islands, Yap: 3-3550.
Mariana Islands, Tinian: 3-3549.
                                                                                 North America, late-Pleistocene environments,
North Pacific region: 3-2169.
                                                                                  Northwest Territories, Bathurst Inlet: 3-3624.
                   countries. <u>See also</u> Igneous rocks;
Metamorphic rocks; Metamorphism; Meta-
                                                                                  Ryukyu Islands, Ishigaki-shima: 3-2834.
                    somatism; Petrography; Sedimentary pe-
                                                                                    Miyako archipelago: 3-3547.
                                                                                    Okinawa-jima: 3-3548.
                    trology. See also names of rocks.
                                                                            Physical geology (general). For areal see under the
     Analyses with nine or more components, analytic
                                                                                                various states and countries.
                   classification and quadriplanar chart-
                                                                                  Geology, principles and processes, textbook:
                    ing: 3-4149.
                                                                                                3-3167.
      Correlation between percentage values; major com-
                                                                                  Minerals for physical geology laboratory: 3-1025.
                    ponent correlation in ferromagnesium
                                                                                  Physical universe, textbook: 3-3166.
                    micas: 3-1954.
     Pressure and temperature crystallization, from
                                                                             Pisces.
                                                                                  Coelacanth fishes, Triassic, western U.S.: 3-3291.
Greenland, East, Permian: 3-4067.
                    elastic effects around solid inclusions
                    in minerals: 3-3801.
                                                                                  Macrepistius arenatus Cope, Cretaceous, Texas: 3-1167.
      Quick identification potash feldspar, plagioclase,
                    quartz for thin section analysis:
                                                                                  Philippines, endemic fauna, Lake Lanao: 3-801.
                    3-4150.
                                                                                  Teleosts, Tertiary, Argentina: 3-3290.
Triassic, eastern America: 3-142.
     Silicates, common rock-forming, chart: 3-3817. Welded ash flows, zones and zonal variations:
                                                                             Pitchblende, estimation oxidation state in ores: 3-235.
                    3-916.
                                                                             Placers.
      Zeolite facies, interpretation: 3-2643.
                                                                                  Alaska, cassiterite, "Manley tin belt": 3-1708.
 Philippine Islands.
                                                                                  Gold, Appalachian, handbook and guide to placers:
     Fish fauna, endemic, Lake Lanao: 3-801.
Northern Luzon, geology: 3-1078.
                                                                                                 3-288.
                                                                             Idaho, Elk City region: 3-3122.
Plants (fossil), <u>See</u> Paleobotany.
Platinum, nugget, Columbia University: 3-1629.
 Phosphate.
      Florida, central peninsular: 3-762.
         X-ray study land pebble samples: 3-765.
      Nicaragua, Rivas Department, reconnaissance:
                                                                             Playas.
                                                                                   California, Mojave Desert, clay mineralogy: 3-3385.
                     3-4251.
      U.S.S.R., phosphatic facies, Silurian, Kyzylkum: 3-267.
                                                                                     Searles dry lake, Pleistocene algal pinnacles:
                                                                                                 3-1315.
                                                                              Pleistocene. See Glacial geology; Quaternary.
 Phosphorites.
                                                                              Pliocene. See Tertiary.
      Phosphorite deposits, classification: 3-291.
                                                                              Poland.
      U.S.S.R., phosphorites, Karatau basin, petrog-
raphy: 3-3842.
                                                                             Geology, status of: 3-2842.
Micropaleontology, bibliography: 3-1179.
Polar wandering, continental glaciation, problem of
 Phosphorous.
      Bering Sea, Aleutian Trench, Gulf of Alaska:
                                                                                                origin: 3-446.
                     3-1253.
                                                                              Pollen analysis. <u>See</u> Palynology.
Polygonal soils. <u>See</u> Patterned ground.
      Geochemistry: 3-764.
Nebraska soil profiles, determination apatite:
3-900.
                                                                              Polyzoa. See Bryozoa.
                                                                              Popular geology.
 Photogeology.
                                                                                   A-test clues: 3-1853.
      Aerial photographs in geologic interpretation and mapping: 3-2104.
                                                                                   Apache tears, obsidian nodules: 3-3803.
                                                                                   Appalachian gold, handbook and guide to placers:
      Arizona, isopach mapping, location swales and
       channels, Monument Valley area: 3-933.
Correction graph: 3-663.
                                                                                                 3-288.
                                                                                   Arctic Ocean: 3-2531.
                                                                                   Are earth's continents adrift: 3-1793. Biography of the sea: 3-1011.
       Detection radioactive minerals with infrared aerial
                     photography: 3-1696.
                                                                                   Coasts of England and Wales, pictures: 3-1100.
Common minerals, rocks, fossils of Oklahoma:
       Fracture traces, geological significance: 3-3629.
       Geobotanical observations, deserts and semiarid regions: 3-3171.
                                                                                                 3-1375.
       Glacial drift, interpretation from infrared films: 3-1085.
                                                                                   Does life exist in space: 3-3269.
                                                                                   Earth drill proposed: 3-3316.
                                                                                   Earthquake effects, Yellowstone: 3-3327.
Evolution California landscape: 3-783.
Exploring glaciers with camera: 3-658.
       infrared aerial photography: 3-1380.
       Mapping rock joints: 3-1109.
       Muskeg area access studies: 3-2089
                                                                                    Finger Lakes region, origin and nature: 3-3625.
       Photointerpretation in geology: 3-348.
Soil erosion, study by aerial photographs, U.S.S.R.:
3-1097.
                                                                                   Fossil collecting, western Pennsylvania: 3-153. Fossils, what they mean, how to collect: 3-4056. Gemstones and minerals: 3-3802. Genesis flood, biblical record and scientific implications: 3-3927.
       Surveying deep-sea floor with cameras: 3-3934.
       U.S.S.R., western Kazakhstan, geobotanical indica-
                     tors: 3-2847.
                                                                                    Geodes: 3-3080.
                                                                                   Geologic story, Glacier National Park: 3-1401.
Geology, National Boy Scout Jamboree, 1960: 3-338.
Geology, textbook, College Outline Series: 3-337.
  Photogrammetry.
       Barchan dunes, movement measured by aerial photo-
                     grammetry: 3-3617.
       Elements of photogrammetry, textbook: 3-1019.
                                                                                    Geology and geologists in fiction: 3-3928.
       Interpreting natural terrain from radar displays: 3-459.
                                                                                    Geology as historical tool: 3-1740.
                                                                                    Glaciers: 3-3218.
       Manual photographic interpretation: 3-347.
                                                                                    Great Lakes formation: 3-3228.
Guide to common fossil plants, West Virginia:
       Moon surface, photointerpretation: 3-3933.
Multiband sensing research at U.S. Snow, Ice and
                                                                                                  3-1199.
                      Permafrost Research Establishment:
                                                                                    Guide to minerals and rocks, Minnesota: 3-3387.
       3-1381.
Orthophotoscope: 3-2845.
Photo topography for lunar charts: 3-3932.
Spectral reflectance film-filter research appli-
                                                                                    Hawaii, fountain of fire: 3-591.
                                                                                    Hole in the bottom of the sea, Mohole project:
                                                                                                  3-2911.
                                                                                     Ice age coming?: 3-1769.
                      cable to engineering and geologic stud-
                                                                                     Identification guide to common minerals and rocks
                      ies: 3-3935.
                                                                                                  of Virginia: 3-3078.
                                                                                     Introduction to moon: 3-3214.
  Physical geography.
       Asiatic Russia, textbook: 3-2193.
```

GEOSCIENCE ABSTRACTS

pular geology - Continued	Precambrian.
Lava and the sea: 3-1638.	Alberta, Jasper region: 3-744.
Man on the moon in Idaho: 3-2724.	Jasper-Geikie area: 3-3587.
Metallic "meteorites" found in tektites: 3-3336.	Antarctica, age oldest rocks: 3-2925.
Million years added to man's evolution: 3-3271.	Amundsen and Sandau mountains, Queen Mary Land:
Mineral collector's Mexico: 3-2723.	3=1080.
	Archean-Proterozoic boundaries, economic aspects:
Minerals and rocks, photographs: 3-1911.	3-3861.
Minerals of Franklin and Sterling Hill, New Jersey:	Arizona, structures: 3-1797.
3-3389.	Arizona-New Mexico, rubidium-strontium ages, base
Montana, night the mountains moved: 3-512.	ment rocks: 3-1829.
New portrait of our planet: 3-1845.	Australia, Proterozoic granites, Northern Terri-
Oil for the world: 3-967.	
Opportunities in geology and geological engineer-	tory: 3-2258, 3-2259.
ing: 3-1029.	Brazil, age measurements, Minas Gerais: 3-3655.
Platinum nugget, Columbia University: 3-1629.	Canada, marbles, "Archean," southern Shield:
Plutonic rocks: 3-3392.	3-2218.
Prospector in Southern Rhodesia: 3-3079.	Colorado, Central City-Idaho Springs area, geolog
Protecting Rainbow Bridge: 3-339.	ic events and jointing: 3-1788.
Rare mineral found in man-made diamonds: 3-3380.	Mineral paragenesis, Tenmile Range: 3-256.
Scientists grow "bugs" from space: 3-1832.	Platte Canyon, Kassler quadrangles: 3-2158.
Sea floor drilled 2 miles down: 3-1795.	Greenland, Carolinides, orogenic belt: 3-4004.
Soviet bares death of 145 in mud slide: 3-2095.	East: 3-4017.
Soviet people to alter course of northern rivers:	West, chronology: 3-4050.
3~2820.	Korea: 3-438.
Split bottom lowers seas: 3-3247.	Malaya, basement rocks, paleogeographic signifi-
Still-warm cavern yields secrets of '57 atom blast:	cance in Southeast Asia: 3-1805.
3-3159.	Michigan, Keweenawan conglomerates, sources:
Story of early man: 3-2263.	3-1986.
Strange world of the moon: 3-1012.	Minnesota, geology and geochronology: 3-1450.
Sunset Crater National Monument, Arizona: 3-3391.	Montana, pre-Beltian geology, Cherry Creek and
Texas fossils, amateur collector's handbook: 3-814.	Ruby Mountains areas: 3-1402.
Texas gemstones: 3-1953.	New Mexico, map: 3-3190.
	Tusas Mountains: 3-1405.
Three Jersey boys find unique fossil: 3-1836.	Northwest Territories: 3-4015.
Tsunami, Hilo Bay, Hawaii, May 22, 1960: 3-839.	
Under deep oceans: 3-2538.	Admiralty Inlet region, Baffin Island: 3-3250.
Water supply on moon: 3-2017.	Ohio, Grenville boundary: 3-473.
World of geology: 3-3551.	Oklahoma, Spavinaw granite, petrography: 3-1281.
World's no. 2 oil producer, U.S.S.R.: 3-4276.	Ontario, age measurements, Cutler batholith:
rifera.	3-125.
Actinocoelia maeandrina Finks, Permian, Wyoming:	Bibliography, theses: 3-2836.
3-3275.	Gunflint Iron formation, Whitefish Lake area:
Archeocyatha, Bazaikh horizon, Kiya river,	3-2145.
U.S.S.R.: 3=132.	Port Arthur region, Gunflint iron range: 3-2144
Siliceous, Pennsylvanian-Permian, Texas region:	Sudbury-Blind River, mineral and rock ages:
3-1480.	3-3266.
Sponge spicules, Ordovician, Bellefonte dolomite,	Tisdale group lavas, correlation chart, Porcu-
Pennsylvania: 3-1479.	pine area: 3-2480.
Tersilds, Cambrian, Chitinsk district, U.S.S.R.:	Quebec, Chibougamau group, possible tillite:
3-131.	3-3249.
rosity.	Labrador geosyncline: 3-2217.
Alberta, Cretaceous sandstones, porosity reduction:	Temiscamie iron-formation, Lake Albanel iron
3-4196.	range: 3-2781.
Alternating flow to characterize porous media hav-	Texas, North Franklin Mountain: 3-97.
ing storage pores: 3-2428.	Red Mountain gneiss, Llano County, origin and
Carbonate rocks, analysis: 3-1991.	structure: 3-3833.
Ore-bearing, origin uranium mineralization:	Swisher gabbroic terrane, Panhandle: 3-98.
3-2030.	Transvaal, Old Granite, Rb-Sr age measurements:
Determination, strata, according to SP parameters:	3-2923.
3-832.	U.S.S.R., ancient metamorphic rocks, metallogeny,
Dispersion, experiments: 3-4200.	Timan region: 3-1804.
Elastic wave propagation in fluid-saturated porous	Arctic: 3-4016.
solids: 3-2991.	Barguzinsk range, stratigraphy and metamorphism
Estimates from velocity logs, geological factors:	3-1803.
3-2632.	Basic rocks, basement, Belorussian-Lithuanian
Formation resistivity factor-porosity relation-	massif: 3-1642.
ships: 3-2300.	Diabasic rocks, west Bashkir: 3-911.
Porous media, capillary pressure and surface dis-	
continuity: 3-2379.	Geochronology: 3-1827. Kirghiz range, Tien-Shan: 3-2545.
Differential equation of longitudinal disper-	Metamorphics Kursk manatic according to the second of the
sion: 3-4286.	Metamorphics, Kursk magnetic anomaly, structure
instabilities in displacement processes: 3-2806.	Stratigraphy: 3-1121.
Physics of flow through: 3-3419.	Okhotsk massif, Riphean deposits: 3-1451.
Seepage through layered anisotropic: 3-3917.	Olekma-Vitim highlands, Proterozoic rocks, hydr
Tensor form of dispersion: 3-2380.	thermal metasomatism: 3-1971.
Transverse diffusion in saturated isotropic granu-	Riphean volcanics, Russian platform: 3-1118.
lar media: 3-3916.	Sinian complex, stratigraphic position: 3-1122.
rphyry.	U.S., Lake Superior region, paleogeographic evolu-
Barren and productive, differences, western U.S.:	tion: 3-1145.
3-1697, 3-3862.	Virginia, rhythmically layered tuffaceous sedi-
British Columbia, Highland Valley, copper mineral-	ments, Mount Rogers volcanic series,
ization: 3-949.	Konnarock: 3-3838.
tash.	Wyoming, relation to Laramide structure, Bighorn
Manitoba: 3-2784.	Mountains: 3-1798.
Saskatchewan: 3-2042.	Precious stones. See Gems and gem materials.
Constitution of the contract o	Primates. See Mammalia; Man.

Prince Edward Island. Boughton Island, Kings County, aeromagnetic map: 3-3975. 3-411. Atlantic basin, deep-sea sediment cores: 3-1997. Drowned forests, eastern coast: 3-3240. Brazil, upper Juruá river deposits: 3-3265. Egmont and Bedeque bays, shoreline changes: 3-1099. Malignant Cove, Antigonish and Kings counties, California, paleoecologic molluscan geography, Pleistocene: 3-3273. Sierra Nevada: 3-2177. aeromagnetic map: 3-376. Montague, surficial geology, map: 3-2116. Mount Stewart, surficial geology, map: 3-2117. Souris, Kings County, aeromagnetic map: 3-412. Canada, Pleistocene geology, Arctic: 3-3972. Chile, late-Pleistocene environments, Laguna de San Rafael area: 3-451. Surficial geology, map: 3-2118. Problematic fossils, U.S.S.R., Cambrid platform: 3-1478. Climatic changes: 3-444. Cambrian, Siberian Since last interglacial: 3-2168. Colorado, alluvium east of Front Range, Denver Prospecting. See Exploration; Geochemical investigaregion: 3-1826. tions; Geophysical investigations. Glaciation, Rocky Mountain National Park: 3-77. Protozoa. See also Foraminifera; Radiolaria. Surficial deposits east of Front Range, Denver Rhizopodea, suprageneric classification: 3-2942. region: 3-2159. Continental glaciation, problem of origin: 3-446. Pseudomorphs. Europe, late Pleistocene climate, review: 3-3216. Florida, Citronelle formation, size frequency dis-Kyanite altered to muscovite, Winnsboro, South Carolina: 3-1633. tribution particles: 3-763. Vernadskite shown to be pseudomorphs of antierite after dolerophanite: 3-1937. Greenland, northeast, late Pleistocene glaciation: 3-3971. Puerto Rico. Gulf of Mexico, Holocene sediments: 3-1659. Cayey quadrangle, geologic map: 3-2141. Northern, changes climate, shallow-water envi-Central Aguirre quadrangle, geologic map: 3-1397. ronments: 3-1668. Clay for lightweight aggregate: 3-2043. Comerio quadrangle, geologic map: 3-2142. Foraminifera, middle Tertiary San Sebastian-Isa-Rise sea level, northwest: 3-1669. Sediments, history Holocene transgression, conbela section: 3-3309. tinental shelf: 3-1666. Ice age, radiocarbon dating: 3-1910. Jacaguas group, middle Eocene, micropaleontology Illinois, Illinoian glaciation: 3-1770. and biostratigraphy: 3-2951. Illinois Valley region, Wisconsinan molluscan faunas: 3-485. Juncos quadrangle, iron and copper prospects, map: 3-3193. Indiana pollen study, early Wisconsin bogs: 3-1418.
Wisconsin till, original bedrock composition: Miocene Foraminifera, Lajas Valley: 3-3310. Pumice, Lesser Antilles: 3-637. 3-1320. Pyrite. Labrador-Ungava, deglaciation: 3-778. Decomposition pyritized carbonaceous shale to Louisiana, south, radiocarbon dating, sea-level halotrichite and melanterite: 3-4161. changes: 3-1146, 3-1147. Deposits, hydrochemical cause for development sub-Maine, late Pleistocene, southwest: 3-2529. Manitoba, interglacial(?) conglomerate: 3-2248. zone leaching: 3-891. Peru, Cerro de Pasco mine: 3-2770. Sedimentary origin, isotopic composition sulfur in Nebraska, late Wisconsin age, terrace alluvium, North Loup River: 3-4053. connection with growth: 3-895. Western, Pleistocene, guidebook: 3-3600. U.S.S.R., mineralization, northwest Caucasus, age: North America, Great Lakes region, pre-classical 3-1335. Wisconsin: 3-2176. Urup deposit, Caucasus: 3-2026, 3-3872. Late-Pleistocene environments, North Pacific region: 3-2169. Pyroxene. Applications thermodynamics; orthopyroxene-clino-Ohio, northeastern, Wisconsin glacial deposits, pyroxene, orthopyroxene-garnet: 3-4133. Australia, optical and chemical studies in differclassification: 3-449. Okinawa: 3-1835. entiated Tasmanian dolerite: 3-4182. Oklahoma, Pleistocene basin, Harper County: 3-123. Minor element distribution in metamorphic: 3-535. Ontario, palynological and geological study Pleis-Oklahoma, textures, basic rocks, Wichita Mountains: tocene, James Bay lowlands: 3-1470.

Pennsylvania, Illinoian outwash, southeastern:
3-450. 3-1280. Orthopyroxene with low optic axial angle, New Zealand: 3-3069. Peru, Talara region, Pleistocene geology and paleontology: 3-2566. Agate and chalcedony, formation: 3-3818. Chalcedony, synthesis and origin: 3-1940. Pleistocene climate changes: 3-3962. Colored, growth and properties: 3-3372, 3-3373.
Crystalline veins, recrystallization during formation: 3-1279. U.S.S.R., Aldan river valley: 3-2567. Epigenesis deposits, Kazakhstan: 3-2663. Glacial-marine deposits, Yenisey region: 3-1089. Kola peninsula, neotectonic conditions and pale-Hard mineral inclusions, genetic significance: ogeography:: 3-1473. 3-3068. Marine interglacial deposits, Onega river basin: In brown-coal deposits, Dubrovka and Glinsk-Lvov region, U.S.S.R.: 3-4162. Interference figures in single crystals, zoned 3-1471. Niva river valley, Kola peninsula: 3-1104. Northeastern Chuysk trough: 3-4048. Northern Caspian region: 3-1824. smoky quartz: 3-3067. Microisomorphism: 3-1921. Sovgavan formation, Sikhote-Alin, basalt: 3-1144. Origin embayed crystals, acidic volcanic rocks: Syrt deposits, southern trans-Volga, structure 3-599. and age: 3-3652. Radiation coloration: 3-1938.

System H₂0-Si₂, 400° isotherm at pressures to 2,000 kg./cm.: 3-870. Volga and Caucasus regions, relation recent tec-tonics to local features: 3-3637. U.S., eastern Great Lakes region, early Wisconsin: 3-3223. Plastic deformation, experimental data: 3-1786. North-central, Wisconsin glacial stage, classi-U.S.S.R., magnetic susceptibility ferrous quartzites, Starooskolsk iron ore region, Kursk magnetic anomaly: 3-1850. fication: 3-448. Utah, Pleistocene core, Great Salt Lake: 3-124. Wisconsin, central, Pleistocene, guidebook: See also Glacial geology. Quaternary. See also Glacial geology.

Alaska, Nome, coastal plain, type section for Berring Strait region: 3-2249. 3-2899. Yukon Territory, Engigstciak archeological site: 3-2565. Alberta, Sturgeon Lake map-area: 3-463.

Areas described.

Arizona, III Ranch beds, Graham County: 3-1825. White Mountains, multiple Pleistocene glaciation: Ouebec - Continued Helluva Lake area, glaciation and deglaciation: Antoine area: 3-1061. Barlow township, southeast quarter: 3-756. 3-2516. Permafrost, Ungava: 3-2905. St. Faustin-St. Jovite region, glacial geomor-Chomedey-Paquet area: 3-754. Gould area: 3-3198. phology: 3-2904. Guyon area: 3-758. Upton, surficial geology, text and map: 3-1088. Labrador geosyncline: 3-2415. Queensland. <u>See</u> Australia. Quicksilver. <u>See</u> Mercury. Radioactive materials. Lamotte township, southeast, Lacorne township, southwest: 3-755. McKenzie township, south half: 3-1063. Bibliography U.S. Geological Survey publications, 1942-1960: 3-3873. Mattagami area: 3-3883. Northern New Quebec: 3-1755. Pommeroy-Bellefeuille area: 3-759. Radioactive minerals. Richmond Gulf area, New Quebec: 3-3200. Arizona, rare-earth minerals, Mohave County: Rimouski-Matapedia area: 3-1060. 3-1712. St. Adele area: 3-3199. Brannerite, synthesis and crystallography: 3-552. Colorado, fluoritic sandstone, Wet Mountains: Shabogamo Lake: 3-62. Turquetil-Émard area: 3-757. 3-3875. Wacouno-Waco area: 3-1062. Detection with infrared aerial photography: 3-1696. Economic geology. New York, monazite, cyrtolite crystals, Day, peg-matite: 3-908. Cedar Bay mine, Chibougamau district, wall-rock alteration: 3-2769. Iron, geology Temiscamie iron-formation, Lake Al-Radioactive waste. California, Central Valley, liquid disposal: banel iron range: 3-2781. Knob Lake range, origin ores: 3-4245. Iron and titanium, Morin anorthosite: 3-1713. 3-2461. Conference on disposal, Monaco, 1959, proceedings: 3-2821 through 3-2828. Iron formations, Labrador geosyncline: 3-2415. List operators and owners, mines and quarries: Containment in deep geologic formations: 3-2829. 3-3455. Disposal in underground salt cavities, design Magmatic-pegmatitic-hydrothermal sequence, Laprinciple: 3-2460. corne: 3-3884. Georgia, disposal into crystalline rocks, Nuclear Mining industry, 1959, 1960: 3-3453, 3-3454.
Petroleum, data on wells, Gaspe Peninsula, through Laboratory site: 3-2462. Ground disposal, removal cesium from process waste 1959: 3-3481. water: 3-3383. Zinc-copper, Mattagami area: 3-3883. Kansas, natural salt-field experiments, Carey salt mine, Hutchinson: 3-3162. Engineering geology. Permafrost investigations, pilot project, Schef-Michigan basin, subsurface disposal: 3-3163. ferville region: 3-2815. National Academy of Sciences, Committee on Dis-Geochemistry. posal and Dispersal of Radioactive Hydrology tritium, Ottawa Valley: 3-1906. Wastes, summary report: 3-1006, 3-1007. Refraction seismic method for investigating ground Turbidites of Charny formation: 3-3035, 3-3036. Geophysics. disposal: 3-2464. Mattagami, geophysical discoveries, surveys: Specific retention disposal, history and discus-3-1238, 3-4130. Ottawa-Hull area: 3-3097. sion: 3-1008. Temperature rise within liquid wastes in deep for-Historical geology. mations: 3-4287. Devonian, K-Ar age, Grande Grève bentonites, Gaspé: 3-2254. U.S., sedimentary basins and waste disposal: 3-2830. Ordovician-Silurian, Lake Timiskaming area: 3-3251. Washington, Hanford Works, Richland, disposal problems: 3-2463. Precambrian, Chibougamau group, possible tillite: 3-3249. Desirable new geologic research, indicated by Hanford experience: 3-2827.
Disposal to ground, Hanford: 3-2823.
Movement in natural waters, Hanford: 3-2825. Labrador geosyncline: 3-2217. Maps, Geologic. Cornwall map-area, surficial geology: 3-1087. Michikamau Lake: 3-413. Radioactivity. Montreal area, drift-thickness contours: 3-3181. Aeroradiometric data, geological interpretation: Nichicun-Kaniapiskau, New Quebec: 3-414. 3-1879. Sakami Lake, New Quebec, surficial geology: 3-415. Aroos iron meteorite, radioactive species produced Mineralogy.

Authigenic biotite, Utica shale, l'Epiphanie: by cosmic rays: 3-3335. Associated with underground nuclear explosions: 3-201. 3-3381. Atlantic Ocean, natural radiocarbon: 3-200. Continuous activation logging, optimum conditions: Holmquistite, Barraute: 3-575, 3-2336. Serpentine, six-layer orthohexagonal, Labrador Trough: 3-3379. 3-860. Density logging: 3-204.
Gamma-ray logs, in layered media, interpreting: Ungava nickel ores, textures: 3-3365. Paleontology. 3-859. Cryptostome Bryozoa, Ordovician and Silurian, Anticosti Island: 3-1487, 3-2933. Quantitative interpretation: 3-2997. Gamma-ray measurements, solution inverse problem: Trilobites, Ordovician, <u>Dunderbergla</u> zone: 3-1503. 3-4124. Petrology. Gamma-ray spectrometer in mineral exploration: Basaltic rocks, Labrador Trough, Ahr Lake area: 3-202. 3-252. Gamma-ray spectrum, natural rock layers: 3-1878. Heat flow from differentiated earth: 3-2320. High-temperature acid rocks associated with serpentinite: 3-2359. In meteorites, natural and cosmic-ray induced, Monteregian hills, comparison with Tertiary almeasurement: 3-220. kaline Igneous complex, northeast Green-Indian Ocean waters: 3-3791. land: 3-3395. Interpretation neutron-gamma logs for determina-Physiography. tion oil-water contact: 3-3753. Anticosti Island, postglacial marine overlap: 3-3222. Logging and future potential: 3-203. Monazite, zircon, "radioactive black" grains,

Rosetta, Egypt: 3-2779. Neutron flux, earth crust: 3-2636.

Neutron logging, continuous, experimental verifi-

cation optimum conditions: 3-4125.

Cornwall map-area, surficial geology: 3-1087.

deglaciation: 3-2517.

Deglaciation, Ungava: 3-778. George River region, former ice-dammed lakes and

Radioactivity - Continued basin: 3-1169. Prospecting boron: 3-861. Dinosaurs, disappearance, Cretaceous-Tertiary Theory: 3-1577. boundary, western interior North America: 3-2240, 3-2241. Nevada Test Site, gamma-radioactivity investigations: 3-3754. Selma formation, Cretaceous, Alabama: 3-2274. Tracks, Zion National Park, Utah: 3-2590. Eumecoldes Taylor, Pliocene lizard: 3-2273. Radioactive elements, in rocks, micro-radiographic method of study: 3-909. Study of mixture by threshold spectrometers: Hadrosaur, Cretaceous, Empire Mountains, Arizona: 3-1877. 3-1837. Radioactive series, statistics of transformations: Hadrosaurian dinosaurs, cranial morphology, North America: 3-3294. 3-1236. Radioactivity surveying: 3-3326. Hadrosaurian ichnite, Cretaceous, Alberta: 3-4058. Radiometric method exploration petroleum and gas: Lizards, Cragin Quarry fauna, Pleistocene, Kansas: 3-3138. 3-1510. Radon in natural waters: 3-234. Mosasaur bites ammonite: 3-143. Remote analysis surfaces by neutron-gamma-ray in-Mosasaur remains, upper Cretaceous, Western Aus-tralia: 3-1509. elastic scattering technique: 3-3752. Sampling devices for water and soil: 3-2822. Parasaurolophus cyrtocristatus, n.sp., Cretaceous Sediment density probe: 3-648. hadrosaurian dinosaur, New Mexico: Terrestrial neutron flux, effect geologic condi-tions on formation: 3-1235. 3-3295. Silivisaurus condrayi, new armored dinosaur, Cre-Texas, coastal area, airborne radioactivity, map: taceous, Kansas: 3-1168.
Soaring reptile, Jurassic, North Bergen, New Jersey: 3-1836. 3-3581. Radiocarbon dating. Carbon-14 method absolute age determination: Sphodrosaurus pennsylvanicus, new Triassic proco-3-3800. Louisiana, late Quaternary deposits, south: 3-1146, lophonid, Pennsylvania: 3-2589. Tortoises, Tertiary, zoogeography and paleoecology, western North America: 3-3293. 3-1147. Radiocarbon dating: 3-1910. Svalbard, raised beaches, Nordaustlandet: 3-4054.
Radiolaria, Mexico, Gulf of California sediments:
3-1187. Research. Alberta, Research Council, annual report, 1960: 3-2098. Carnegie Institution of Washington, Dept. of Ter-Radium, in carbonate shells: 3-888. restrial Magnetism, annual report: Radon, in natural waters, radioactivity: 3-234. 3-4087. Rare earths. Geophysical Laboratory, report 1959-1960: 3-2101.
Coal research organizations, activities, publications, directory: 3-4279. Arizona, Mohave County: 3-1712. Behavior in magmatic and postmagmatic processes: 3-3019. Earth Sciences Session, Lunar and Planetary Exploration Colloquium: 3-2856. Bibliography: 3-2778. California, rare earth pegmatite, Nuevo: 3-906. Earth scientists in nuclear age, opportunities and Colorado, xenotime and monazite, Central City district: 3-3445.

Formation uranium²³⁵ from curium²⁴⁷: 3-3867. responsibilities: 3-1028. Geodetic science: 3-4077. Kansas, Geological Survey, 1959-1960: 3-2471. In pegmatitic monazites: 3-230.
Montana, southern Ravalli County: 3-626. New York, 1960: 3-2839. Radioactive waste disposal, U.S.: 3-2826, 3-2828. Regularities in distribution in certain minerals: Science in space, dimensions and problems: 3-2855. U.S.S.R., seismology: 3-2303. 3-880. Transport by hydrothermal solutions: 3-3114. U.S. Dept. Interior, annual report: 3-4291. U.S. National Report, 1957-1960, 12th General Assembly, International Union Geodesy and U.S.S.R., hypogene aureole, Vishnevogorsk-limen mountains miaskite intrusion: 3-3780. In pegmatite minerals, Karelia: 3-2659. Red beds, Venezuela, Mesozoic, near Carache, Trujillo: 3-2560. Geophysics: 3-1205. Rhenium, U.S.S.R., in molybdenites, Kazakhstan: 3-3027. Rhode Island. Red Sea region. Beach sand movement, mineralogy as indicator: Geologic history: 3-75. 3-1305. Origin, paleomagnetism Aden volcanics: 3-1547. Ground-water levels, 1957: 3-2397. Hydraulic characteristics, glacial outwash: 3-2398. Alberta, Duhamel area, Devonian reef sedimentation, Kingston quadrangle, surficial geology: 3-2520. Providence area, water resources: 3-4223. tectonic and current control: 3-2549. Swan Hills oil field, Devonian limestone reser-Synthetic detergents in ground waters, Portsmouth: 3-3848. voir: 3-4268. Upper Devonian inter-reef calcareous shales, resistivity mapping and petrophysical Rift valleys. Arctic basin: 3-4002. Ocean floor: 3-470. study: 3-2372. Australia, carbonate sedimentation, Heron Island reef, Great Barrier Reef: 3-3413. Ripple marks. Maine, beach sediments: 3-1299. Gravity prospecting, effects sedimentation and Shallow-water varieties, Florida panhandle coast: differential compaction: 3-1543. 3-1301. Ontario, Devonian Formosa reef limestone fauna: Rivers and streams. <u>See</u> also Meanders. Arkansas, Red River at Garland City, channel align-3-1537, 3-1814. Texas, Gulf Coast, Cretaceous Comanchean trend: ment and bridge protection: 3-4289. Bed material, effect depth flow on discharge: 3-4201. 3-4274. West-central, Pennsylvanian: 3-770. U.S., Gulf Coast, petroleum exploration, Creta-ceous: 3-4270. Cave formation, stream piracy theory: 3-3982. Erosion and deposition in ephemeral-stream chan-Reptilia. nels, effect of sediment characteris-Captorhinus, Permian cotylosaur, basicranial artics on: 3-3226. ticulation: 3-3292. Florida, Apalachicola River, relation of load offshore shoals: 3-1780. Corsochelys haliniches, new cheloniid sea turtle, Cretaceous, Alabama: 3-2272.

<u>Desmatochelys lowi</u> Williston, primitive cheloniid Fluvial deposits, effect sediment type on shape and stratification: 3-1773. sea turtle, Cretaceous, South Dakota: Initiation role seepage moisture: 3-3620. Louisiana, Southwest Pass, Mississippi River, 3-1508.

causes heavy shoaling: 3-1739.

Diagnosis of class: 3-805.

Dicynodontia, U.S.S.R., Permian-Triassic, Tunguska

son with Iberian trough: 3-1437.

Rivers and streams - Continued

```
Nebraska, Middle Loup and Dismal rivers, sedimen-
                                                                        North, interior salt domes, guidebook: 3-1762.
                 tation characteristics: 3-4193.
                                                                         Salt domes, maps and data sheets: 3-316.
    New Mexico, Sacramento Mountains, drainage de-
                                                                         South Pass Block 27 field, offshore, Plaquemines
                 velopments: 3-2532.
                                                                      Parish: 3-1359.

Mexico, origin sulfur in cap rock, Tehuantepec
    Pennsylvania, central, drainage basins, channels,
                 flow characteristics: 3-1774.
                                                                                   isthmus: 3-1701.
    Petroleum pigments, Recent sediments: 3-305.
                                                                      Mississippi, faulting associated with deep-seated
    Sedimentation problems: 3-3920.
                                                                                  salt domes: 3-1440.
    Seepage through layered anisotropic porous media:
                                                                      Radioactive waste disposal in natural salt:
                3-3917.
                                                                                  3-2824.
    Sonic depth sounder for laboratory and field use:
                                                                      Salt bed identification from unfocused resistiv-
                3-3420.
    South Dakota, drainage alignment, western: 3-1782.
                                                                                   ity logs: 3-3699.
                                                                      Texas, Grand Saline salt dome, internal structures and mode of uplift: 3-2202.
    Streamflow on small watersheds, hydrogeologic na-
                ture: 3-1679.
                                                                      Underground salt cavities, structural stability:
    Suspensions and soils: 3-1098.
    Texas, Brazos River, degradational stream depos-
                                                                                  3-331.
                 its: 3-1090.
                                                                      U.S.S.R., Donets basin: 3-1117.
                                                                       Emba salt domes, subsurface structures: 3-2914.
    U.S.S.R., bicarbonate coefficients: 3-3789.
                                                                 Salts.
      Pechora and Vychegda, plan to alter course:
                                                                     Accumulation in soils, Sinkiang, China: 3-3237.
                3-2820.
    Utah, underground piracy, Navajo Lake-Cascade
                                                                      Acoustical sand: 3-3407.
    Spring: 3-2399.
Yukon Territory-Northwest Territories, Peel-Mac-
                                                                      Beach and dune sand, distinguishing between:
                                                                                  3-3406.
                                                                      Fluctuations ground-water levels caused by salts: 3-4206.
                kenzie rivers, fluviomorphological fea-
                 tures: 3-2521.
                                                                      Lava, contact with sea water: 3-1638.
Road construction.
    British Columbia, landslide problem: 3-657,
                                                                      Manitoba, rock salt: 3-2784.
                                                                      North Dakota, Red River Valley saline area,
ground-water investigations: 3-4221.
                3-2094.
    Connecticut, use rock and mixed materials: 3-999.
    Highway engineering geology, symposium: 3-1370.
Manitoba, northern, muskeg problem: 3-2445,
                                                                      Oklahoma, Flowerpot salt, Permian, Beaver County:
                                                                                  3-2558.
                3-2446.
                                                                        Salt springs, western: 3-2743.
    Mississippi, Highway 16, Alabama line to Canton:
                                                                      Physical properties, salt samples, Project Cow-
                 3-2897.
                                                                                  boy: 3-2807.
    Ontario, northern, geologic investigations for roads: 3-2814.
                                                                      Potassium salts, bromine in rock salt as prospect-
                                                                                  ing method, U.S.S.R.: 3-3864.
    Oregon, terrace gravels for Highway 101 construc-
                                                                      Rock salt crystals, deformation at elevated tem-
    tions, Coos Bay area: 3-2447.
Rock types, identification, engineering proper-
                                                                                  perature: 3-3061.
                                                                      South Africa, shallow marine sands, Cape of Good
                                                                                  Hope, size distribution: 3-3418.
                 ties: 3-2441.
    West Virginia, petrographic study sandstones,
                                                                      U.S.S.R., Aral Sea, salt balance: 3-1255.
                suitability for sub-base and base
                                                                        Salt-bearing formations, Russian platform, age:
                course construction: 3-4281.
                                                                                  3-103.
Rock deformation. <u>See</u> Deformation.
Rock magnetism. <u>See</u> Magnetism of rocks and minerals.
                                                                        West Asgir, role pyroclastic material in forma-
                                                                                  tion: 3-1653.
                                                                 U.S., Gulf Coast, Louann salt, relation to salt domes: 3-1463.

Sand. See also Construction materials; Sediments.

Bahamian colitic sand: 3-606.
Rock slides. See Landslides.
Rocky Mountains.
    Alberta, Jasper National Park: 3-3588.
    British Columbia, Triassic stratigraphy: 3-4041.
Canada, Boule and Bosche ranges, structural geol-
                                                                      Florida, Citronelle formation, size frequency dis-
                ogy: 3-2211.
                                                                                   tribution particles: 3-763.
                                                                      Grain-orientation studies, Canadian River: 3-2736. Illinois, Kane County: 3-633.
    Cretaceous stratigraphy: 3-2237.
    Late Tertiary crustal deformations: 3-2209.
    Oil and gas fields, map: 3-719.
Tectonic problems: 3-1115.
                                                                      Impact waves in: 3-3911.
                                                                      Movement by wind action: 3-4288.
Romania, petroleum, Surani anticline, oil reservoirs:
                                                                      Rhode Island, mineralogy as indicator beach sand movement: 3-1305.
                3-323.
Rubidium, U.S.S.R., in rocks, Lovozero alkalic massif:
                                                                      U.S., Gulf Coast, barriers: 3-1665.
Gulf Coast, texture and mineralogy: 3-1304.
3-2655, 3-3028.
Russia. <u>See</u> Union of Soviet Socialist Republics.
                                                                      Water yield, mechanism gravity drainage: 3-4266.
Ruthenium, meteoritic abundance: 3-1599.
                                                                  Sand dunes. See Dunes.
Rutile.
                                                                  Sands tones.
    U.S.S.R., eclogites, southern Urals: 3-624.
                                                                      Alberta, Cretaceous, porosity reduction: 3-4196.
    Utah, monazite and columbium-bearing deposits,
                                                                      Caribbean, role algae in formation beach rock:
                Lemhi County: 3-940.
                                                                                   3-913.
Ryukyu Islands.
                                                                      Compressional wave velocity through synthetic:
    Ishigaki-shima, military geology: 3-2834.
Miyako archipelago, military geology: 3-3547.
                                                                                  3-1570.
                                                                      Fractures and craters produced by high-velocity
    Okinawa-jima, military geology: 3-3548.
                                                                                  projectiles: 3-2448.
    Tertiary and Quaternary gastropoda, Okinawa:
                                                                      Heat conduction, molecular effects: 3-205.
                3-1835.
                                                                      Indiana, channel-fill sandstones: 3-1819.
Sahara region, petroleum, Spanish Sahara prospects:
                                                                        Outgrowths authigenic brookite on leucoxene
                3-4277.
                                                                                  grains, Pennsylvanian and Mississip-
pian: 3-1260.
Salt structures.
    Effect tectonics on lithology halogenic deposits:
                                                                        Petrography, high-silica evaluation: 3-914.
                3-3841.
                                                                      Log interpretation, sandstone reservoirs: 3-176.
    Geobotanical guides in detection: 3-2913, 3-3170.
Germany, northern, mechanism salt migration: 3-94.
                                                                      Minnesota, Lyon County, use water-well data in
                                                                                   interpreting occurrence aquifers:
    Gulf of Mexico, indication former land-locked ba-
sin: 3-4131.
                                                                                   3-4216.
```

Limestone cap rock of salt domes, formation:

Louisiana, Mississippi submarine trench, compari-

3-1650.

Petroleum reservoir nonuniformities, identifica-

Porosity estimates from velocity logs, geological

3-2430.

tion, classification, prediction:

```
Sandstones - Continued
                                                                                        plexes: 3-1244.
                 factors: 3-2632.
                                                                           Cobalt content, determination: 3-3040, 3-3041.
    Texas, Upper Triassic Dockum group, cross-bedding
                                                                           Contact with lava: 3-1638.
                 directions: 3-1311.
    Tuscarora sandstone, differential cementation:
                                                                           Gulf of Mexico, Mississippi delta, phytoplankton
                                                                                       production, chemical analyses: 3-1662.
                  3-1308.
                                                                           lodine and iodate-iodine content: 3-1254.
    West Virginia, petrographic study to determine
                                                                           Iron content, determination: 3-3042.
                  suitability for sub-base and base
                                                                           Lead isotopes: 3-896.
                  course construction: 3-4281.
                                                                            Inorganic suspended matter: 3-885.
    Wisconsin, Upper Cambrian Franconia formation,
                                                                           Magnesium content, determination: 3-3043.
Mineralogy, 0<sup>18</sup>/0<sup>16</sup> ratios, strontium and magne-
sium in brachiopods, bearing on history,
                  cross-lamination analysis: 3-1312.
Saskatchewan.
  Areas described.
                                                                                        oceans: 3-3347.
     Precambrian area, surveys: 3-2044.
                                                                           Nitrogen/argon and nitrogen isotope ratios: 3-3796,
  Economic geology.
                                                                                        3-3797.
     Geological survey work, 1960: 3-2790.
                                                                            Nitrogen content, West Greenland waters: 3-3045.
     Iron ore occurrences, northwestern: 3-3877.
Petroleum and natural gas statistics, 1900-1959:
                                                                           Paleosalinity, geochemical method determining: 3-2707.
                  3-2432.
                                                                            Phosphorous, total and organic, Bering Sea, Aleutian Trench, Gulf of Alaska: 3-1253.
Physical oceanography, textbook: 3-3553.
       Glen Ewen field, geology and reservoir charac-
teristics: 3-2797.
     Potash developments: 3-2042.
                                                                            Protactinium-231 content: 3-54.
Radium content, carbonate shells: 3-888.
Recovery dissolved organic matter: 3-302.
Trace elements, system for international exchange of samples for analysis: 3-884.
  Engineering geology.
     South Saskatchewan River dam: 3-2452.
   Geohydrology.
     Cory, ground-water resources: 3-923.
     Weyburn map-area, ground-water resources: 3-4207.
                                                                            U.S.S.R., Aral Sea, salt balance: 3-1255.
   Historical geology.
                                                                       Seamounts.
     Devonian, Middle, misinterpreted: 3-2230.
                                                                            Atlantic Ocean, north of Madeira, geophysical in-
     Mississippian, correlation and subcrops: 3-2552.
                                                                                         vestigations: 3-1102.
   Maps, Geologic.
                                                                            Gulf of Alaska: 3-2530.
     Coronation mine area, aeromagnetic map: 3-1387. Crackingstone: 3-3182.
                                                                       Sedimentary facies. <u>See</u> Facies.
Sedimentary petrology and sedimentary rocks. <u>See also</u>
     Flin Flon-Mandy: 3-670.
                                                                                         Carbonate rocks; Dolomite; Heavy Minerals; Limestone; Sandstone; Shale, etc.
     Phelps Lake: 3-716.
Physiographic divisions: 3-717.
                                                                                          For areal, <u>see</u> subheading Petrology under the various states and countries.
   Paleontology.
      Faunas, lower Paleozoic carbonate rocks: 3-2617.
                                                                             Authigenic minerals: 3-3339.
      Jurassic microfaunas: 3-2605.
                                                                             Calcite-dolomite ratio in mineral mixtures, X-ray
    Structural geology.
                                                                                          analysis in determining: 3-1988.
      Beaverlodge area, structural history: 3-2917.
                                                                             Calcite-dolomite ratios, rapid determination:
 Saudi Arabia.
                                                                                          3-2734.
      Aden volcanics, paleomagnetism: 3-1547.
Central Persian Gulf guadrangle, geologic map:
                                                                             Catagenesis: 3-2664.
                                                                             Chert, origin: 3-3409.
                                                                             Chromatographic "plate" theory; fluid flow in rocks
                   3-3195.
      Coesite, Wabar crater, Al Hadida: 3-1632.
      Darb Zubaydah quadrangle, geographic map: 3-426.
Desert geomorphology: 3-1091.
                                                                                          and sediments: 3-306.
                                                                             Clay and shale, thin sections: 3-2733.
                                                                             Computed sediment grain surface areas: 3-1296.
      Jawf-Sakakah quadrangle, geographic map: 3-1398.
                                                                             Cross-lamination, small scale, limestones, inter-
      Wadi Ar Rimah quadrangle, geographic map: 3-3194.
                                                                                          preting: 3-1300.
                                                                             Dating by potassium-argon method, evaluation glau-
conite and illite: 3-3052.
                  See also Norway.
 Scandinavia.
      Arctic bibliography, v. 9: 3-1013.
      Caledonides, review of geology: 3-1765.
                                                                             Deformational fractures, relation to regional and
      Directory research institutions: 3-661.
                                                                                          local structure: 3-1105.
 Scandium.
                                                                             Diamictite, substitute term for symmictite: 3-2368.
      Geochemical distribution: 3-3771.
                                                                             Dolomitization by seepage refluxion: 3-1309.
      In cassiterite: 3-2648.
In deposits of different genetic types: 3-2028.
                                                                             Ferrous iron contents of carbonaceous shales, de-
                                                                                          termination: 3-1250.
                                                                             Friedman's staining methods, application: 3-1297.
Graywacke, term: 3-1298.
      U.S.S.R., in igneous rocks, massifs: 3-3772.
 In minerals of quartz veins and greisens, Pol-
ousnyl range: 3-1604.
Schist. See also subheading Petrology under the var-
                                                                             Heavy liquid separates, removal from glass centri-
fuge tubes: 3-1292.
                    ious states and countries; Metamorphic
                                                                              Helium, diffusion through sedimentary rocks:
                    rocks.
                                                                                          3-3037.
      California, glaucophane, Angel Island, San Francis-
                                                                              Hydrocarbon distribution: 3-2058.
                                                                              Ilmenite, magnetite, feldspar alteration under re-
                    co Bay: 3-603.
         Glaucophane, North Berkeley Hills: 3-577.
                                                                                           ducing conditions: 3-1630.
      Japan, central, Sanbagawa crystalline schists, for-
 mation: 3-576.
Scolecodonts, study by transmitted light: 3-2946.
                                                                              Impregnation sands with "bio-plastic" for grain
                                                                                          orientation studies: 3-1295.
                                                                              Magnetization: 3-3689.
 Scotland,
      Oil-shale group limestones, west Lothian and south-
                                                                              Manganese distribution: 3-2665.
                                                                              Measurement grain diameters in thin section, using
                   ern Fifeshire: 3-1317.
       Polymetamorphism in movement zones, Caledonian
                                                                              strip gauge: 3-2732.
Organic matter content: 3-2059.
                    thrust belt: 3-4191.
                                                                              Settling velocity, sand sized spheres, and sample weight: 3-1974.
      Pseudotachylite, Gairloch district: 3-3831.
  Scree. See Talus.
                                                                              Size analysis by hydrometer and pipette methods:
  Sea water.
      Barium, geochemistry: 3-2330.
Calcium content, determination: 3-886.
                                                                                           3-1975.
                                                                              Turbidites of Normanskill and Charny formations,
       California, intrusion in coastal ground-water ba-
sins: 3-3091 through 3-3095.
                                                                              geochemistry: 3-3035, 3-3036.
Tuscarora sandstone, differential cementation:
         Intrusion into ground-water basins, Alameda
                                                                                            3-1308.
    County: 3-3422.
Carbonate solubility, control by carbonate com-
                                                                              Woods Hole rapid sediment analyzer: 3-1291.
```

```
GEOSCIENCE ABSTRACTS
Sedimentary structures.
                                                                        Orientation orthoceracone cephalopods, Silurian,
    Bedding and layering, ore-bearing rocks, Dzhezkaz-
                                                                                     Illinois: 3-261.
                 ganskaya suite, U.S.S.R., diagenetic
                                                                         Pennsylvania, Corry sandstone, Mississippian:
                 dislocations: 3-1978.
    Bedding In sedimentary rocks, morphological classi-
fication: 3-1977.
                                                                                     3-2619.
                                                                        Pennsylvania-New Jersey, Jacksonburg formation,
                                                                                     Ordovician: 3-1271.
    Boudinage, Cretaceous limestones, Zimapan, Mexico:
                                                                        Quebec, Precambrian Chibougamau group, possible
                 3-2370.
                                                                                     tillite: 3-3249.
    British Columbia, Halfway sand, Milligan Creek oil
                                                                        Reefs, gravity prospecting, effects sedimentation and differential compaction: 3-1543.
                field: 3-3400.
    Concretions: 3-1647.
    Current structures, Portage Lake lava series, Cop-
                                                                        Rivers, engineering problems: 3-3920.
                 per Harbor conglomerate, Michigan:
                                                                        Soils, factor in shoaling processes: 3-1368.
                                                                        Tennessee, Pennsylvanian marine cyclothems: 3-262,
                 3-1986.
                                                                                     3-3837.
    Flow structures: 3-1979.
    Maine, beach sediments, features: 3-1299.
Microstriations on polished pebbles: 3-2369.
                                                                        Texas-Oklahoma, Denison dam and reservoir, Red
                                                                                     River: 3-1738.
                                                                        U.S.S.R., Asselian-Sakmarian sea, southern Tatar-
    Oolites, chamosite, Devonian, Pennsylvania:
                                                                                     ia, evolutionary changes of salinity:
                3-1302.
    Texas, Gulf Coast, Recent: 3-1303.
Oolites and pseudoolites, distorted: 3-3403.
Orientation, effects of folding: 3-1981.
Ripple mark varieties, shallow water, Florida
                                                                                     3-3840.
                                                                          Caucasus, Mesozoic and Cenozoic: 3-1982.
                                                                          Geochemical conditions, Bat-Bayos time, southern
                                                                                     Dagestan: 3-1611.
    panhandle coast: 3-1301.
Stratification, diagenetic: 3-1649.
                                                                          Lower Permian coal-bearing strata, central Pe-
                                                                                     chora: 3-3839.
    Stylolites, Volga region, U.S.S.R.: 3-1980.
                                                                        U.S., central Appalachians, depositional environ-
                                                                                     ments, Ordovician carbonates: 3-4195.
    Texas, cross-bedding directions, Upper Triassic
                sandstones: 3-1311.
                                                                          Gulf Coast, faults contemporaneous with sedi-
    U.S.S.R., dolomite and siderite in menilite se-
                                                                                     ment deposition: 3-1106.
                                                                             Louann salt, relation to salt domes: 3-1463.
                ries, Carpathians: 3-2735.
                                                                          Upper Mississippi embayment, Cretaceous-Tertiary, clay mineralogy: 3-1950.
Sedimentation. See also Erosion.
    Alberta, Duhamel area, Devonian reef sedimenta-
                                                                        Upper Silurian Cayugan evaporites: 3-2229.
Venezuela, Paleozoic, Mérida Andes: 3-1806.
Virginia, rhythmically layered tuffaceous sediments
                       tectonic and current control:
                 tion,
                 3-2549.
      Swan Hills oil field, Devonian limestone reef reservoir: 3-4268.
                                                                                     near Konnarock: 3-3838.
    Atlantic basin, deep-sea sediment cores: 3-1997.
Australia, carbonate, Heron Island reef, Great
                                                                        Washington, Lake Washington, control by convection
                                                                                     currents: 3-781.
                Barrier Reef: 3-3413.
                                                                        West Virginia, Pennsylvanian Conemaugh and Mononga-
    California, Salton Sea: 3-1992.
                                                                                     hela formations: 3-4032.
    Computing total sediment discharge with modified
                                                                        Yukon Territory-Northwest Territories, Peel-Mac-
                Einstein procedure: 3-3398.
                                                                                     kenzie rivers, fluviomorphological features: 3-2521.
    England, upper Carboniferous, Derbyshire: 3-1306.
    Environment, spectral brightness as petrographic
                                                                   Sediments.
                parameter in reconstructing: 3-3399.
                                                                       Alaska, Matanuska Valley, eolian deposits: 3-3229, Antarctica, eastern Ross Sea, thickness: 3-2376.
    Erosion and deposition in ephemeral stream chan-
                nels, effect sediment characteristics: 3-3226.
                                                                          Pyritic sediments and sulfate-reducing bacteria,
                                                                                    McMurdo Sound region: 3-3846.
    Estuarial sediment transport patterns: 3-3922.
                                                                        Arctic Ocean, dredged gravels: 3-4198.
    Florida, post-Eocene: 3-767.
                                                                        Bacterial activity, sediments, shallow marine bays:
    Glacial marine: 3-3970.
                                                                                     3-303.
    Greenland, North and East, Precambrian and early
                                                                        Bay of Bengal, organic matter: 3-271.
                Paleozoic: 3-3952.
                                                                        Black, magnetic spherules: 3-226.
    Gulf of Mexico, sedimentary patterns, microfaunas,
                                                                        California, Little Sycamore Beach, marine to non-
                northern: 3-1667.
                                                                          marine transition: 3-2371.
Santa Barbara basin, stratification: 3-3415.
    Gulf of Mexico and Orinoco basins, Recent: 3-1670.
    Gypsum and anhydrite, origin and environmental
                                                                        Carbonate, geochemistry, mineralogy: 3-536 through
                significance: 3-3410.
                                                                                     3-540.
                                                                        China Sea, shallow portions: 3-2375.
Deep-sea, chemical and mineralogical aspects:
    History, Greek era: 3-260.
    Illinois basin, Caseyville and Chester sediments,
differentiation: 3-477.
                                                                                     3-3313.
    India, upper Carboniferous, Burhai Gondwana ba-
                                                                          Sound velocities: 3-1567.
                sin, Bihar: 3-1983.
                                                                          Thickness and consolidation: 3-264.
    Kentucky-Tennessee, early Pennsylvanian: 3~2231.
                                                                        Eastern Antarctic and southern Indian Ocean:
    Legal aspects: 3-3921.
                                                                                     3-1319.
    Limestone cap rock of salt domes, formation:
                                                                        England, Lake District, sulfur and carbon: 3-1251,
                 3-1650.
                                                                                     3-2666.
    Louisiana, Lac Blanc field, Vermilion Parish, re-
                                                                        Florida, Citronelle formation, size frequency dis-
                 lation to faulting and hydrocarbon ac-
                                                                                     tribution, particles: 3-763.
                 cumulation: 3-1722.
                                                                          Kaolinitic sediments, origin kaolin: 3-960.
      Mississippi River, Recent: 3-3405.
Southwest Pass, Mississippi River, causes heavy
                                                                          Offshore shoals, area of energy deficit, Apalach-
                                                                       icola delta: 3-1780.
Fluvial deposits, effect sediment type on shape and stratification: 3-1773.
                shoaling: 3-1739.
    Mississippi, Horn Island, Recent, guidebook: 3-1068.
                                                                        Gulf of Mexico, rubidium values and K/Rb ratios:
    Mississippi embayment, Cretaceous: 3-263.
Nebraska, Middle Loup and Dismal rivers, sand-bed
streams: 3-4193.
                                                                                    3-232.
```

Oklahoma, Lake Carl Blackwell, sedimentation sur-

Netherlands, tidal flat basins: 3-4194.

ty: 3-1316.

ments: 3-1307.

vey: 3-3404.

New Jersey, Upper Cambrian dolomite, Warren Coun-

Ocean basin ages and amounts of original sedi-

Hydrocarbons in, significance: 3-2060. Indian Ocean, Tertiary: 3-1143.

Marine, lead isotopes: 3-896. Opal determination: 3-887.

Indiana, Wisconsin outwash, pebble composition,

Northwest Territories, Prince of Wales Strait,

Amundsen Gulf: 3-917.

Ocean, protactinium-231 content: 3-541.

Wabash Valley: 3-1985.

```
Sediments - Continued
    Ohio, Lake Erie shoreline, maps: 3-736,
                                                                             Earth model, deformation by surface pressures:
                  3-1396, 3-2885 through 3-2888.
                                                                                           3-1568.
     Pacific Ocean, ionium-thorium chronology deep-sea
                  sediments, western North Pacific: 3-2682.
     Petroleum pigments, Recent fresh-water sediments:
                  3-305.
     Radioactive, density probe: 3-648.
     South Africa, shallow marine sands, Cape of Good
                  Hope, size distribution: 3-3418.
                                                                                           3-2996.
     Texas, bays, central coast: 3-1663.
       Brazos River, degradational stream deposits: 3-1090.
       Clay dunes, Gulf Coast, marine and lagoonal de-
                   posits 3-3417.
       Laguna Madre: 3-1664.
                                                                                          3-1227.
     Transport in streams, effect depth flow on dis-
charge bed material: 3-4201.
     U.S.S.R., Black Sea, free hydrogen sulfide and iron sulfide: 3-3786.
                                                                                          3-850.
     Caspian sea, mineralogy, modern sediments; 3-250. Okhotsk Sea, titanium distribution: 3-889. U.S., central Lake Erie, Ohio waters: 3-2466. Desert lakes, Nevada, California, Oregon, clay
                                                                                          3-2991.
                                                                                          3-4116.
       mineral composition: 3-2716.
Georges Bank off New England: 3-3416.
       Gulf of Mexico: 3-1657 through 3-1670.
        Limnology and amino-acid content, lake deposits
                   Minnesota, Montana, Nevada, Louisiana:
                    3-1902.
        South Canadian River channel sands, New Mexico,
                                                                                           3-197.
                   Texas, Oklahoma, compositional and tex-
                    tural properties: 3-1984.
      Venezuela, sulfur isotope fractionation in diagen-
                   esis, Recent sediments, northeast: 3-238.
      Virginia, Recent sediment studies, VPI, 1960:
                    3-2367.
 Seismology. See also Earth crust; Earth interior;
                    Earthquakes; Explosions; Geophysical
                    investigations.
      Acoustic log data, collection and processing: 3-196, 3-1232.
      Acoustic relaxation in chromium: 3-3733.
      Acoustical investigations in boreholes, instru-
                   ment: 3-3708.
      Analog seismic correlator: 3-3705.
Arctic Ocean floor: 3-4120.
      Borehole percussion device for excitation elastic
      waves: 3-1866.
Compressional wave velocity through synthetic
                    sandstones, effect porosity, grain contacts, and cement: 3-1570.
      Compressional waves in rocks, velocity to 10
                    kilobars: 3-3746.
      Crustal studies, IGY: 3-858, 3-1234.
      Deformation layered earth by axially symmetric
                    surface mass distribution: 3-2979.
      Density and elasticity of medium, controlling,
during two-dimensional modeling of
                    seismic waves: 3-1872.
      Dependence damping impulses in layers finite
                    thickness on frequency spectra: 3-851.
      Determination depth and relief, interface, by
single, transverse travel-time curves
                                                                                           3-2993.
                    of refracted waves: 3-1871.
      Determination depth folded basement by exchange
      waves, type PS: 3-1862.
Determining effective depths from single trans-
verse travel-time curves, refracted
                    waves: 3-1867.
      Detection earth movements; seismographs: 3-179.
      Diffracted waves detected by adjustable directional receiver method (ADR): 3-3739.
Earth, free oscillations: 3-1224, 3-1555, 3-1556,
         3-1557, 3-1863, 3-3729, 3-3730.
Inner core, fundamental free mode: 3-1225.
         Spheroidal oscillations, approximate calculation
                    of period: 3-3731.
         Torsional oscillations: 3-3732.
      Earth mantle, composition, seismic velocities:
                                                                              Pacific Ocean, waves, longitudinal and transverse,
                    3-3747.
                                                                                            travel times, nuclear explosions, Mar-
```

```
Earth noise, amplitude-period relationship: 3-2628.
Earthquake-type disturbance, response simple
            structure: 3-3918.
Elastic properties rock samples from deep bore-
             hole at high pressures: 3-2995.
Elastic pulse energy during destruction of rocks:
Elastic pulse reflection: 3-1560.
Elastic wave interferometry: 3-4114.
Elastic waves, attenuation in rock specimens: 3-1865.
  Diffraction by earth's core: 3-2631.
  Generated by earthquakes, determination energy:
  Propagation, ultrasonic frequency in rocks:
  Propagation in fluid-saturated porous solids:
  Reflection and refraction indices at a layer:
  With generalized velocity in two-dimensional
            bimorphic models: 3-4115.
Explosion studies, continental structure: 3-3737.
Explosions in halite, particle motions: 3-2312.
Frequency theory, grouping signals on background correlated noises: 3-1874.
Interference systems: 3-848, 3-849.
"Gas exploder" profiling device, undersea surveys:
Greenland, seismic refraction soundings in perma-
             frost, Thule: 3-4121.
Ground accelerations, large quarry blasts: 3-3738. Ground motion on arrival longitudinal and trans-
             verse waves at wide-angle reflection
             distances: 3-3744.
Grouping: 3-2980, 3-2981, 3-2982.
Head waves, degenerated, in elastic medium with interface: 3-1873.
Impact steel spheres on rocks, energy loss: 3-1571.
Lg, wave, propagation northeast Asia: 3-3728.
Longitudinal waves in layers of different thick-
            ness, dynamic features: 3-1868.
  In rocks, ultrasonic velocity and attenuation: 3-1564.
  Reflected from thin layer: 3-2316.
Longitudinal and transverse waves in rocks, values
            of ratio of velocities: 3-1869, 3-1870.
Love waves, dispersion, continental and oceanic crust, Indonesia-Crimea: 3-2309.
  Dispersion, Green's function for eigenvalue
             problems: 3-3736.
  Effect of variations in layer thickness: 3-3742.
In heterogeneous, spherical earth: 3-189, 3-190. Microseisms, ocean storm, frequency selection: 3-4113.
Moon, seismic activity: 3-2635.
  Seismic experiment: 3-199.
Multiple reflected and transmitted waves: 3-2990.
Northwest Territories, Mackenzie River, marine
             seismograph and sparker survey: 3-4122.
   New seismograph station, Resolute: 3-2977
Nuclear explosions, as seismic sources: 3-193,
  Detection: 3-4117, 3-4118.
High-altitude, seismic waves from: 3-195.
   Probing earth: 3-194, 3-1575, 3-2992.
Offshore exploration, elimination secondary pressure pulses: 3-4119.
Oklahoma, Wichita Mountains Seismological Observ-
             atory: 3-509, 3-3702.
P waves, variation angle incidence with epicentral
             distance: 3-3723.
P and L<sub>g</sub>: 3-1558. P<sub>a</sub> and S<sub>a</sub> waves from seismograms, U.S.S.R. sta-
             tions: 3-2987.
 PL wave, oceanic: 3-2989.
Pn and S* waves, attenuation: 3-2988.
PS converted waves, large explosions: 3-192.
```

shall Islands: 3-846.

Petroleum exploration: 3-3745.

Upper mantle, discontinuities indicated by re-

· Weak layer: 3-3748.

flected seismic energy: 3-2634.

```
GEOSCIENCE ABSTRACTS
Seismology - Continued
                                                                      Solution \underline{n}-layer problem by seismic reflection
    Piezoelectric emitter of single-stroke ultrasonic
                                                                                  method: 3-3740.
                pulses for modelling seismic waves:
                                                                      Sound velocities, surface, deep-sea sediments:
                 3-3707.
    Porosity estimates from velocity logs, geological
                                                                                  3-1567.
                                                                     Surface waves, dispersed, synthesis by Fourier transform: 3-519.
                factors: 3-2632.
    Rayleigh pulse, transmission round corner: 3-3735.
    Rayleigh surface waves, determination energy:
                                                                        Dispersion: 3-853.
                                                                        Dispersion, and crustal structure: 3-2307.
                 3-1229.
                                                                      On sphere, polar phase shift: 3-3734.
Two-dimensional seismic models, variable velocity
    Rayleigh-type wave at nonfree surface: 3-2314.
    Rayleigh waves, dispersion and crustal structure,
                                                                                  and density: 3-180.
                Pacific and Indian oceans: 3-3727.
                                                                     Underground explosions, method of concealing: 3-2310, 3-2311, 3-2312.
Underground nuclear detonations, strong motion
       Group and phase velocities: 3-1563.
       Particle amplitude profiles on heterogeneous
                earth: 3-188.
       Phase velocity in period range 100 to 400 sec-
onds: 3-516.
                                                                                  measurements: 3-2313.
                                                                     U.S.S.R., automatic equipment, seismic stations, north Tien Shan: 3-837.
       Propagation in earth: 3-3725.
                                                                        Converted and reflected waves on seismograms,
       Reflection by high impedance obstacle on half-
                                                                                  earthquakes, Garm region: 3-845.
                space: 3-1561.
                                                                        Establishing seismic regions, central Tien Shan:
       Transmission across ocean floor: 3-3726.
       Transmission and reflection by wedges: 3-1562.
                                                                        Review research and developments: 3-2303.
                                                                        Structure earth's crust, Central Asia, from explosion records: 3-847.
Surkhob river valley: 3-87.
    Refraction computations, nomograms: 3-182.
     Refraction seismic method for investigating ground
                 disposal, radioactive wastes: 3-2464.
    \underline{S} and structure upper mantle: 3-3722. 
S-wave particle motion, effect earth's surface:
                                                                     U.S., index wells shot for velocity: 3-1574.
                                                                     Velocity log, seismic applications: 3-1233.
                 3-3721.
                                                                     Velocity survey well phone, accurate depth deter-
mination: 3-1572.
     S-wave studies, earthquake mechanisms: 3-3720.
     SH waves, plane, crustal reflection: 3-1565.
                                                                      Vibrations from blasting rock: 3-3156.
    SP waves of local earthquakes, use in studying structure deeper crust: 3-2986.
Salt samples, physical properties, Project Cowboy: 3-2807.
                                                                      'Water' waves in ocean, use in determination elas-
                                                                                 tic waves in sediments: 3-852.
                                                                     Wave propagation in liquid-filled porous solid:
                                                                                  3-518, 3-2630.
     Sea ice, seismic studies: 3-191.
                                                                     Waveguides, upper mantle: 3-1566.
     Seismic frequency sounding for investigation upper
                                                                     Waves, elliptically polarized, azimuth-phase cor-
                part of cross section: 3-854.
                                                                                  relation: 3-855.
     Seismic modeling, ultrasonic: 3-2305.
Seismic profiler: 3-1552.
                                                                       Generated by explosive blasts, maximum vertical ground displacement: 3-517.
     Seismic pulse, reflected: 3-1559.
                                                                        In layered media: 3-2629.
     Seismic ray, determining elements from data of
                                                                        Propagated in laminated elastic medium, accuracy
                 single station: 3-1228.
                                                                                 in asymptotic approximations: 3-3741.
     Seismic ray theory: 3-3716.
                                                                     Well velocity surveys, time discrepancies between
     Seismic recording, application of D.C. amplifier:
                                                                                  continuous and conventional: 3-1231,
                 3-506.
                                                                                  3-1573.
     Seismic scattering from topographic irregularities:
                                                                 Selenium.
                 3-187.
                                                                     Arkansas, mineral veins: 3-952.
     Seismic travel-time data, machine processing:
                                                                     New Mexico, recovery from sandstone ores: 3-2774.
                 3-3709.
                                                                 Serpentine, U.S., chromite and other mineral deposits,
    Seismic waveguide with soft boundaries, two-dimensional model: 3-2994.
                                                                                  Piedmont, Maryland, Pennsylvania, Dela-
                                                                                  ware: 3-3458.
     Seismic waves, attenuation: 3-1864.
                                                                 Shale.
       Determination refracting boundary from azimuthal
                                                                     Alberta, Devonian inter-reef calcareous, resistiv-
                 station data: 3-844.
                                                                                  ity mapping and petrophysical study:
       From core: 3-3717.
                                                                                  3-2372.
       In media with vertical interfaces, peculiarities:
                                                                     Carbonaceous, ferrous iron contents, determination: 3-1250.
                 3-1230.
       Intensities, reflected from weak boundary of sep-
                                                                      Clay mineral analysis, use Chlorox: 3-1258.
                 aration: 3-2315.
                                                                      Decomposition pyritized carbonaceous shale to ha-
       Polarization of transverse: 3-3718.
Reflection from nonspecular boundaries: 3-3719.
                                                                                 lotrichite and melanterite: 3-4161.
                                                                      Illinois, ceramic tests: 3-629.
       Reflection-refraction, scattering: 3-3743.
                                                                      Kentucky, analyses, 1957-1959: 3-632.
    Seismogram, reflection, anomalous events on: 3-1553.
                                                                     Ohio, Lake Erie shoreline, foundation heaving:
                                                                                  3-996.
     Seismograms, Interpretation: 3-181.
                                                                      Quebec, Utica shale, authigenic biotite: 3381.
       Rayleigh waves, automatic computation of impulse
                                                                      Solution cavities, Manning Canyon shale, Utah:
                 response: 3-2624.
                                                                                  3-2338.
       Reading with digital computers: 3-2623.
                                                                      Thin sections: 3-2733.
       Synthetic, interpretation: 3-2978.
     Seismograph, application multistage scale compres-
                                                                Shorelines. <u>See also</u> Beaches; Changes of level; Gla-
cial lakes.
                sion device: 3-836.
       Electromagnetic, calibration satisfying Galitzin conditions: 3-2621.
```

Alaska, southeast, sea level falling or land ris-

ing: 3-2909. Caribbean, role algae in formation beach rock, is-

lands: 3-913. Coastal classification: 3-460.

Coastal engineering, proceedings 7th conference, 1960: 3-3165. Coastal geography, report of conference, 1961:

3-3987.

Egypt, Pleistocene, Arabs! gulf: 3-462. England and Wales, pictures, commentary: 3-1100. Florida, coastal classification: 3-1436. Offshore shoals in area of energy deficit, Apa-lachicola River delta: 3-1780.

Heavily damped: 3-3703.

3-505.

Instrument noise in: 3-2622.

Experimental long-period: 3-504.

Magnetoelectronic: 3-3704. Portable, design criteria: 3-4106.

Integral solution of equation: 3-507.

Long-period vertical, theory: 3-2304. Shear waves, long-period character: 3-2627.

Solenhofen limestone, internal friction in shear

and shear modulus: 3-1569.

Seismometers, electrodynamic, checking performance:

orelines - Continued	Washington, Hammond sill in Yakima basalt near
"Perched" barrier islands, east coast: 3-461. Mexico, Isla San Benedicto, marine erosion, tephra	Wenatchee: 3-3397.
and lava: 3-2188. Netherlands Antilles, Aruba, Bonaire, Curação, ma-	Silurian. Alabama, chemical magnetization rocks: 3-165.
rine terraces: 3-2189.	<pre>Illinois, orientation orthoceracone cephalopods,</pre>
North America, correlation with Europe: 3-2186. Northwest Territories, Melville Peninsula, post-	Indiana, northern, guidebook: 3-2548.
glacial marine submergence: 3-785.	New Brunswick, minimum age Middle Silurian, K-Ar method: 3-4051.
Ohio, Lake Erie, engineering geology, maps: 3-736, 3-1395, 3-1396, 3-2885 through 3-2888.	New Mexico, Fusselman dolomite, Silver City re-
Paleogeography, coastal studies: 3-1352. Prince Edward Island, drowned forests, eastern	gion: 3-2227. Nova Scotia, Stonehouse formation, correlation
coast: 3-3240.	with Baltic region: 3-2282.
Egmont and Bedeque bays, changes: 3-1099. Sand movement by wind action: 3-4288.	Ontario-Quebec, Lake Timiskaming area: 3-3251. Quebec, Anticosti Island: 3-1487.
Texas, Recent colites: 3-1303.	Saskatchewan, Interlake group, faunas: 3-2617. U.S.S.R., Kargabulak springs area: 3-1812.
Tidal flat basins, sedimentation: 3-4194. U.S., Gulf of Mexico: 3-1657 through 3-1670.	Lower Ludlovian, western Siberian platform:
am. See Thailand.	3-1453. Phosphatic facies, Kyzylkum: 3-267.
beria. See Union of Soviet Socialist Republics. derite, U.S.S.R., concretions in menilite series,	Southeastern Transbaikalia: 3-2547.
Carpathians: 3-2735.	U.S. Cayugan evaporites: 3-2229. Virginia, tectonism and sedimentation, relation:
California, San Diego region: 3-3446.	3-2228.
Dissolution from diatom walls: 3-1904.	Arkansas, in manganese ore, Polk County: 3-1704.
Hawaii, silicified wood: 3-1939. Indiana, petrography sandstones: 3-914.	Australia, in galena ores, Broken HIII: 3-3120.
Phase transformations examined by X-ray diffraction: 3-1888.	Nicaragua, Macuelizo: 3-4239. Utah, Chief Oxide-Burgin area, East Tintic dis-
Radiation coloration, silica minerals: 3-1938.	trict: 3-947, 3-948. Slate, Vermont, petrology lower Paleozoic rocks, slate
Silica-water system, P-T diagram: 3-3760. ilicate rocks.	belt: 3-2361.
Acidity-alkalinity surface drainage waters as re-	Soils. See also Paleosols. Arctic environment, weathering and soil formation,
lated to silicate rocks: 3-1325. Semi-micro analysis for Ca, Mg, Fe, Al: 3-1898.	Alaska: 3-1095.
Thallium, cadmium, bismuth distribution: 3-3030.	Bermuda: 3-1093. Biochemicals, distribution in geologic environ-
ilicates. <u>See also</u> Clay minerals; Crystallography; Mica; Mineralogy.	ments: 3-304. California, erodibility: 3-2184.
Aluminum, synthesis fields: 3-1594. Amphiboles, calciferous, oxyhornblende, kaersut-	Canada, Precambrian Shield, mining problems:
ite, barkevikite: 3-2691.	3-1367. Symposium: 3-3234.
Classification: 3-567. Crystal chemistry: 3-559.	Caroline Islands, Yap Islands: 3-3550.
Dehydration studies by infrared spectroscopy: 3-3056.	China, salt accumulation, Sinkiang: 3-3237. Compacted, effect of rate of strain on strength:
Intergranular diffusion in silicate system, iron	3-2443. Earth manual, soils as foundations and construc-
in forsterite: 3-873. Lawsonite, false symmetry: 3-562.	tion materials: 3-333. Erosion, resistance dependent on cohesion: 3-81.
Layer lattice, isomorphous substitution and intra-	riald check list, 3=2527.
red spectra: 3-1922. Lovozerite, structure: 3-563.	Formation, processes, influence of rocks: 3-3233. Role seepage moisture: 3-3620.
North Carolina, chlorite, vermiculite, taic from	Castachnique, new word, old science: 3=3534.
dunite: 3-1264. Pakistan, serpentinite-limestone contact, Zhob	Glacial drift, interpretation from infrared films: 3-1085.
Valley, mineralogy and petrography: 3-581.	Cupme 3=1010.
Radiometric determination, potassium: 3-1909.	Illinois, Atterberg limits, relationships to other properties: 3-995.
Rock-forming, chart: 3-3817. Sillimanite group: 3-627.	lowa, Adair County, genesis and classification: 3-1433.
Spectrochemical analysis using Stallwood Jet.	Floyd and Bremer counties: 3-1432.
3-550. Strontium content, flame photometric determina-	Manganese distribution: 3-1612. Potassium and clay minerals: 3-1613.
tion: 3-231.	Kentucky, variation soil temperature, Lexington:
System Ca ₂ SiO ₄ -Mn ₂ SiO ₄ : 3-1243. Systems containing two volatile components; ef-	3-2442. Mariana Islands, Tinian: 3-3549.
fects NH3 and HF, H20, on melting tem- peratures, albite and granite: 3-1242.	Measuring tensions in water, device: 3-3152. Mineralogy, krasnozems on eluvium of igneous rocks
T-atomilicator, infrared spectra: 3-500.	2=3390
U.S., Green River formation, wyoming, built, coro	Moisture, content determination by calcium carbide gas pressure: 3-2805.
Zirconium and titanium, isomorphous relations:	Translocation in film phase upon freezing:
illimanite, U.S., southeastern: 3-956.	3-3546. Nature and properties, textbook: 3-784.
Colorado, differentiation lamprophyre sill, La	Nebraska, apatite determination, study phosphorous: 3-900.
plata Mountains: 1=570.	Northwest Territories, Queen Elizabeth Islands:
Ireland, lapies and solution pits, olivine-doler- ite sills, Slieve Gullion: 3-1778.	3-2183.
Minnesota, diabase-granophyre relations, thuron	Properties, factor in Shoaling processes: J-1300.
Sill, Duluth: 3-2350. Now tersey, Palisades sill, potassium-argon meas-	Radioactivity sampling devices: 3-2022.
urements: 1=12D/-	piver suspensions and soils: 3-1090.
U.S.S.R., differentiated trappean massif, Padun rapids, Angara river: 3-1643.	Ryukyu Islands, Ishigaki-shima: 3-2834.

```
Soils - Continued
                                                                                       and shallow ground-water resources:
      Miyako archipelago: 3-3547.
                                                                                       3-4226.
    Salinity maps from geobotanical data: 3-3170.
                                                                          Wagner area, shallow ground-water resources:
    Stabilization calcareous loess: 3-1731.
                                                                                      3-4227.
    U.S.S.R., buried, Oligocene, Kulunda: 3-3235.
Central Asia, importance crypto-geological
                                                                          Wells penetrating artesian aquifers: 3-2760.
                                                                        Geophysics
                 structure for reclamation, salinized
                                                                          East of Black Hills and from Rapid City to Sioux
                 land: 3-3236.
                                                                                      Falls, gravity measurements: 3-4086.
      Epigenesis Quaternary deposits, Kazakhstan:
                                                                          Resistivity method, ground-water studies glacial
                 3-2663.
      European section, map native soil-forming materials: 3-3986.
                                                                                       outwash, eastern: 3-3701.
                                                                       Historical geology.

Miocene, Sharps formation: 3-2564, 3-4047.

Maps, Geologic.
      Geochemistry molybdenum, Kazakhstan: 3-3038.
      Microelement content, Vladimir region: 3-4139.
                                                                          Alexandria quadrangle: 3-1040.
       Soil and foundation engineering: 3-3543.
                                                                          Flandreau quadrangle: 3-1041.
    U.S., Ohio Valley, high terrace remnants: 3-2528.
    Washington, mineral and chemical alluviation, Du-
vall region: 3-1779.
                                                                          Gann Valley quadrangle: 3-1042.
                                                                          Little Eagle quadrangle: 3-1043.
                                                                          Miscol quadrangle: 3-1044
    West Indies, genesis limestone profiles, Tobago:
                                                                          Patricia quadrangle: 3-1045.
                 3-1434.
                                                                          Ring Thunder quadrangle: 3-1046.
    Wind erosion, control: 3-3232.
                                                                          Rutland quadrangle: 3-1047.
       Mechanism and dynamics: 3-3231.
                                                                          Sharps Corner quadrangle: 3-1048.
    Wisconsin, chemical weathering layer silicate
                                                                          Spring Creek quadrangle: 3-1049.
                 clays, loess-derived Tama silt loam:
                                                                          Timber Lake quadrangle: 3-1050.
                 3-2698.
                                                                          Winner quadrangle: 3-1051.
Solar system.
                                                                        Maps, Miscellaneous.
    Chronology, early, isotopic composition terres-
                                                                          Wind Cave National Park and vicinity: 3-2494.
                 trial and meteoritic xenon: 3-2326.
                                                                        Paleontology.
    Earth Sciences Session, Lunar and Planetary Exploration Colloquium. 3-2856.
                                                                          Desmatochelys lowi, primitive chelonild sea tur-
tle, Cretaceous: 3-1508.
    Elements, age: 3-530.
                                                                          Late Pleistocene mammals, western: 3-1516.
    Extra-terrestrial life: 3-2572.
                                                                          Placenticeras with feather structure: 3-1501.
    Interplanetary matter, problems; proceedings, con-
ference, 1960: 3-3006.
                                                                        Petrology.
                                                                          Calamity Peak area, Black Hills, pegmatite-granite relationships: 3-2364.
    Lunar and planetary exploration, national program:
                 3-3942.
                                                                          Pegmatites, Keystone district, Black Hills: 3-254.
    Science in space, dimensions and problems: 3-2855.
                                                                     Physiography.

Drainage alignment, western: 3-1782.

Soldier Creek, Buffalo County, age: 3-1438.

Southern Rhodesia, mineral prospecting: 3-3079.
    Stations of planets, relation to terrestrial dias-
                  trophisms and spacing of discontinuities
                 in interior: 3-1113.
Solifluction. See Patterned ground.
                                                                     Spain, bauxite, Paleozoic, Léon: 3-958.
South Africa (Union of).
                                                                     Speleology. <u>See</u> Caves.
Sphalerite, Tennessee, Mascot-Jefferson City district:
    Gold, Orange Free State gold field, origin depos-
                 its: 3-3865.
                                                                                      3-3871.
    Precambrian, Old Granite, Transvaal, Rb-Sr age measurements: 3-2923.
                                                                     Spitsbergen. <u>See</u> Svalbard
Spongiae. <u>See</u> Porifera.
    Shallow marine sands, Cape of Good Hope, size distribution: 3-3418.
                                                                     Spores. <u>See Palynology</u>. Springs. <u>See also Thermal waters</u>.
South America, petroleum developments, 1960: 3-3522.
                                                                          Alaska, Chugiak area: 3-3426.
South Australia. See Australia.
                                                                          California, Aqua de Ney, chemistry: 3-3046.
Yucca Valley-Twentynine Palms area: 3-1681.
Oklahoma, salt springs, western: 3-2743.
South Carolina.
    Clays, Coastal Plain: 3-3450.
     Cretaceous-Pieistocene, Parris Island area:
                                                                     Stocks, Colorado, West Spanish Peak and Dike Mountain,
                 3-1466.
                                                                                      radial dike swarms: 3-1792.
    Crystalline rocks, geologic relations, map:
                                                                     Stone. See Construction materials.
                 3-3210.
                                                                     Stratigraphy (general). For areal see subheading His-
    Gabbros, Newberry County: 3-1641.
Geologic activities, 1960: 3-1743.
                                                                                       torical geology under the various states
                                                                                       and countries. See also names of geo-
    Heavy minerals, Hilton Head Island: 3-1714.
                                                                                       logic periods.
    Natural gas, possible underground storage: 3-1736.
                                                                          Classification coals and coal-bearing sediments:
    Poor Mountain-Chauga River area, metasedimentary rocks, relationships: 3-3211.
                                                                                       3-3641.
                                                                          Coal beds, palynologic identification: 3-1202.
    Power auger as geologic tool: 3-1449.
                                                                          Code of stratigraphic nomenclature: 3-2543.
     Pseudomorphs of kyanite, Winnsboro: 3-1633.
                                                                         Electric log interpretation, exploring for strati-
graphic traps in shaly sands: 3-4102.
Laboratory manual: 3-2918.
    Savannah River basin, plezometric levels, Creta-
                 ceous sand aquifer: 3-3102.
    Tertiary limestone terranes: 3-435.
                                                                          Location, measured stratigraphic sections: 3-4013.
South Dakota.
                                                                          North American vertebrate paleontology, strati-
    Geological Survey, biennial report 1959-1960:
                                                                          graphic practice: 3-2215.
Paleogeologic maps, textbook: 3-794.
Pseudochitinous and resinous microfossils, tools
                 3-1379.
  Areas described.
    Yankton area: 3-1414.
                                                                                       in subsurface geology: 3-4014.
  Economic geology.
                                                                          Russian stratigraphic names: 3-1120.
    Heavy minerals, Black Hills: 3-1715.
                                                                          Stratigraphic panorama, bases for age determination
    Mineral industry, 1959: 3-965.
Uranium, Chadron area, geology: 3-3444.
                                                                                      and age classification strata: 3-1801.
                                                                          Thickness based on true and apparent dips: 3-89.
                                                                     Streams. <u>See</u> Rivers and streams.
Stromatolites, and facies: 3-1528.
  Engineering geology.
    Underground storage natural gas: 3-4285.
  Geohydrology.
                                                                     Stromatoporoidea.
    Huron-Wolsey area, shallow outwash deposits:
                                                                          Devonian, microstructures, widespread distribution,
                 3-4224.
                                                                                      stratigraphic significance: 3-2264.
    Jewel Cave National Monument, geology and ground-
                                                                     Labechildae, North America, Ordovician: 3-2573.
Structural geology (general). For areal <u>see</u> subheading
```

Structural geology under the various

water occurrence: 3-4225. Missouri Valley, North Sloux City-Yankton, geology

```
Structural geology - Continued
                  states and countries. <u>See also Deformation; Faults; Folds; Joints; Orogeny;</u>
                  Petrofabrics.
    Construction gradient maps, rate vertical tectonic
                  movements, crust: 3-2194.
    Continental dispersion, theories: 3-3246.
     Convection: 3-2540.
       In earth's mantle: 3-863.
     Craelius core orientator for formation dip: 3-2736.
     Crustal subsidence, geosynclinal terranes, stabili
                  zation by phase transition at M: 3-1796.
     Determination apparent angles, inclined linear
     elements: 3-1695.

Development earth and tectogenesis: 3-1444.
     Earle's formula for calculation true dip: 3-464.
     Earth, diastrophisms and spacing of discontinui-
                  ties in interior, relation to stations of planets: 3-1113.
     Earth crust, formation, energy consumed: 3-791.
       Origin: 3-1794.
     Earth's structure, role island arcs in develop-
                  ment: 3-2915.
     Earth's volume change, significance for orogene-
                  sis: 3-471.
     Experimental geology: 3-2195. Explosion studies continental structure: 3-3737.
     Faults and earthquakes: 3-2197.
     Fracture traces, geological significance: 3-3629.
     Geobotanical guides in detection salt-dome struc-
                   tures: 3-2913.
        In detection tectonic disturbances: 3-2912.
     High-speed impact, meteorite impacts: 3-468.
     Mohr construction in analysis large geologic
                  strain: 3-3627.
     Moon, domes, origin: 3-2535.
Photogeologic techniques, mapping rock joints:
                   3-1109.
     Possibility statistical study structural rela-
                   tions: 3-3626.
     Relation deformational fractures in sedimentary
                   rocks to regional and local structure:
                   3-1105.
      Relationship between concentric longitudinal strain
                   and concentric shearing during folding
                   homogeneous sheets rock: 3-2196.
      Rock magnetism as indication continental growth,
      western Europe: 3-3692.
Shear failure in anisotropic rocks: 3-3242.
                                                                        Sulfides.
      Shear modulus for rocks under high confining pres-
                   sures by twisting method: 3-3994.
      Split bottom lowers seas: 3-3247.
      Structural units of igneous activity, earth's
                   crust: 3-1112.
      Thickness based on true and apparent dips: 3-89.
      Under deep oceans: 3-2538.
      Underground salt cavities, structural stability:
                   3-331.
 Structural materials. See Clay; Construction materi-
                   als.
 Structural petrology. <u>See</u> Petrofabrics.
Structural soils. <u>See</u> Patterned ground.
Study and teaching. <u>See</u> Educational; Textbooks.
 Stylolites, U.S.S.R., Volga region: 3-1980.
 Submarine geology.
      Antarctic, eastern Ross Sea, marine sediment
                   thickness: 3-2376.
      Arctic basin, extension mid-oceanic ridge: 3-4002.
Origin, history geologic thought: 3-4001.
      Arctic Ocean, dredged gravels: 3-4198.
         Floor, seismic studies: 3-4120.
        Results geological-geophysical investigations,
drift station Charlie: 3-4129.
      Atlantic Ocean, interplain deep-sea channel system, Biscay and Iberia plains: 3-1101.
        Seamount north of Madeira, geophysical investi-
      gations: 3-1102.

Beaufort Sea, bathymetry: 3-3989.
California, Santa Barbara basin, stratification
Recent sediments: 3-3415.
      California area, possible pre-Pleistocene deep-
sea fans: 3-83.
      Caribbean Sea, Explorer bank: 3-3990.
Caribbean Sea-Gulf of Mexico, crustal structure:
```

3-1585.

```
Chukchi Sea, marine geology and bathymetry, shelf
                 off Ogotoruk Creek area, northwest
                 Alaska: 3-3988.
    Eastern Antarctic and southern Indian Ocean:
                 3-1319.
    Florida, western straits, topography: 3-3622. Geophysical research, marine geology: 3-1847.
    Gulf of Alaska, seamount: 3-2530.
    Gulf of Mexico, Mississippi submarine trench:
3-1437.
Salt structures indication of former land-locked
                 basin: 3-4131.
    Indian Ocean, Tertiary sediments: 3-1143.
    Lake Superior, submarine valleys: 3-2180.
    Minerals on ocean floor: 3-620.
    Ocean basin ages and amounts of original sedi-
                 ments: 3-1307.
    Pacific Ocean, Alexa Bank, drowned atoll, Melane-
                 sian border plateau: 3-1103.
       East Pacific rise: 3-1114, 3-2539.
       Floor east of Guadalupe Island: 3-3623.
       Horizontál displacements in floor, northeastern:
                 3-3996.
      Marianas trench, sulfur compounds in bottom deposits: 3-3787.
      Middle America trench, topography-structure,
                 seismic refraction studies: 3-2190,
                 3-2191.
      Off west coast North America, magnetic survey 32°N.-52°N.: 3-4090, 3-4091.
Preliminary Mohole project drilling, Guadalupe Island: 3-2534.
    Rift in ocean floor: 3-470.
    Seismic crustal studies, IGY: 3-858.
    Split bottom lowers seas: 3-3247.
    Surveying deep-sea floor with cameras: 3-3934.
    Turbidity currents, experimental: 3-4192. Under deep oceans: 3-2538.
    U.S., Georges Bank off New England, bottom sedi-
                 ments: 3-3416.
World ocean floor, relief, map: 3-3950.
Subsidence. <u>See also</u> Changes of level.
California, Santa Clara Valley: 3-3541.
Sinking land, removal ground water: 3-3164.
Sudan, faceted slopes, rock fans, domes on granite:
                 3-1771.
    Africa, equatorial, Mississippi Valley type ore
                 occurrences: 3-1706.
    Arkansas, zonal arrangement, hypogene veins:
                 3-938.
    Biogenic: 3-2674.
    British Columbia, Bannockburn basin, Lardeau-
                 area: 3-2787.
    Concretions, Jurassic coal beds, Angren deposit,
                 U.S.S.R.: 3-259.
    Deposits, hydrochemical cause for development sub-
                 zone of leaching: 3-891.
    Experimental investigation, solid diffusion and
                 volatilization, metallic: 3-2640.
    Fe-As-S system, phase relations and applications:
                 3-1592.
    Manitoba, prospects around Gods, Island, and Ox-
                 ford lakes: 3-2789.
    Michigan, geochemical anomaly, boulder train, Mt.
                 Bohemia: 3-2409.
    New Brunswick, Bathurst, origin: 3-2025.
       Caribou deposit, geophysical methods: 3-4236.
      Murray deposit, geochemical-geophysical discovery: 3-4235.
    Ontario, Big Duck Lake area: 3-1349.
    Ores from sulfide-deficient solutions: 3-1700. Oxidation mechanisms, minerals, at 25°C.: 3-892.
    Quebec, Mattagami area, geophysical discoveries:
                 3-1238.
    Role trace amounts uranium in base metal sulfides
                 from vein deposits: 3-2405.
    Trace elements in pyrite, pyrrhotite and chalco-
pyrite of different ores: 3-3112.
    U.S.S.R., Irtysh zone, Altai, zoning: 3-3869.
      Metastable K-feldspar and zeolite, sulfide-cas-
                 siterite ores, Dalnetayezhnyy: 3-2029.
       Shcherbakov ore field, mica fluorite topaz min-
                 eralization superimposed on sulfide
```

```
Sulfides - Continued
                                                                                            phyllite deposits: 3-1941.
                  mineralization: 3-4238.
                                                                               CaCO3-MgCO3, subsolidus phase relations: 3-1886.
CapsiO4-Mn25iO4: 3-1243.
CH4-H2O-NaCl2-CaCl2, liquidus surfaces: 3-3762.
Clay, viscosity of water in: 3-2704.
Sulfur.
    Geochemistry: 3-1589.
    Gulf of Mexico, Grande Isle project: 3-2421.
     Isotopes, investigation gold-quartz deposits, Yel-
                                                                               Copper/arsenic system, copper arsenide minerals:
                  lowknife, Northwest Territories: 3-1623.
                                                                               3-867.
Cu-Fe-S-0: 3-868.
     Isotopic composition, growth pyrites of sedimen-
                  tary origin: 3-895.
                                                                               Au-Ag-Te: 3-869.
     Marianas trench, compounds in bottom deposits:
                                                                               Fe-As-S, phase relations and applications: 3-1592.
                   3-3787.
     Mexico, salt domes, Tehuantepec isthmus: 3-1701.
Native, genesis: 3-1699.
                                                                               Fe-S-O, equilibria in sulfur-containing solutions,
                                                                                             correlation during ore deposition:
                                                                                             3-3761.
Sumatra. See Indonesia.
                                                                               Fe-Ti-0 at 1,200°C.: 3-1884.
Surveys.
                                                                               Iron oxide-manganese oxide-silica in air: 3-2642.
     Alaska, Div. Mines and Minerals, report, 1960:
                                                                               Iron oxide~titanium oxide at low oxygen pressure,
                  3-3456.
                                                                                             phase equilibria at liquidus tempera-
     Alberta, Research Council, annual report, 1960:
                                                                                             tures: 3-4134.
                  3-2098.
                                                                              Iron oxide-Ti0,-Si0, in air: 3-871.
FeS-Fe0-Si0, Tiquidus data: 3-3332.
Mg0-MgF2-Si0, phase equilibrium data: 3-1885.
     Antarctica, Bellingshausen Sea region, 1960 U.S. expedition: 3-1416.
    British Columbia, Dept. Mines, annual report,
1959: 3-963.
Geomagnetic field in space: 3-817.
                                                                               Magnesia-silica-water, low-temperature phases, 1000-300°C.: 3-872.
     Georgia, geological investigations, 1960: 3-3169.
                                                                               Mn0-C02-H20, attempts to determine: 3-207.
                                                                              Muscovite-quartz at high pressures, reactions and melting relations: 3-1887.

KAISiO308-NaAlSi308-SiO2-H20: 3-2349.

Silica-water, P-T diagram: 3-3760.
     Kansas, Geological Survey, activities, 1959-1960:
                   3-2471.
    Making of state survey geologist: 3-1015.
Method general geologic study regions covered by
Pliocene and Quaternary sediments:
                                                                               Silicate, containing two volatile components; ef-
                                                                              fects NH<sub>3</sub> and HF, H<sub>2</sub>O on melting temperatures albite and granite: 3-1242.

Silicate, iron in forsterite: 3-873.

SiO<sub>2</sub>-NaAlSiO<sub>14</sub>-XAlSiO<sub>14</sub>: 3-597, 3-1961.
                   3-3557.
     Missouri, Geological Survey, biennial report,
                   1958-1960: 3-2102.
     Montana, Bureau Mines & Geology, biennial report,
                  1958-1960: 3-2838.
                                                                               S-Na20-H20 and S-H20: 3-528.
     Ocean-wide surveys: 3-344, 3-345.
                                                                               Water-carbon dioxide at high temperatures, pres-
                                                                                            sures: 3-2641.
     Ohio, Dept. of Natural Resources, annual report,
                                                                               H<sub>2</sub>O-NaCl at elevated temperatures and pressures:
                  1959-1960: 3-2840.
                                                                              3-1591. H_20-SiO_2, 400^{\circ} isotherm at pressures to 2,000
     Oregon, Dept. of Geology and Mineral Industries,
                  biennial report, 1958-1960: 3-2103.
    Saskatchewan, geological survey work, 1960: 3-2790.
                                                                                            kg./cm.: 3-870.
                                                                              Zircon-thorite group, hydrothermal stability stud-
                                                                                             ies: 3-1883.
       Precambrian area, geology and mineral resources:
                  3-2044.
                                                                          Talc.
                                                                              Arkansas, nickel in soapstone, Saline County:
     South Carolina, geologic activities, 1960: 3-1743.
     State geological survey duties: 3-1016.
                                                                                             3-1707.
     Texas, report, 1960: 3-2841.
                                                                              Virginia: 3-3130.
     U.S. Coast and Geodetic Survey operations, geolog-
                                                                         Talus, rock movement on scree slopes, theory: 3-3225. Tanganyika, beryllium in granitic rocks: 3-1248.
                  ic aspects: 3-1741.
     U.S. Dept. Interior, annual report: 3-4291.
                                                                          Tantalum.
     University Committee on Polar Research, report:
                                                                              Geochemistry: 3-1239.
                                                                               U.S.S.R., in nepheline syenite massifs, Vishnevyie
                   3-3556.
Svalbard.
                                                                                            mountains: 3-2654.
    Arctoceratids, Triassic ammonoids: 3-2937.
                                                                                 Lovozero alkalic massif, geochemistry: 3-3775.
                                                                         Tasmania. See Australia.
Teaching. See Educational.
Technique. See under the subject involved.
Tectonics (general). For areal see under the various states and countries. See also Faults;
Folds; Geologic history; Orogeny; Structural see.
     Norsk Polarinstitutt activities: 3-4295.
     Palynological reconnaissance, lower Carbonifer-
                  ous, Vestspitsbergen: 3-1203.
     Radiocarbon dating raised beaches, Nordaustlandet:
                  3-4054.
     Structural history and bibliography: 3-4010.
Symposiums.
                                                                                             tural geology.
                                                                               Olivine orientation in dunite, relation to tectonic
     Clays and clay minerals, proceedings 8th National
    Conference: 3-2693. Coastal engineering: 3-3165.
                                                                                            environment: 3-469.
                                                                         Tektites. <u>See also</u> Meteorites.
Age, origin: 3-2644.
     Colorado, lower and middle Paleozoic rocks, guide-
book: 3-3955.
                                                                              Alkali elements, abundance and distribution: 3-229.
     Descriptive paleoclimatology: 3-3215.
                                                                               Composition, derivation from quartz-shale mixture:
     Drilling and blasting symposium, 10th, 1960, pro-
                                                                                             3-3013.
                  ceedings: 3-3535.
                                                                                 SiO2 and other major constituents: 3-3012.
    Earth today, geophysics papers: 3-3674.
Geochemistry petroleum: 3-301 through 3-308.
                                                                              Massachusetts, Martha's Vineyard: 3-1895.
                                                                               Metallic "meteorites" in tektites: 3-3336.
     Geology of Arctic: 3-3951.
                                                                               Meteoritics, principles: 3-875.
                                                                               Moldavites and similar tektites: 3-1246.
     Highway engineering geology: 3-1370.
     Interplanetary matter, problems: 3-3006.
                                                                               Natural earth satellites: 3-1601.
    Oceanography: 3-3925.
Origin life on earth: 3-800.
Rock mechanics: 3-3536.
                                                                              Nickel content, by activation analysis: 3-227.
                                                                              Origin, ancient asteroid explosions: 3-2329.
                                                                               Rare gases in: 3-228.
     Sciences in Communist China: 3-3926.
                                                                               Riddle of tektites: 3-1894.
     Soils in Canada: 3-3234.
                                                                         Temperature. See Earth temperature; Ground tempera-
    Texas, aspects geology: 3-769 through 3-774. Water for Texas: 3-4228.
                                                                                             ture.
                                                                         Tennessee.
Systems.
                                                                              Bibliography, Cumberland River valley, geology,
    Al<sub>2</sub>0<sub>3</sub>-4Si0<sub>2</sub>, under hydrothermal conditions:
                                                                                            resources: 3-2469.
                   3-1594.
                                                                            Areas described.
     Al<sub>2</sub>0<sub>3</sub>-Si<sub>02</sub>-H<sub>2</sub>0, mineralogy and petrology, pyro-
```

Northeastern: 3-2509.

Tennessee - Continued	
Economic geology.	South Dakota, Miocene Sharps formation: 3-2564,
Coal industry: 3-3907.	3-4047.
Petroleum, developments, 1960: 3-3509.	Texas, guidebook: 3-2898.
Zinc, deposits and sedimentary features: 3-2771.	Middle Eocene, Houston County, guidebook: 3-3212.
Mascot-Jefferson City district, geology: 3-3871. Geophysics.	Time-scale: 3-3052. Trinidad, boundary with Cretaceous, benthonic Fo-
Peridotite, Clark Hollow, aeromagnetic study:	raminifera: 3-2246.
3-3321.	U.S.S.R., Alkun zone, stratigraphic significance:
Historical geology.	3-2563.
Cambrian, stromatolitic bioherms, Maynardville	Elbrus area, Caucasus: 3-1076.
limestone: 3-3643.	Faunas Eocene Buchak and Kiev formations, Ur
Devonian, Chattanooga shale, U-Pb age determina- tions: 3-2257.	kraine: 3-154. Fossil wood, Suifun series, south Primore:
Chattanooga shale and related rocks: 3-4029.	3-3651.
Pennsylvanian, early, sedimentation: 3-2231.	Kinelskyan deposits, Nugush valley: 3-122.
Maps.	Mangyshlak steppe, Pliocene: 3-1469.
Blockhouse quadrangle, geology: 3-2889.	Miocene oyster beds, southeastern Ustyurt: 3-121.
Mineral resources and industries, 1959: 3-3580.	Miocene volcanic beds, Transcarpathia: 3-1276. Montian deposits, Crimea: 3-119.
Wildwood quadrangle, geology: 3-2890. Paleontology.	Oligocene coal-bearing sediments, Dilizhan re-
Archeogastropoda, Mesogastropoda, Late Cretaceous:	gion, Armenia: 3-120.
3-1164.	Paleogene sea, western Siberian lowland: 3-3654.
Lissatrypoidea concentrica (Hall), Silurian, lec-	Stalingrad Volga region, glauconite in Paleogene
totype: 3-134.	deposits: 3-4165. Upper Eocene Kerestinsk formation, Salo-Ergeni
Petrology. Pennsylvanian marine cyclothems: 3-262, 3-3837.	upland: 3-1468.
Structural geology.	U.S., Gulf Coast, Jackson (Eocene), correlation:
Eastern Cumberland escarpment: 3-3634.	3-1467.
Terraces.	Gulf Coast, lower Frio changes in depth: 3-2799.
Mississippi, Pascagoula Valley, guidebook: 3-1068.	Gulf Coastal Plain, Paleocene: 3-2247.
Netherlands Antilles, Aruba, Bonaire, Curação: 3-2189.	Upper Mississippi embayment, clay mineralogy: 3-1950.
Texas, Brazos River: 3-1090.	Upper Mississippi Valley, dispersal center, clas-
U.S.S.R., Kama valley, reflection Recent tectonic	tics: 3-4197.
movements: 3-1776.	Utah, boundary with Cretaceous, mammalian-dinosaur
Surkhob river valley: 3-87.	remains: 3-2241. Virginia, Yorktown formation, microfauna: 3-812.
U.S., Ohio Valley, soils of high terrace remnants:	Washington, Keechelus problem, Cascade Mountains:
3-2528. Wyoming, Cody terrace, seismic evidence supporting	3-3264.
alluvial origin: 3-1775.	Port Angeles-Lake Crescent area, map: 3-1055.
Terrain classification.	Wyoming, type Lance formation: 3-2242.
Relief forms, fine and medium: 3-3238.	Volcanic breccias, Absaroka Mountains, Yellow- stone National Park: 3-2344.
Terrain analysis for cross-country movement:	Waltman shale and Shotgun members, Paleocene
3-2813.	Fort Union formation, Wind River basin:
Tertiary. Arizona-New Mexico, Cretaceous-Tertiary relation-	3-4046.
ships: 3-1821.	Texas.
British Columbia, radioactive dating, plant-bear-	Bureau of Economic Geology, report, 1960: 3-2841.
ing deposits: 3-1828.	Areas described. Aspects geology, Texas, symposium: 3-769 through
California, Eocene Sacate formation: 3-3304. Heavy minerals, Lower Tertiary, Santa Cruz Moun-	3-774.
tains: 3-1266.	Grosvenor quadrangle: 3-436.
Climatic changes: 3-444.	Panhandle: 3-772.
Colorado, Piceance Creek basin, geology and oil	Purgatory Creek area: 3-1072. Taylor to Glenrose, geologic section, guidebook:
shale resources: 3-3477.	3-1073.
Egypt, Farafra oasis, Esna shale: 3-2953.	Tertiary field trip, guidebook: 3-2898.
Florida, Miocene Choctawhatchee deposits, Alum Bluff: 3-3274.	Francomic geology.
Miocene Hawthorne formation, cross-bedding and	Natural gas, Eocene Wilcox formation, south:
textural variations: 3-1310.	3-3473.
Greenland, central East: 3-4045.	South Texas exploration: 3-2795. Petroleum, developments, 1960: 3-3510 through
Indian Ocean sediments: 3-1143.	3-3516.
Louisiana, north, guidebook: 3-1762. Massachusetts, Eocene sediments, Cape Cod: 3-481.	Exploration, Edwards trend: 3-2074.
Meyico, houndary with Cretaceous, Paleocene, Idil	Gulf Coast, Cretaceous Comanchean reef trend:
nico-Misantla basın: 3-2244.	3-4274.
Boundary with Cretaceous, Tampico embayment:	Production, exploration: 3-4273. North-central: 3-2436.
3-2243.	Person field. Karnes County: 3-1727.
Difunta formation, Parras basin: 3-2245. Nebraska, Miocene Harrison formation, heavy miner-	San Miguel sandstone, logging and coring program
als: 3-1994.	3-3143.
Western, guidebook: 3-3600.	Stratigraphic distribution hydrocarbon produc-
New Marico, San Juan basin: 3-1409.	tion, Abilene area: 3-318.
North America, Rocky Mountains, late leftidity	Bolivar Peninsula, gulf shore, Rollover Fish Pass,
crustal detormations: 3-2207.	heach erosion control: 3-13/4.
Western interior, boundary with Cretaceous: 3-2240.	Payment disruption by earth movements: 3-1370.
Nathwest Torritories, Arctic Archipelago: 3-4039.	Sedimentation, Denison dam and reservoir, Red RIV-
Richardson Mountains, structural history: 3-400&	er: 3-1738.
ot.t	Geochemistry. Trace and minor elements, Woodbine subsurface wa-
Puerto Rico, Jacaguas group, middle Eocene, micro-	ters, east Texas basin: 3-1614.
paleontology and biostratigraphy:3-2951. San Sebastian-Isabela section: 3-3309.	Coobydrology
San Sebastian-Isabela Section: 3-355. South Carolina, limestone terranes: 3-435.	Atascosa and Frio counties, water-level measure-
Journ Caronna Times	

```
Texas - Continued
                                                                        Recent oolites: 3-1303.
                 ments, 1955-1960: 3-1688.
                                                                        Red Mountain gneiss, Llano County, origin and
    Brine, Chambers and Richland creeks, Navarro Coun-
                                                                                    structure: 3-3833.
                 ty: 3-1677.
    Cameron, Hidalgo, Starr counties, water-level meas-
urements, 1950-1959: 3-1689.
                                                                     Physiography.
                                                                       Brazos River, degradational stream deposits: 3-1090.
     Canadian River basin, ground water: 3-3856.
                                                                       Gulf of Mexico, rise sea level, northwest: 3-1669.
    Carson and Gray counties, geology and ground-water resources: 3-3857.
                                                                       Lower Fresno Creek area, drainage development:
                                                                                    3-1439.
    Culberson, Hudspeth, Jeff Davis counties, water-
                                                                       Pollen studies, peat deposits: 3-1083.
                 level measurements, 1955-1960: 3-1690.
                                                                     Structural geology.

Grand Saline salt dome, internal structures and mode uplift: 3-2202.
    Dimmit County, geology and ground-water resources: 3-1684.
    Grayson County, geology and ground-water re-
                                                                        Thrust fault exposure, Tyler: 3-3995.
                 sources: 3-1685.
    Hale County, geology and ground water: 3-3858.
                                                                   Textbooks.
    Haskell and Knox counties, water-level measure-
ments, 1956-1960: 3-1691.
                                                                       Elements of photogrammetry: 3-1019.
                                                                        Evolution, process and product: 3-2931.
                                                                       Field geology: 3-3552.
    Hays County, geology and ground-water resources: 3-1686.
                                                                       Geology: 3-337.
                                                                       Geology, principles and processes: 3-3167.
    Karnes County, ground-water geology: 3-1687.
                                                                       Geology of U.S.S.R.: 3-2166.
    Lower Rio Grande Valley area, ground water:
                                                                       History of the earth: 3-2542.
                 3-3859.
                                                                       Introduction to methods optical crystallography:
    McCulloch County, Hickory sandstone member, Riley formation, ground-water geology:
                                                                                    3-3352.
                                                                       Modern earth science: 3-3923.
                 3-3860.
                                                                       Nature and properties, soils: 3-784.
    Northern high plains, water-level measurements, 1958-1960: 3-1692.
                                                                       Paleogeologic maps: 3-794.
Physical geography, Asiatic Russia: 3-2193.
    Shallow formations and aquifers, west Texas area, cross-sections: 3-3437.
                                                                        Physical oceanography: 3-3553.
                                                                        Physical universe: 3-3166.
    Southern high plains, water-level measurements, 1959-1960: 3-1693.
                                                                        Physics and archeology: 3-2288
    Water resources: 3-4228.
                                                                       Principles of meteoritics: 3-875.
                                                                        Principles of mineralogy: 3-3350.
  Geophysics
                                                                        Spectrochemical analysis: 3-1881.
    Bronte (Ellenburger) and Rawlings fields, Coke
                County, case history: 3-1584.
                                                                       Studies in paleobotany: 3-1840. Waves in layered media: 3-2629.
    Paleomagnetic studies rocks, review: 3-771.
                                                                   Thailand, northern extension Chachoengsao area, air-
  Historical geology.
     Cretaceous, Comanche series, biostratigraphy:
                                                                                    borne magnetometer-scintillation coun-
                 3-2239.
                                                                                    ter survey: 3-1216.
                                                                   Thallium, isotopic composition in meteorites: 3-214.
      Walnut formation: 3-3649.
                                                                   Thermal analysis
    Eocene, Houston County, guidebook: 3-3212.
                                                                        Clay minerals, abnormal effect: 3-2714.
    Paleozoic, Fort Stockton-Del Rio region: 3-774.
    Middle, history, central and west: 3-773.
Pennsylvanian reef patterns, west-central: 3-770.
                                                                        Galena and clausthalite: 3-1928.
                                                                   Shattuckite: 3-1942.
Thermal waters. See also Springs.
California, Lake and Colusa counties, ammoniated
    Permian, Wichita group, Brazos River valley: 3-2559. Precambrian, North Franklin Mountain: 3-97.
    Precambrian-Paleozoic, Swisher gabbroic terrane,
Panhandle: 3-98.
                                                                                    thermal waters: 3-2742.
                                                                        Hot springs, variation in constituents: 3-1903.
  Maps, Geophysical.
                                                                        System H20-NaCl at elevated temperatures and pres-
    Coastal Plain area, airborne radioactivity and geology: 3-3581.
                                                                                    sures: 3-1591.
                                                                        U.S.S.R., Kamchatka, geyser theory: 3-1880.
                                                                       U.S., western, hyperthermal areas, prospecting for geothermal power: 3-2637.
  Mineralogy.
    Fayalite-bearing pegmatite, Burnet County: 3-4169.
    Gemstones: 3-1953.
                                                                       Wyoming, Yellowstone National Park, effects earth-
                                                                                    quake 1959: 3-3327.
    Rowlandite, Baringer Hill: 3-3376.
  Paleontology.
                                                                   Thermoluminescence. See Luminescence.
    Amateur collectors handbook: 3-814.
                                                                   Thorium.
    Bison latifrons, and other fossils, Pleistocene,
                                                                       Bibliography, U.S. Geological Survey publications, 1942-1960: 3-3873.
                 Cooke County: 3-3664.
                                                                        Idaho, Lemhi Pass area: 3-1711.
Two thorite deposits: 3-3121.
    Cretaceous holostean fish Macrepistius:
                                                  3-1167.
    Felidae, late Cenozoic, Panhandle: 3-493.
    Fusulinids, Hess member, Leonard formation, Permian, Glass Mountains: 3-2604
                                                                        In bauxite: 3-1608.
                                                                        In uranium ores, determination: 3-2324.
    Nautiloids, Ordovician Gorman and Honeycut: 3-2936.
                                                                        Isotope shifts in natural compounds: 3-2681.
                                                                        Ontario, Blind River, conglomerate: 3-953.
Huronian, Sudbury district: 3-2412.
    Paleoecologic study, Cretaceous Denton formation:
                 3-1477.
                                                                        U.S.S.R., in granitoids, Dnepr region: 3-3034.
    Siliceous sponges, Permian: 3-1480.
                                                                          In intrusive rocks, Tuva: 3-3033.
  Petrology.
                                                                   Thrust faults. See Faults and faulting. Thucholite, origin: 3-1702.
    Bays, central coast: 3-1663.
    Cross-bedding directions, Upper Triassic sand-
                stones: 3-1311.
                                                                        Evolution till-stone shapes, New York: 3-79.
    Dedolomitization, Permian Tansill formation:
                                                                        Illinois, northeastern, associated soils: 3-3621.
                 3-3844.
                                                                        Indiana, Parke and Putnam counties, pebble counts:
    Laguna Madre, sediments: 3-1664.
                                                                                    3-1651.
    Late Pennsylvanian-Early Permian limestone petroi-
                                                                          Wisconsin till, original bedrock composition:
                 ogy and carbon isotope distribution,
                                                                                     3-1320.
                 Glass Mountains: 3-3412.
                                                                        Ontario, southern: 3-3221.
    Late Precambrian batholiths, petrotectonics and
petrochemistry: 3-2365.
Marine and lagoonal deposits, clay dunes, Gulf
                                                                        Rhode Island, hydraulic characteristics, glacial
                                                                                     outwash: 3-2398.
                 Coast: 3-3417.
                                                                        Alaska, Lost River mine, metallization and argil-
    Permian basin, dolomitization by seepage reflux-
                                                                                     lization: 3-951.
```

Placer cassiterite, "Manley tin belt": 3-1708.

Ion: 3-1309.

in - Continued Tofty tin belt, Manley Hot Springs district:	Utah, Lisbon Valley anticline, structure map,
3-2411. Mexico, Chapultepec Mountains: 3-1709.	Chinle formation: 3-739.
New Brunswick, Mount Pleasant area: 3-2773.	Aulacopleura socialis, Silurian, Yukon: 3-4065.
U.S.S.R., in cassiterite, Dzhalinda deposit, Malyy Khingan: 3-3778.	California, Silurian, Klamath Mountains: 3-1505. Hemiarges, Cornwallis Island, Northwest Territo-
Indium in deposits, Yakutia: 3-3025.	ries and New York State: 3-3289.
Kolyma river basin, association mineralization with zone sodium-potassium metasomatism:	Ogypopsis klotzi (Rominger), Cambrian, British Columbia, Salterian molting: 3-2586.
3-1284.	U.S.S.R., Ordovician, central Kazakhstan: 3-141.
Sulfide-cassiterite ores, Dalnetayezhnyy: 3-2029.	U.SCanada, Cambrian Conococheague and Frederick
itanium. In bauxite, mineralogy: 3-959.	limestones, central Appalachians, Ordo vician, Quebec: 3-1503.
Quebec, Morin anorthosite: 3-1713.	Wyoming, Cambrian, Wind River Mountains: 3-1504.
U.S.S.R., behavior during skarn formation, Tyrny-	Trinidad, Cretaceous-Tertiary boundary, distribution
Auz ore deposit: 3-2652. In bauxite, Kairak deposit: 3-3783.	benthonic Foraminifera: 3-2246.
Rutile-bearing eclogites, southern Urals: 3-624.	Tritium. In meteorites: 3-213.
Sediments, Okhotsk Sea: 3-889.	Ottawa Valley, hydrology: 3-1906.
ourmaline.	Tsunamis, Hawaii, May 1960: 3-839, 3-3715.
California, Himalaya mine: 3-1265. Manganese tourmalines: 3-1948.	Tuff. Ash-flow tuffs: 3-2738.
Trace elements.	Crater studies, high explosive: 3-3912.
Cobalt, determination in sea water: 3-3040, 3-3041.	Idaho, southeastern, welded tuff: 3-270.
Coefficient of accumulation, measure total trace element content of mineral or rock:	Maine, Traveler Mountain region, Devonian, paleo- geographic implications: 3-2250.
3-3337.	Wyoming, Yellowstone Park, welded tuffs and flows
Galena, crystal habit and trace element content:	3-1959.
3-3777. Guide to copper ore, in organic soil: 3-2403.	Tungsten. Alaska, Lost River mine, metallization and argil-
In granite G-1 and diabase W-1: 3-3015.	lization: 3-951.
In kyanite, sillimanite, andalusite: 3-534.	Arizona, Cochise, Pima, Santa Cruz counties: 3-4242.
In metamorphic pyroxenes: 3-535. In petroleum and rock asphalts: 3-1609.	Colorado, scheelite, Precambrian gneisses: 3-950.
In pyrite, pyrrhotite, and chalcopyrite of differ-	Mine directory: 3-2036.
ent ores: 3-3112.	Montana, Philipsburg batholith, Granite and Deer Lodge counties: 3-1339.
In turbidites, Normanskill and Charny formations, New York, Quebec: 3-3036.	New Brunswick, Mount Pleasant area: 3-2773.
Magnesium, strontium, barium concentrations in	Nicaragua, Macuelizo: 3-4243.
recent molluscan shells: 3-3044.	Turbidity currents. Atlantic Ocean, Biscay and Iberia plains, inter-
Ocean water, system for international exchange samples for analysis: 3-884.	plain deep-sea channel system: 3-1101.
Silver in galena ores, Broken Hill, Australia:	Effect on chemical differentiation, turbidites,
3-3120.	Normanskill and Charny formations: 3-3035.
Strontium and magnesium in brachiopods, bearing on history, oceans: 3-3347.	Experimental, on sea floor: 3-4192.
Texas, Woodbine subsurface waters: 3-1614.	Unconformities.
Uranium, in base metal sulfides from vein deposits: 3-2405.	Alberta, Jasper area, post-Carboniferous: 3-3591. Kentucky, Illinois basin, clay mineral sequence a
Variations in related rocks: 3-2404.	Mississippian-Pennsylvanian unconform-
Tracks and trails.	ity: 3-3257. North America, pre-Devonian: 3-2206.
Hadrosaurian ichnite, Cretaceous, Alberta: 3-4058. Utah, dinosaur tracks, Zion National Park and re-	Underground nuclear explosions. See Explosions.
gion: 3-2590.	Underground water. See Ground water.
Transvaal. See South Africa (Union of).	Union of Soviet Socialist Republics. Aerogeologic mapping, western Kazakhstan, geobo-
Triassic. Alberta, Rock Lake area: 3-746.	tanical indicators: 3-284/.
Argentina, vertebrate-bearing strata, Mendoza re-	Arctic bibliography, v. 9: 3-1013.
gion: 3-114.	Earth probes considered: 3-3993. Geobotanical guides in distinguishing between
British Columbia, Halfway sand, Milligan Creek oil field, primary structures: 3-3400.	1:+bologically similar strata: 3=4040.
Pardonet formation, Peace River foothills, ammo-	Geobotanical method in lithologic mapping of ear
noid faunas: 3-3662.	alluvial deposits: 3-2849. Inadequate equipment, geological parties, Yakutia
Rocky Mountains and foothills: 3-4041. Colorado: 3-2155.	3-351.
sangre de Cristo Mountains: 3-1137.	Method general geologic study, regions covered by Pliocene and Quaternary sediments, Pr
Connecticut Valley, structural history: 3-2213.	Caspian as example: 3-3557.
Greenland, East: 3-4040. Mongolia, central: 3-112.	Relations, Chinese-Russian geologists: 3-4297.
Novada Natchez Pass formation: 3-340/.	Anabar massif, southern part, stratigraphy and
New Jersey, composition upper triassic Lockatong	tectonics: 3-3606.
argillite: 3-604. Paleomagnetism: 3-3691.	Arctic, geology, symposium: 3-3951.
New Mexico, northern: 3=1407.	Chelvabinsk lignite basin: 3-/4.
Nova Scotia, Chedabucto Bay area, sedimentary	Elbrus, Caucasus: 3-1076. Kolkhid lowland, Georgia: 3-1415.
rocks: 3-1136. Texas, cross-bedding directions, Dockum group:	Kuznetsk coal basin: 3-107/.
3-1311.	Southeastern Turkmenia: 3-775. Tuva, geologic development, Paleozoic-Mesozoic:
U.S.S.R., Cis-Caucasia, transition complex:	3-3605.
3-1462. Desian formation, age: 3-113.	U.S.S.R., textbook: 3-2166.
Tavrida formation, Crimea, mineralogy and pe-	Age relationship igneous dikes and postmagmatic
trography: 3-266. U.S., eastern, correlations: 3-142.	mineralization, deposits, northern
0.51, 645-6111, 651, 11111	

```
Coal, Mesozoic, Malyy Khingan range area: 3-2085.
Copper-nickel mineralization, Nittis-Kumuzhye-
            Travyanaya massif: 3-2772.
Diamond deposits, Yakutia: 3-1348.
Energy sources twice those of free world: 3-983.
Geochemical techniques, literature review:
             3-2020.
Hydrothermal mineralization, trap rock, Nizhnyaya
Tunguska: 3-2768.
Iron, Archean, Yakutiya: 3-2783.
  Cretaceous, western Siberian lowland: 3-2039.
  Kondoma region, Gornaya Shoriya, mineralogical-
geochemical zoning: 3-3125.
  Siderite deposits, Samur, south Dagestan, gene-
             sis: 3-3878.
  Siderite ores, in host rocks, Bakal group,
southern Urals: 3-2038.
Traps of differentiated intrusions, river Bakhta
             and Stony Tunguska: 3-3879.
Lead-zinc, central Caucasus, volcanogenic stratum
             as possible source: 3-2027.
  Turkestan, use mercury halos in exploration: 3-3863.
Metallogenesis, west Transbaikalia: 3-1719. Metallogenic regional zonation: 3-2046.
Mica fluorite topaz mineralization superimposed on
             sulfide mineralization, Shcherbakov ore
             field: 3-4238.
Mineral deposits, distribution, determination regular patterns: 3-2792.
Minerals, fuels, in seven-year plan, 1959-1965:
             3-1350.
Natural gas, changes in composition gases, Apshe-
             ron Peninsula: 3-3890.
  Exploration: 3-978.
Nickel prospecting, Kola peninsula, biogeochemical
method: 3-2767.
Oil man looks at U.S.S.R.: 3-350.
Petroleum, Apsheron peninsula, eruptive plugs and
  asphalt pebbles, Pliocene: 3-3899.
Arlano-Dyurtyulin oil-bearing zone: 3-989.
  Azerbaijan and R.S.F.S.R.: 3-325.
  Baku crude oils, naphthenic acids: 3-1355.
  Cis-Carpathian downwarp, outer zone: 3-3528.
  Cis-Caucasus: 3-986.
  Exploration, 1958, 1959-1965: 3-984, 3-985.
Azerbaijan S.S.R.: 3-3147.
     Central Asia: 3-991.
    Geological prospecting, effectiveness and distribution: 3-3888.
     Offshore reserves, Caspian: 3-324.
     Prospecting features, buried structures: 3-988. Radiometric method: 3-3138.
     Reserves and exploration, R.S.F.S.R.: 3-3145.
     Stavropol area: 3-3898.
    Ural-Volga region, history of exploration, 1918-1940: 3-3526.
    West Siberian lowland: 3-3903.
  Fergana depression, structure and prospects:
             3-3900.
  Grozny-Dagestan region, hydrogeologic conditions
             and microbiological investigations:
             3-3468.
   Impact Soviet oil, address: 3-4275.
  Kum Dag uplift region: 3-3901.
Lower Albian, southern U.S.S.R.: 3-3897.
Lower Carboniferous oil pool, Mukhanov field:
             3-990.
  Origin, views I.M. Gubkin: 3-3525.
  Production and future: 3-4276.
  Securing increase, oil, gas reserves: 3-3144.
  Selengin depression, Baikal region, prospects,
            hydrogeologic research: 3-3902.
  Tectonics, oil and gas possibilities, north Cas-
```

Union of Soviet Socialist Republics - Continued

Kirghizia: 3-2024.

3-936.

3-1344.

Barite, genesis, Sumsar zinc-lead deposit: 3-287. Bauxite, Mesozoic, southern Urals: 3-2041. Bentonitic clays, Oglanly, Caspian Sea: 3-1345.

Biogeochemical prospecting, ore deposits, Tuva:

Carboniferous oil-source and coal-bearing deposits, Volga-Ural district: 3-3146.

Boron in endogenetic borates, skarn deposits:

```
pian depression: 3-987.
    Tersin depression, prospects in Devonian sedi-
              ments; conditions formation, Klenovka
               uplift: 3-3527.
    Turkmenia-Uzbekistan area prospects: 3-2079.
    West Central Asia, prospects: 3-3904.
  Potassium salts, bromine distribution in rock salt
as prospecting method: 3-3864.
Pyrite, deposit, Urup, Caucasus: 3-2026, 3-3872.
    Mineralization, northwest Caucasus, age: 3-1335.
  Rutile-bearing eclogites, southern Urals: 3-624.
Sulfide-cassiterite ores, Dalnetayezhnyy, meta-
stable K-feldspar and zeolite: 3-2029.
  Sulfide deposits, Irtysh zone, Altai zoning:
              3-3869.
  Sulfur, native, genesis, Caudrak: 3-1699.
Ukrainian S.S.R., natural resources: 3-2426.
  Urals and trans-Urals, deposits, geochemical features: 3-1718.
  Uranium, biogeochemical surveys in marshy areas:
              3-2766.
Engineering geology.
  Mud slide, Kiev, March 1961: 3-2095.
  Pechora and Vychegda rivers, plan to alter course:
              3-2820.
  Soil and foundation engineering: 3-3543.
Geochemistry.
  Alkali metals and thallium in granitoids, Turgoy-
              ak pluton, Urals: 3-3029.
  Alteration ludwigite ores, borate deposits, Trans-
baikalia: 3-2672.
  Aral Sea, salt balance: 3-1255.
  Bicarbonate coefficients in rivers: 3-3789.
  Biogeochemical investigations, Kadzharan, Armenian
              S.S.R.: 3-3109
  Black Sea, free hydrogen sulfide and iron sulfide
              in mud sediments: 3-3786.
  Boron in rocks, Urals: 3-2657, 3-2658.
  Cadmium in Almalyk and Altyn-Topkan mineralized
              areas, Karamazar region: 3-3022.
  Carbon-14 age determinations: 3-3800.
  Epigenesis, Quaternary deposits, Kazakhstan: 3-2663.
  Gallium, distribution in rocks: 3-2660.
    In alkalic rocks, Sandyk mountains massif:
              3-3023.
    In granitoids, Susamyr batholith, Tien Shan:
              3-2661.
    In nepheline syenites, Lovozero massif: 3-3024.
  Gases, volcano Ebeko: 3-3020.
  Geochemical conditions sedimentation, Bat-Bayos
  time, southern Dagestan: 3-1611.
Germanium in petroleum: 3-2670.
  Hydrocarbon gases and bitumens, intrusives, Kola
              peninsula: 3-1249.
  Hypogene aureole rare-earth dissemination, Vish-
              nevogorsk-limen mountains miaskite in-
              trusion: 3-3780.
  Igneous rocks, Armenia, average composition:
              3-2646.
  Indium in tin deposits, Yakutia: 3-3025.
  Iron sulfur, carbon, bitumens in Mesozoic sedi-
  ments, eastern Pri-Ural region: 3-233.
Isotopic composition, lead, central Kazakhstan:
              3-2678.
    Lead, phosphorites, Podoliva: 3-2679.
  Lake Baikal, hydrochemical regime, effect of seiches and body waves: 3-3790.
  Lead, in Devonian extrusives, central Kazakhstan:
              3-2647.
  in granitoids, eastern Transbaikal: 3-3026.
Lead and zinc, Caledonian granitoids, Susamyr
              batholith, central Tien Shan: 3-881.
  Microelement content, soils, Vladimir region:
              3-4139.
  Molybdenum in soils, Kazakhstan: 3-3038.
  Niobium and tantalum, Lovozero alkalic massif:
              3-3775.
  Oxidation-reduction potential, ground waters:
              3-2673.
  Phosphorites, Karatau basin, elemental constitu-
              tion: 3-1610.
  Rare earths in pegmatite minerals, Karelia: 3-2659.
```

Rare elements in metamorphic rocks, granites, and

Union of Soviet Socialist Republics - Continued Seismology, review of research and developments: rare metal pegmatites, Sayan mountains: 3-2656. 3-2303. Rhenium in molybdenites, Kazakhstan: 3-3027. Rubidium and lithium in rocks, Lovozero massif: Stalinabad region, seismic conditions, 1955-1959: 3-4109. Structure earth's crust, Central Asia, from explosion records: 3-847. 3-2655. Rubidium and K/Rb ratio, Lovozero massif: 3-3028. Scandium, in igneous rocks, massifs: 3-3772.
In minerals, quartz veins and greisens, Polousnyi Surkhob river valley, seismicity and geomorphology: 3-87. range: 3-1604. Skarn formation, Tashbulak deposit, migration of Talyshsko-Vandam, Azerbaijan, gravity maximum, geologic interpretation: 3-3319. Tatar A.S.S.R., magnetic anomalous field, conneccomponents: 3-2645. tion with structure: 3-1215 Strontium in ground waters, pre-Urals: 3-2667. Thallium and rubidium in igneous rocks, Tyrny-Auz: Turkmenia, seismicity, 1957-1959: 3-4111. Ukrainian crystalline massif, paleomagnetic re-3-3031. Tin and indium in cassiterite, Dzhalinda deposit, search: 3-3694. Ushkani islands, lake Baikal, anomaly in earth's Malyy Khingan: 3-3778. electric field: 3-3695. Titanium behavior during skarn formation, Tyrny-Using earth's natural electromagnetic field for Auz ore deposit: 3-2652. Distribution, sediments, Okhotsk Sea: 3-889. geological surveying, Rylsk area, Kursk region: 3-828. In bauxites, Kairak deposit: 3-3783. Historical geology. Uranium, entry into rock-forming minerals, granites, Tien Shan: 3-1247. In petroleum, Azerbaijan: 3-3039. In rocks, Lovozero massif: 3-3032. Absolute age of rocks, geologic results: 3-2569. Age granitoid rocks, Tien Shan: 3-127. Age kimberlites, Siberian platform: 3-3656. Cambrian, stratigraphy and geologic history, Yeni-sey range: 3-1807. Uranium and thorium, in granitoids, middle Dnepr region: 3-3034. Carboniferous, Dnepr-Donets depression, paleo-In intrusive rocks, Tuva: 3-3033. geography: 3-2922. Geohydrology. Facies environment coal measures accumulation, Donets basin: 3-1817. Geobotanical method hydrogeologic studies, black earth region: 3-3087. Lower, Donets basin: 3-1129. Helium-bearing ground water, Jurassic strata, cen-Lower, stratigraphy and lithology, Tuva: 3-2553. tral Cis-Caucasus monocline: 3-1678. Northwestern Bashkirla: 3-3645. Hydrogeologic structures, principal types: 3-616. Ukrainian crystalline massif, lithologic facies Urals-Volga region, ground water, calcium chloride type: 3-281. description, carbonate series: 3-1818. Carboniferous-Permian, Manrak range, Kazakhstan: 3-3646. Geophysics. Carboniferous-Triassic, age basalts and alkalic-Application multistage scale compression device of ultrabasic complex, Siberian platform: seismographs, north Tien Shan: 3-836. Automatic equipment, seismic stations, north Tien Shan: 3-837. 3-126. Coal-bearing deposits, Kuzbas, 1956 unified strati-graphic scheme: 3-2556. Carpathians, seismic surveying: 3-857. Cretaceous, Kassarma anticline, Aral Sea: 3-118.
Upper Amur region, volcanic formations: 3-1142. Converted and reflected waves on seismograms, earthquakes, Garm region: 3-845. Cretaceous-Tertiary, Danian-Montian deposits,
Crimea: 3-119.
Devonian, Kizel horizon, Birsk saddie: 3-1455. Deep seismic sounding, Asian continent to Pacific ocean; structure crust: 3-3750. Density and gravitational effect, Paleozoic rocks, Tatar republic: 3-816. Pelecypod assemblages, Volga-Ural province, stratigraphic significance: 3-1127 Earthquakes, Kamchatka, S waves and source mecha-Shugurovo formation, Volga-Ural region: 3-1456. nism: 3-513.
Electromagnetic field, regional, short-period variations: 3-827. Southeast Gorno-Altai: 3-3644. Stolb island, Lena estuary: 3-106. Volcanic necks, northwestern Minusinsk depression: 3-1960. Establishing seismic regions, central Tien Shan: 3-841. Devonian-Carboniferous, Kama-Kinel depression: Geothermal regime, Georgian S.S.R.: 3-864. Gobi Altai earthquake, Dec. 1957: 3-1860. Kamchatka, geysers: 3-1880. Khait earthquake, 1949, Garm region: 3-840. 3-1457. Devonian-Permian, salt-bearing formations, Russian platform: 3-103. Jurassic, facies composition, coal-bearing strata, Kola peninsula, earthquakes, Feb. 1960: 3-4108. Aldan-Olekhma watershed: 3-116. Kursk magnetic anomaly, laboratory measurements, magnetic properties of ferruginous Mamyt formation, Urals: 3-2562. Middle Liassic Foraminifera, north Caucasus: quartzites: 3-4094. quartzites: 3-4094.

Magnetic prospecting, modeling Shchigry magnetic anomaly, KMA: 3-4093.

Magnetic susceptibility, ferrous quartzites, Starooskolsk iron ore region: 3-1850. 3-3647. Pshekha-Kuban interfluve, northern Caucasus, development: 3-1464.
Zelenchuk and Kuban basins, basal Bajocian: Study vertical gradients, magnetic field: 3-1213. Lg₁ wave, propagation northeast Asia: 3-3728. 3-3648. Mesozoic, Aldan-Olekma watershed, heavy minerals and formation classification: 3-2561. Lithologic characteristics, productive Devonian Carbonaceous deposits, little Khingan range: sediments, Tuymazy field, well logging: 3-1465. 3-3328. Mesozoic-Cenozoic, Arctic: 3-4038. Makhachkala earthquake, March 1960: 3-2985. Microvariation station, Leningrad State University, Azerbaijan, source area detrital minerals, petroleum regions: 3-3650. operation in Borok, 1959: 3-1219. Miocene, fossii wood, Suifun series, south Primore: Paleomagnetic studies, Devonian sedimentary layers, northwest of Russian platform: 3-1852. 3-3651. Oyster beds, southeastern Ustyurt: 3-121. Residual magnetization, formation and distribution: Mississippian, boundary Visean-Tournaisian, Bash-3-499. kiria: 3-109. Reversed magnetization, volcanic rocks, Armenia and Ordovician, age unfossiliferous strata, Dnestr Kurile islands: 3-823. region: 3-102. Seismic exploration, Cheleken-Neftyanye Kamni, Cas-pian Sea: 3-3325. Seismic process from study earthquakes in Tadzhik-Armasu formation, Tien Shan, age: 3-1126. Origin red beds, Cheleken peninsula; use age clas-

istan: 3-4110.

tic minerals solution problems lithol-

```
Union of Soviet Socialist Republics - Continued
    ogy, paleogeography: 3-1475.
Paleogene sea, western Siberian lowland: 3-3654.
    Paleozoic, Arctic: 3-4020.
Kotelnny island, age: 3-1811.
      Lower and middle, northwestern Siberian platform:
                 3-3642.
    Permian, landscape, southern Tataria: 3-1472.
Northern Pamir: 3-1461.
      Solikamsk series, age: 3-111.
Stratigraphic system, Transbalkal deposits:
                 3-1460.
    Permian-Triassic, Cis-Caucasia, transition com-
plex: 3-1462.
Pliocene, Mangyshlak steppe: 3-1469.
    Potassium-argon and lead ages, granites and pegma-
tites, middle Dnepr region: 3-2570.
     Precambrian, Arctic: 3-4016.
      Barguzinsk range, stratigraphy and metamorphism:
                3-1803.
      Diabasic rocks, west Bashkir: 3-911.
Geochronology: 3-1827.
      Metamorphics, Kursk magnetic anomaly: 3-1121.
       Riphean deposits, Okhotsk massif: 3-1451.
       Sinian complex, stratigraphic position: 3-1122.
    Precambrian-Cambrian, Siberian platform, struc-
                 tural facies zones: 3-4018.
      Metamorphic rocks and metallogeny, Timan region:
                3-1804.
       Oselkovoye formation, U.S.S.R., nomenclature:
                 3-2544.
    Precambrian-lower Paleozoic, Kirghiz range, Tien-
                Shan: 3-2545.
     Quaternary, Aldan river valley: 3-2567.
      Kola peninsula, neotectonic conditions and pale-
                 ogeography: 3-1473.
       Northeastern Chuysk trough: 3-4048.
       Northern Caspian region: 3-1824.
       Sovgavan formation, Sikhote-Alin, basalt, struc-
                 ture and age: 3-1144.
       Syrt deposits, structure and age, southern
                 trans-Volga region: 3-3652.
     Silurian, Kargabulak springs area: 3-1812.
       Lower Ludlovian, western Siberian platform:
                 3-1453.
       Southeastern Transbaikalia: 3-2547.
     Tertiary, Alkun zone, stratigraphic significance:
                 3-2563.
       Coal-bearing sediments, Dilizhan region, Arme-
                nia, age: 3-120.
      Kerestinsk formation, upper Eocene, Salo-Ergeni upland: 3-1468.
       Kinelskyan deposits, Nugush valley: 3-122.
     Triassic, Desian formation, age: 3-113.
  Maps, Mineral.
     Economic atlas Soviet Union: 3-742.
  Mineralogy.
     Clay minerals, Maykop formation, Ozek-Suat re-
                 gion: 3-1636.
       Miocene limestones, Black Sea region: 3-1634.
     Clays, lower Cretaceous, Caucasus: 3-1635.
      Odessa coast, Black Sea: 3-2339.
     Crystallography, future development:
     Glauconite, Cretaceous, Caucasus: 3-245.
       Paleogene, Stalingrad Volga region: 3-4165.
     Huntite, Kurgashinkan deposits, Uzbekistan: 3-244.
Hydrous calcium carbonate, lake Issyk-Kul: 3-243.
```

Laumontite in conglomerates, western Transbalkal:

Archeocyatha, Bazaikh horizon, Kiya river: 3-132. Brachiopod, family Atrypidae Gill, new genus <u>Va</u>-

Cretaceous, freshening Hauterivian sea, Ulyanovsk-

Catalog fossil spores and pollen, v. 10, v.12: 3-1200, 3-1201.

Volga region: 3-130.

Devonian fauna, Kuznetsk basin: 3-1539. Eocene, faunas, Buchak and Klev formations, U-

kraine: 3-154.

3-246.

3-3816.

Paleontology.

Lillianite, Bukuka deposit: 3-3814. Quartz in brown-coal deposits, Dubrovka and Glinsk-tvov region: 3-4162. Seyrigite, Usinsk ore deposit, Magadan batholith:

grania: 3-3660.

Fossil reptiles, Tunguska basin: 3-1169. Hyolithids, systematics: 3-1482. Lower Tortonian fauna, Podolia, Ukraine: 3-3672. Mammoth epoch, northern Siberia, natural condi-tions and vegetation: 3-3663. Nassidae, lower Sarmatian, Moldavian S.S.R.: 3-140. Nerinea inkermanica, n.sp., Montian, Crimea: 3-139. Novo-Caspian flora, western Turkmenia: 3-1533. Plant remains, periglacial zones, Russian plain: 3-1534. Pliocene flora, western Turkmenia: 3-3668. Pollen, from dark-conifer forests, Quaternary, Olkhon island, lake Baikal: 3-3670. Pollen and spores, Permian, Cherdyn and Aktyubinsk areas, Cis-Urals: 3-2615. Problematic fossils, Cambrian, Siberian platform: 3-1470. Quaternary flora, Zhidovshchizna, river Neman: 3-150. Sarmatian mactrids, Mangyshlak and Ustyurt: 3-137. Seed plants, Quaternary, lower Aldan and Lena rivers: 3-3669. Spore-pollen complexes, Pliocene, lower Kama: 3-151. Starnosed mole, Miocene, Central Asia: 3-1172. Stromatolites, Riphean, Urals: 3-3666. Tersiids, Cambrian, Chitinsk district: 3-131. Trilobites, Ordovician, central Kazakhstan: 3-141. Petrology. Alkalic gabbroidal rocks, Alai-Turkestan alkalic province: 3-3828. Alkalic pegmatites, Afrikanda massif: 3-3084. Alkalic ultrabasic rock and carbonatites: 3-4186. Alkaline rocks, Siberian platform, isotope composition lead: 3-258. Alteration in Carboniferous rocks, Donets basin: 3-3832. Anyuy volcano and Quaternary volcanic activity, northeastern: 3-3823. Autometasomatic alteration granitoids, tin mineralization, Kolyma river basin: 3-1284.
Basic rocks, crystalline basement, BelorussianLithuanian massif: 3-1642. Bentonite, volcanic, Cretaceous, Podoliya. 3-1639. Bug region, metasomatic zonality and genesis, sapphirine-bearing rocks: 3-2357. Cambrian extrusives, Tuva, chemical and geochemical characteristics: 3-2728. Carboniferous limestone breccias, Chernyshev ridge: 3-3845. Caspian Sea, mineralogy modern sediments: 3-250. Chamosite clays, Kimmeridigian, Caucasus: 3-1652. Chamosite rocks with oolitic structure, Lena basin: 3-3835. Chishima (Kurile) islands, igneous activity: 3-595. Clays, Russian platform, evolution chemical composition: 3-915. Diabasic rocks, west Bashkir: 3-911. Differentiated trappean massif, Padun rapids, Angara river: 3-1643. Dolomite and siderite, menilite series, Carpathians: 3-2735. Dolomites and dolomitized limestones, Donets basin, origin: 3-269. Dunites, Borus range, origin: 3-1283. Evolutionary changes salinity, Asselian-Sakmarian sea, southern Tataria, Permian: 3-3840. Formation magnesian skarns and granitization, Zheleznyy Kryazh: 3-1969. Gabbroic pegmatite, Sinyaya mountain pyroxenite, Urals: 3-2731. Granite pegmatites, origin oval forms: 3-1644. Granitoids, main range, northwestern Caucasus: 3-2730. Igneous rocks, eastern Donets basin: 3-255. Inder region, effect tectonics on lithology, halogenic deposits: 3-3841. Intrusions, Dzhuga mountain and basin Kisha and Bezymyannaya rivers: 3-4189. Intrusions and age, Uymensk depression granitoids, Gornyy Altai: 3-1290.

Karsakpay alkaline and nepheline syenite massif,

```
Union of Soviet Socialist Republics - Continued
                  structural position: 3-4188.
                                                                            Surkhob river valley, geomorphology and seismicity:
     Khyuta gabbro-diabase intrusion, Imangda river
                                                                                         3-87.
                  valley: 3-1965.
                                                                            Yenisey region, glacial-marine deposits: 3-1089.
                                                                         Structural geology.
     Krivoy Rog region, metasomatic features: 3-1285.
                                                                            Carpathians, deep tectonics: 3-857.
     Krivoy Rog series, alkali metasomatism: 3-3085.
                                                                            Caspian depression, age: 3-1446.
     Lower Cambrian volcanism, Tuva: 3-3824.
     Lower Permian coal-bearing strata, central Pechora, rhythmic features: 3-3839.
                                                                              Recent tectonism: 3-3638.
                                                                            Central Asia, youngest tectonic movements, map and
                                                                                        text: 3-1800.
     Mafic minerals, traprock intrusives, Norilsk re-
                                                                            Central Soviet Arctic, tectonic development:
                  gion: 3-4187.
                                                                                         3-4011.
     Mesozoic-Cenozoic volcanism rocks, northern Sibe-
                                                                            Cis-Caucasia, development: 3-1447.
                  rian platform: 3-1277.
     Micaceous pegmatites, age post-Jurassic intrusions,
Aldan: 3-1282.
                                                                            Crimea-Caucasus anterior downwarp, development:
                                                                                         3-3633.
     Miocene volcanism, Transcarpathia: 3-1276.
Neyvite, new vein rock, Urals: 3-4185.
                                                                            Crimean mountains, geosynclinal folded structures:
                                                                                         3-1790.
     Olekma-Vitim highlands, hydrothermal metasomatism,
Proterozoic rocks: 3-1971.
                                                                            Dnestr region, Quaternary tectonic movements: 3-3636.
                                                                            Donbas, southwest edge: 3-1799.
     Ore-bearing rocks, Dzheskazganskaya suite, diage-
                                                                            Donets basin: 3-1117
                   netic dislocations, bedding and layer-
                                                                            Emba salt domes: 3-2914.
                   ing: 3-1978.
                                                                            Geobotanical indicators in detection tectonic dis-
     Paleozoic pseudoconglomerates, Karelia and Kola
                                                                            turbances: 3-2912.
Kaalijarv meteorite craters, Saarema island, Estonian S.S.R.: 3-2536.
                   peninsula: 3-1640.
     Petrography clays, Maykop formation, Azerbaijan
                   Cis-Caspian oil province: 3-1313.
                                                                            Kazan-Sergievsk basin, origin: 3-4012.
      Phosphatic facies, Silurian, Kyzylkum: 3-267
                                                                            Kum-Dag fold, tectonic development, late Pliocene:
      Phosphorites, Karatau basin, petrography: 3-3842.
                                                                                         3-3632.
      Post-Jurassic magmatism, northwest Caucasus:
                                                                            North Caspian depression, tectonics: 3-987. Northern Pri-Caspian area: 3-793.
                  3-1289.
      Potassium metasomatism in granites, Tuva: 3-4184.
Pseudoclastic lower Carboniferous limestones,
                                                                            Relation recent tectonics to local features of
                                                                                          Quaternary deposits, Volga and Cauca-
                   Donets basin: 3-1656.
                                                                                          sus regions: 3-3637.
      Ruby spinel, Pereval deposit, secondary altera-
                                                                            Riphean volcanics, Russian platform: 3-1118. Sayan-Altai folded region: 3-3640.
                   tions: 3-1286.
      Salt stratum, west Asgir, role pyroclastic material in formation: 3-1653.
                                                                             Tengiz and Karaganda basins, formation: 3-3639.
                                                                            Tertiary downwarps, Dnepr-Donets depression, for-
mation: 3-1441.

Tien Shan, Mesozoic and Cenozoic block-folded
      Sediments, geosynclinal formations, Caucasus:
                   3-1982.
      Sodium metasomatism, Krivoy Rog basin: 3-1645.
Stylolites, Volga region: 3-1980.
                                                                                         structures: 3-1791.
                                                                             Upper Tisza depression, tectonic features: 3-3635.
      Sulfide concretions in coal beds, Angren deposit:
                                                                             Urals, major structures and origin: 3-2541.
                   3-259.
                                                                             Western Ukraine, tectonic history: 3-1116.
      Supergene borates, Cambrian dolomites, Aldan
                                                                        United States.
                   shield: 3-268.
                                                                            Geology-geophysics students, colleges and universities, 1959-1960: 3-666.
      Tabular intrusions, Dzhentu range, northwest Cau-
casus: 3-3834.
                                                                             Glacier mapping, western: 3-3219.
      Tavrida formation, Triassic-Jurassic, Crimea:
                                                                             Great Lakes Research, Third Conference, 1959:
                   3-266.
                                                                                         3-2472.
      Ultrabasic rocks, petrochemistry: 3-3826.
Weathered basalt crust, west Volynya, mineralogy:
                                                                             Lunar and planetary exploration, national program:
                                                                                         3-3942.
                   3-2725.
                                                                          Areas described.
      West Turkmenian Jurassic arenaceous rocks, spectral
                                                                             Cumberland Gap area, Kentucky, Tennessee, Virginia,
                   brightness and correlation with petrog-
                                                                                         guidebook: 3-1756.
                                                                             Gulf Coastal province, geologic framework: 3-1658.
Michigan basin: 3-3163.
Paradox basin, fold and fault belt, geology, guidebook: 3-1064.
                    raphy and sedimentary environment:
                    3-3399.
      Xenoliths, diorite porphyry dikes, upper Yana re-
                   gion: 3-2729.
   Physiography.
                                                                           Economic geology.
      Ancient drainage pattern, Kama basin: 3-86.
                                                                             Barren and productive intrusive porphyry, differ-
      Asiatic Russia, physical geography, textbook:
                                                                             ences between: 3-1697, 3-3862.
Bauxite deposits, comparison with Europe: 3-2417.
                   3-2193.
      Black Sea, fluctuations in level, postglacial:
                                                                             Chromite and other mineral deposits, Piedmont,
                                                                                          Maryland, Pennsylvania, Delaware: 3-3458.
                    3-82-
      Buried soils, Oligocene, Kulunda: 3-3235.
      Crypto-geological structure, central Asian alluvial plains, importance for reclama-
                                                                             Coal reserves, to Jan. 1960: 3-4280.
Energy in American economy, 1850-1975: 3-966.
      tion: 3-3236.
Eolian deposits, zonation, Central Asia: 3-1421.
Fedchenko glacier, thermal balance: 3-1084.
                                                                             Eocene, Gulf Coast Jackson, correlation: 3-1467.
                                                                             Exploration, 1960: 3-2045.
Helium gas, Four Corners area: 3-2061.
Kyanite, sillimanite, andalusite deposits, South-
      Geomorphological research, main tasks and trends:
                    3-2167.
      Native soil-forming materials, European section,
map and text: 3-3986.
Niva river valley, Kola peninsula: 3-1104.
                                                                                          eastern States: 3-956.
                                                                             Minerals yearbook, 1959: 3-964.
                                                                             Mining World, catalog, survey and directory number,
                                                                                         1961: 3-2762.
      Permafrost, distribution: 3-780.
                                                                             Natural gas, Pennsylvanian, Four Corners: 3-309.
      Quaternary, glaciation west Siberian lowland: 3-3611.
                                                                             Oil shale deposits: 3-3140.
                                                                             Petroleum, Atlantic Coastal States, developments,
         Marine interglacial deposits, Onega river ba-
                                                                                1960: 3-3483.
Crude potential 90 billion barrels: 3-313.
                    sin: 3-1471.
      Recent tectonic movements reflected in middle Kama
                                                                               Developments, 1959: 3-980.
Exploration, future course: 3-3891.
                   terraces: 3-1776.
      Rioni river, suspensions and soils: 3-1098.
                                                                                  1960: 3-2064, 3-2798.
      Soil erosion, study by aerial photographs, Tsiml-
                                                                               Green River basin possibilities; Wyoming, Utah,
```

yansk reservoir: 3-109.

```
United States - Continued Colorado: 3-3475.
                                                                                     additional statement, references:
                                                                                     3-4034.
       Gulf Coast, Cretaceous reefs, exploration. 3-4270.
                                                                        Precambrian-Cambrian, Lake Superior region, paleo-
                                                                                     geographic evolution: 3-1145.
         Lower Frio changes in depth: 3-2799.
                                                                        Precambrian-Pennsylvanian, pre-Des Moinesian
         Stratigraphy, role in exploration: 3-1721.
                                                                                     isopachous and paleogeologic studies,
       Hugoton embayment-Anadarko basin yearbook:
                                                                                     Amarillo-Hugoton area: 3-100.
                 3-1362.
                                                                        Silurian, stratigraphy Cayugan evaporites: 3-2229.
       Illinois basin, exploration: 3-2054.
       Montana, North Dakota, South Dakota, develop-
ments, 1960: 3-3500.
                                                                      Maps.
                                                                        Coal fields: 3-1033.
                                                                        Rocky Mountain region, oil and gas fields: 3-719.
       North midcontinent, developments, 1960: 3-3485.
                                                                      Mineralogy.
       Significance interruptions to hydrodynamics,
                                                                         Clay mineral composition, desert lakes, Nevada,
                northern Rocky Mountains province:
                                                                                     California, Oregon: 3-2716.
                 3-3429.
    Southeastern States, developments, 1960: 3-3484. West Coast area, developments, 1960: 3-3486. Survey for thick high-calcium limestone deposits
                                                                        Cretaceous-Tertiary clay mineralogy, upper Missis-
                                                                                    sippi embayment: 3-1950.
                                                                        Green River formation, Wyoming, Utah, Colorado, silicate mineralogy: 3-2337.
                 for nuclear explosion site: 3-3913.
                                                                      Paleontology.

Ammonite, family Binneytidae Reeside, western in-
    Uranium, genesis, Colorado Plateau: 3-2413.
Trace amounts in base metal sulfides from vein
                                                                                     terior: 3-4061.
                deposits: 3-2405.
                                                                          Successions, Cretaceous, Gulf Coast: 3-2271.
  Engineering geology.
                                                                        Coelacanth fishes, continental Triassic: 3-3291.
    Allegheny Plateau, cyclic sediments, foundation
                                                                        Conodonts, Mississippian, Kentucky, Virginia, West
                problems: 3-2451.
                                                                        Virginia: 3-1521.
Duplin (late Miocene) molluscan species, Georgia
     Radioactive waste disposal, Michigan basin: 3-3163.
Research and development: 3-2826, 3-2828.
                                                                                    and Carolinas, check list: 3-3286.
       Sedimentary basins: 3-2830.
                                                                        Fishes, Triassic, eastern America: 3-142.
  Geochemistry.
                                                                        Gastropoda, Permian, southwestern: 3-138.
     Beryllium content, coals: 3-3340.
                                                                        Horses, late Tertiary biogeography, northern
     Galenas, Upper Mississippi Valley, Picher field,
                                                                                    Great Basin: 3-1514.
                 southwestern U.S., crystal habit and
                                                                        Invertebrates, Cretaceous Mowry shale and con-
    trace element content: 3-3777.
Limnology and amino-acid content, lake deposits
                                                                                     temporary formations, western interi-
                                                                                     or: 3-152.
                 in Minnesota, Montana, Nevada, Louisi-
                                                                        Jurassic algae, subsurface Gulf Coast: 3-1529.
                 ana: 3-1902.
                                                                        Neoscaphiopus and other Pliocene pelobatid frogs:
    Minor elements in coals, northern Great Plains:
                                                                                     3-2588.
                 3-3785.
                                                                        Siliceous sponges, Pennsylvanian-Permian, mid-
    Uranium in Mesozoic batholiths: 3-3338.
                                                                                    continent: 3-1480.
  Geohydrology.
                                                                        Trilobites, Conococheague and Frederick lime-
    Atlantic Coastal Plain, origin hydrochemical fa-
cies, ground water: 3-2383.
Atlantic and Guif Coastal Plain, ground-water re-
                                                                                    stones, central Appalachians: 3-1503.
                                                                     Petrology.
                                                                        Bottom sediments, Georges Bank: 3-3416.
                 sources: 3-1328.
                                                                        Canadian River sands, dimensional grain-orienta-
    Ground-water resources, development, management:
                                                                                    tion, studies: 3-2736.
                 3-2377.
                                                                        Cyclothems, Dunkard group (Pennsylvanian-Permian)
    Mississippi embayment area, geohydrology, pro-
gress report: 3-2003.
                                                                                     Pennsylvania, West Virginia, Ohio:
                                                                                     3-3836.
    Northeastern states, ground-water levels, 1956-
                                                                        Gulf Coast, Recent sands, texture and mineralogy:
                 1957: 3-2002.
                                                                                     3-1304.
  Geophysics.
                                                                        Gulf of Mexico, Recent sediments: 3-1657 through
    Earthquake insurance, reappraisal: 3-3710.
                                                                                     3-1670.
    Earthquakes, California, Nevada, Oregon, Apr.-Dec. 1958: 3-183, 3-184, 3-185.

Hyperthermal areas, geological environment, prospecting for geothermal power: 3-2637.
                                                                        Igneous and tectonic provinces, western: 3-2363.
                                                                        Lower Ordovician carbonates, central Appalachians,
                                                                                    depositional environments: 3-4195.
                                                                        Paleozoic and later clastics, upper Mississippi
Valley, dispersal centers: 3-4197.
    Index wells shot for velocity: 3-1574.
                                                                        South Canadian River channel sands, New Mexico,
  Historical geology.
     Cambro-Ordovician, Pennsylvania, Ohio, New York:
                                                                                     Texas, Oklahoma: 3-1984.
                3-2223.
                                                                      Physiography.
    Carboniferous, Westphalian-Stephanian boundary,
                                                                        Appalachian caves, terminations passages as evi-
     Coastal plain stratigraphic units, catalog type
                                                                        dence shallow phreatic origin: 3-1427.
Caves in folded limestone, Appalachians: 3-1423.
                 localities: 3-472.
     Cretaceous, Pacific Coast, correlation: 3-117.
Rocky Mountain region: 3-2237.
                                                                        Driftless Area, evidences dissected erosion sur-
                                                                                    faces: 3-2908.
    Mesozoic, Louann salt, relation to Gulf Coast salt domes: 3-1463.
                                                                        Eastern Great Lakes region, early Wisconsin:
                                                                                     3-3223.
    Mississippian micropaleontology: 3-2278.
                                                                        Great Lakes, formation: 3-3228.
Great Plains, origin and sources, loess: 3-2181.
    Mississippian-Pennsylvanian boundary, Williston basin: 3-1130.
                                                                        Gulf Coast barriers: 3-1665.
    Ordovician, classification Cincinnatian: 3-1810.
                                                                        Lake Superior, submarine valleys: 3-2180.
       North Dakota, South Dakota, Montana, adjoining
                                                                        Ohio Valley, soils of high terrace remnants: 3-2528.
                 areas Canada: 3-4023.
    Paleocene, Gulf Coastal Plain: 3-2247.
                                                                        Pseudokarst: 3-2525.
    Paleozoic, early, tectono-stratigraphic patterns:
                                                                        Wisconsin glacial stage, central, classification:
                 3-2220.
                                                                                     3-448.
       Systemic boundaries, Appalachians: 3-2219.
                                                                      Structural geology.
       West Texas-northern Montana, stratigraphic
                                                                        Appalachian tectonics: 3-2208.
    cross section: 3-4019.
Paleozoic and later clastics, upper Mississippi
                                                                        Cordilleran foreland, tectonic problems: 3-1115.
                                                                        Gulf Coast, contemporaneous normal faults, rela-
    Valley, dispersal centers: 3-4197.
Pennsylvanian, correlations, "coal measures,"
                                                                                     tion to flexures: 3-1106.
```

Southeast: 3-4031.

Permo-Pennsylvanian strata, eastern Great Basin,

Uranium.

Argentina, ranquilite, calclum uranyl silicate:

3-578.

```
Uranium - Continued
    Ar<sup>38</sup> content, minerals: 3-3795.
                                                                            Economic geology.
                                                                               Helen claim, East Tintic district, hydrothermal
    Arizona, geochemical test, diabase as ore source,
                                                                                            argillic alteration: 3-2706.
                  Dripping Spring district: 3-2407.
                                                                               Lead-zinc-silver, Utah, Chief Oxide Burgin area,
       Isopach mapping, photogeologic methods, location swales and channels, Monument Valley:
                                                                                            East Tintic district: 3-947, 3-948.
                                                                               Manganese, Drum Mountains: 3-4247.
                   3-933.
                                                                               Monazite and columbium-bearing rutile deposits,
    Riverview mine, Coconino County: 3-3442. Autunite, formation and solution: 3-902.
                                                                                             Lemhi County: 3-940.
    Bibliography, U.S. Geological Survey publications,
1942-1960: 3-3873.
California, Kern River area: 3-290.
Colorado, Foothills mine, Idledale district:
                                                                               Natural gas, Uinta basin exploration: 3-3474.
                                                                               Petroleum, developments, 1960: 3-3517.
Lisbon field prospects: 3-2075.
                                                                               Lisbon Valley anticline, map, correlation chart,
table: 3-738, 3-739, 3-740.
Uranium, Elk Ridge area, San Juan County: 3-1710.
                   3-3443.
       Map: 3-56.
                                                                             Geohydrology.
       Rifle Creek area: 3-2037.
                                                                                Capitol Reef National Monument, water-supply pos-
     Colorado Plateau, genesis belts: 3-2413.
       Lisbon Valley area, similarities uranium-vanadium
                                                                                             sibilities: 3-2015.
                                                                                Sevier Valley, ground-water areas, well logs:
                   and copper deposits: 3-2414.
                                                                                             3-286.
     Distribution in mineralized zones: 3-2649.
     Egypt, Tertiary radioactivity and volcanic activity: 3-3115.
                                                                                Underground piracy, Navajo Lake-Cascade Spring:
                                                                                             3-2399.
     Entry into rock-forming minerals: 3-1247.
Formation uranium<sup>235</sup> from curium<sup>247</sup>, geologic re-
                                                                             Geophysics.
                                                                                Earthquakes near Nephi, Nov.-Dec. 1958: 3-2626.
                                                                                Gravity survey, Wasatch front: 3-3684.
                   lationships: 3-3867.
                                                                                Seismic investigation, crustal structure: 3-522.
     In bauxite: 3-1608.
                                                                                Seismic profiles, Pilot Range and Grouse Creek
     In crude oils, analysis, distribution: 3-2668, 3-2669.
                                                                                Range area: 3-2317.
Subbasement seismic reflections, northern: 3-1576.
      In granites, mode of occurrence: 3-2650.
                                                                             Historical geology.
      In granitoids, Dnepr region, U.S.S.R.: 3-3034.
                                                                                Cretaceous, Mesaverde group, Sunnyside: 3-798.
      In meteorites, determination: 3-877.
                                                                                Cretaceous-Tertiary boundary: 3-2241.
       Isotopic composition: 3-878.
                                                                                Devonian correlations, western: 3-105.
Pennsylvanian, saline facies, Paradox member, Hermosa formation: 3-796.
      In petroleum, Azerbaijan, U.S.S.R.: 3-3039.
      In petroleum and rock asphalts: 3-1609.
      In sandstone, distribution and geochemical cycles:
                                                                                Pleistocene, analysis core, Great Salt Lake: 3-124.
                   3-3113.
     Indian Ocean waters: 3-3791.
Late Pleistocene and Recent accumulation in ground-
                                                                             Maps, Geologic.
                                                                                Beaver quadrangle: 3-3582.
                                                                                Boulter Peak quadrangle: 3-3947.
                   water-saturated sandstone deposits:
                                                                                Dutch John Mountain, Goslin Mountain quadrangles:
                   3-2776.
                                                                                              3-3192.
     Mineralization and porosity, ore-bearing carbonate
                                                                                Mount Peale quadrangle: 3-737, 3-1052, 3-1053, 3-1054, 3-3191.
Oderville-Glendale area: 3-3583.
                   rocks: 3-2030.
      Minerals, reference book: 3-3811.
      Montana, map: 3-57.
                                                                                Oquirrh Range: 3-3584.
Timpanogos Cave quadrangle: 3-2891.
      Nebraska-South Dakota, Chadron area: 3-3444.
      North America, relation deposits to tectonic pat-
                                                                             Maps, Oil and gas.
                    tern, central Cordilleran foreland:
                                                                                Lisbon Valley anticline, subsurface and surface structure, oil and gas wells: 3-738, 3-739, 3-740.
                    3-3874.
     Ontario, Bancroft district, granitic dikes: 3-622.
Blind River: 3-953, 3-1703.
Huronian, Sudbury district: 3-2412.
Oxidation in uraninites: 3-1256.
                                                                             Mineralogy.

Neighborite, NaMgF3, Eocene Green River formation,
South Ouray: 3-2686.

Whewellite and celestite, San Juan County: 3-1934.
      Pennsylvania: 3-3876.
     Pitchblende, estimation oxidation state in ores:
3-235.
Texas, Coastal Plain area, airborne radioactivity,
                                                                              Palentology.
                                                                                Ankhelasma, new Mississippian coral genus: 3-1485.
                                                                                Dinosaur tracks, Zion National Park and region: 3-2590.
                   map: 3-3581.
      Thorium content, ores, determination: 3-2324. Thucholite, origin: 3-1702.
                                                                                Late Cretaceous mammal, Dragon Canyon: 3-3297.
Mississippian fenestrate Bryozoa: 3-1488.
      Transportation in hydrothermal solution as a car-
bonate: 3-2651.
                                                                                Pleistocene bighorn sheep, Salt Lake City region:
                                                                                              3-3298.
      U.S.S.R., biogeochemical surveys in marshy areas:
                                                                             Petrology.
                    3-2766.
                                                                                Glen-San Juan Canyon region, gravel analysis:
         In intrusive rocks, Tuva: 3-3033.
      In rocks, Lovozero massif: 3-3032.
U.S., distribution in rocks and minerals, Mesozoic
                                                                                              3-1987.
                                                                                intrusive bodies, central Wasatch Range, heavy
minerals study: 3-4190.
                    batholiths: 3-3338.
                                                                                Magnesium carbonate formation, glacial Lake Bonne-
      U234/U238 ratio, secondary minerals: 3-2680.
      Urano-organic mineral association: 3-2775.
Utah, Elk Ridge area, San Juan County: 3-1710.
                                                                                             ville: 3-1990.
                                                                                Solution cavities, shale, Fairfield: 3-2338.
                                                                              Physiography.
      Washington, Midnite mine, Spokane: 3-2777.
                                                                                Breccia blocks (Mississippian), Welcome Spring
      Wyoming, map: 3-61.
 Uruguay, early Mesozoic wind patterns from dune bed-
ding, Botucatu sandstone: 3-3619.
                                                                                             area: 3-95.
                                                                              Structural geology.
                                                                                 Jointing, Comb Ridge-Navajo Mountain area: 3-1110.
                                                                           Valleys, Alberta, buried valleys, central and southern:
3-2910.
      Rainbow Bridge National Monument, protection:
                    3-339, 3-2854.
                                                                           Vanadium.
   Areas described.
                                                                                Angola, vanadates, Minas do Lueca: 3-572.
      Clay Hills area, San Juan County: 3-437.
                                                                                 Colorado, Rifle Creek area: 3-2037.
      Pine (Builion) Creek-Tenmile Creek, Tushar Range:
                                                                                 Colorado Plateau, Lisbon Valley area, similari-
                                                                                              ties, uranium-vanadium and copper de-
                    3-3958.
      Silver Island Mountains, guidebook: 3-2165.
                                                                                              posits: 3-2414.
      South Pavant Range: 3-71.
                                                                                 In sandstone, distribution and geochemical cycles:
   Washington County, text and atlas: 3-2164. Willow Creek Butte quadrangle: 3-2140.
                                                                                              3-3113.
```

```
Vanadium - Continued
     Wyoming, crystal chemistry study, vanadium oxide minerals, haggite and doloresite:
                                                                               Chevkinite in: 3-574.
                                                                              Hawaii, silicified wood: 3-1939.
Pacific Ocean floor, consolidated slabs: 3-1318.
Paleogeographic implications, hot ash flows:
                   3-1919.
Veins.
                                                                                            3-2250.
     Arkansas, selenium, rubidium, yttrium: 3-952.
Zonal arrangement metals, hypogene veins:
                                                                               Welded ash flows, zones and zonal variations:
                                                                                            3-916.
                 3-938.
                                                                              Yukon Territory, Recent deposit: 3-3414.
     Carbonate vein in limestone: 3-1314.
                                                                         Volcanic rocks. See Igneous rocks.
     Quartz, recrystallization during formation: 3-1279.
                                                                         Volcanism.
     Virginia, conjugate quartz veins, Lynchburg gneiss,
                                                                              Arizona, diatremes and ring intrusion, San Carlos
                  Fancy Gap: 3-467.
                                                                                           Indian Reservation: 3-1957.
Venezuela.
                                                                                 Pleistocene cinder dunes, Cameron area: 3-3618.
     Mesozoic red beds, Carache, Trujillo: 3-2560.
                                                                               California, avalanches, Chaos Jumbles, Lassen Vol-
     Paleozoic, Mérida Andes, fossiliferous localities:
                                                                                            canic National Park: 3-455.
                   3-1806.
                                                                              Egypt, Tertiary, relation to uranium deposits:
     Petroleum, future development, industry: 3-1728.
Sulfur isotope fractionation in diagenesis, Recent
                                                                                           3-3115.
                                                                              Eruptions and earthquakes from volcanoes: 3-4179,
                  sediments, northeast: 3-238.
                                                                                            3-4180.
Vermes. See Worms.
                                                                              Guatemala, volcanic history, highlands: 3-592.
                                                                              Hawali, Kauai: 3-2503.

Kilauea, CuCl emission, volcanic flames: 3-532.

Pyroclastic flows, classification: 3-3082.
     Graptolite fauna, Poultney slate, Ordovician:
                  3-1834.
     Lower Paleozoic rocks, slate belt: 3-2361.
     Mines and mineral localities: 3-588.
                                                                              Soft rock layer in mantle, source volcanic effu-
                                                                                            sions: 3-4177.
     Ordovician, Chipman formation, west-central: 3-474.
                                                                              U.S.S.R., Chishima (Kurile) islands: 3-595.
                                                                                Devonian volcanic necks, Minusinsk depression:
     Taconic Range, north end: 3-1764.
Vertebrata. See also the classes.
Argentina, Triassic, Mendoza region: 3-114.
Bibliography, 1949-1953: 3-482, 3-3268, 3-3659.
California, Paleocene fauna, El Paso Mountains:
3-2618.
                                                                                            3-1960.
                                                                                 Ebeko, chemical composition gases: 3-3020.
                                                                                Mesozoic-Cenozoic, northern Siberian platform:
                                                                                            3-1277.
                                                                                Miocene, Transcarpathia: 3-1276.
                                                                              Tuva, Lower Cambrian: 3-3824.
Volcanology: 3-1955.
     Greenland, East, Devonian: 3-4066.
     New Mexico, Permian: 3-1406.
     Pleistocene, prospecting limestone areas for:
                                                                         Volcanoes. See also Mud volcanoes.
Alaska, Kiska Volcano: 3-3954.
                  3-2938.
                                                                              Antarctica, Mount Terror, McMurdo Sound region,
news report: 3-593.
Guatemala, volcanic collapse-basins, lakes Atitlan
Victoria. See Australia.
Virginia.
  Areas described.
     Lexington quadrangle: 3-72.
                                                                                            and Ayarza: 3-2203.
                                                                              Hawaii, activity, 1951-1956: 3-910.
     Rockingham County: 3-1074.
                                                                                Kilauea Iki, eruption, Nov. 1959: 3-591.
  Economic geology.
                                                                              Japan, Asama volcano, eruptions and earthquakes: 3-4179, 3-4180.
     Iron-bearing sandstone, western: 3-623.
     Talc, soapstone, related stone deposits: 3-3130.
                                                                              Nicaragua, Santiago and Cerro Negro, activity:
  Engineering geology.
                                                                                            3-4178.
     Chesapeake Bay crossing, subsurface investigation: 3-1370.
                                                                              Oregon, Crater Lake, floor: 3-1272.
  Geohydrology.
                                                                              U.S.S.R., Anyuy volcano and Quaternary volcanism, northeastern: 3-3823.
     Albemarle County, water-well data: 3-2761.
  Historical geology.
Silurian, tectonism and sedimentation: 3-2228.
Tertiary, Yorktown formation, microfauna: 3-812.
                                                                         Wales, coast, pictures and commentary: 3-1100.
                                                                         Washington.
                                                                              Bibliography.
                                                                                                geology and mineral resources,
  Mineralogy.

Apatite, Morefield pegmatite, Amelia County:
                                                                                            1937-1956: 3-660.
                                                                            Economic geology.
                  3-901.
                                                                              Clay deposits, Palouse Hills: 3-3451.
    Calciostrontianite, Pulaski and Rockingham coun-
                                                                              Manganese deposits, Olympic Peninsula: 3-1340.
                  ties: 3-3075.
                                                                              Nonmetallic minerals, inventory: 3-292.
    Celestite and calciostrontianite, Wise County:
                                                                              Uranium mineralization, Midnite mine, Spokane:
                  3-1936.
                                                                                            3-2777.
    Cordierite "fossils," Pittsylvania County: 3-3076.
                                                                           Engineering geology.

John Day dam, Columbia River: 3-2454.

Radioactive effluents in natural waters, move-
    identification guide to common minerals: 3-3078. Mineral localities: 3-587. Strontium minerals, Wise County: 3-249.
                                                                              ments, Hanford: 3-2825.
Radioactive waste disposal, desirable geologic
research: 3-2827.
  Paleontology.
    Fossil bear, Altavista region: 3-2939.
Microfauna, Yorktown formation, James River:
3-812.
                                                                                Hanford Works, Richland: 3-2463, 3-2823.
                                                                            Geochemistry.
    Whale, Miocene, near Hampton: 3-144.
                                                                               Oxygen-isotope ratio, Blue Glacier, Olympic Moun-
  Petrology.
                                                                                            tains: 3-1624.
    Identification guide to rocks: 3-3078.
Recent sediment studies, VPI, 1960: 3-2367.
Rhythmically layered tuffaceous sediments near
                                                                           Geohydrology.
                                                                              Columbia Basin Project, geology and ground-water resources: 3-1329.
                  Koonarock: 3-3838.
                                                                              Nooksack River basin, water resources: 3-2016.
  Physiography.

Breathing Cave, origin and geologic relations:

3-1426.
                                                                              Sequim-Dungeness area, geology and ground-water
resources: 3-1330.
Walla Walla area, artificial recharge through well
    Shenandoah River headwaters region, geomorphology
                                                                                            tapping basalt aquifers: 3-2000.
                  and forest ecology: 3-1783.
                                                                           Geophysics
  Structural geology.
                                                                              Earthquake ground accelerations, Olympia (1949):
    Conjugate quartz veins, Lynchburg gneiss, Fancy
                                                                                            3-3714.
                  Gap: 3-467.
                                                                            Historical geology.
    Diabase dike near Greenville: 3-3243.
                                                                               Tertiary, Keechelus problem, Cascade Mountains:
```

3-3264.

Maps, Geologic.

Volcanic ash.

Ash-flow tuffs: 3-2738.

```
Washington - Continued
                                                                              Coal-petroleum, production, 1960: 3-3533.
     Moses Lake North quadrangle: 3-3948.
     Port Angeles-Lake Crescent area: 3-1055.
                                                                             Natural gas, Oriskany development and structural
     Pysht quadrangle: 3-59.
                                                                                          map, Onondaga-Huntersville: 3-2431.
                                                                              Petroleum, developments, 1960: 3-3518.
   Maps, Miscellaneous.
                                                                                Kanawha County, oil and gas report: 3-319.
Lewis and Gilmer counties, oil and gas report:
     Blue Glacier, Mt. Olympus: 3-3183.
Mt. Rainier National Park: 3-741.
                                                                                          3-320.
     Nisqually Glacier: 3-60.
                                                                           Engineering geology.
   Paleontology.
                                                                              Petrographic study sandstones, suitability for sub-
     Carnivore, marine, Miocene Clallam formation:
                                                                                           base and base construction: 3-4281.
                   3-491.
                                                                           Geohydrology.
     Nautiloid, Eutrephoceras eyerdami, Eocene Cowlitz
                                                                             Chemical composition, ground water: 3-4230.
Kanawha County, Quaternary alluvium, particle-size
and permeability studies: 3-4229.
                    formation: 3-3282.
   Petrology.
     Diabasic and gabbroic intrusions, Frost Mountain
     area, Cascades: 3-2366.
Hammond sill, intrusion in Yakima basalt near
                                                                                Water resources: 3-1331.
                                                                           Geophysics.
                                                                              Heat flow, wells: 3-1580.
                   Wenatchee: 3-3397.
                                                                           Historical geology.
   Physiography.
Blue Glacier, lower, structure: 3-445.
                                                                              Pennsylvanian, paleotopographic control sedimenta-
                                                                                           tion; joint patterns, Conemaugh and Mo-
      Lake Washington, control sedimentation and bottom
                                                                                           nongahela formations, Morgantown region:
                    configuration by convection currents:
                                                                                            3-4032.
                    3-781.
                                                                            Paleontology.
     Nisqually Glacier, botanical evidence modern his-
tory: 3-3608.
                                                                              Fossil plants, guide: 3-1199.
      Soils, mineral and chemical alluviation, Duvall region: 3-1779.
                                                                            Physiography.
                                                                              Glacial Teays lake, extent: 3-3976.
Martens Cave, meteorological observations: 3-2523.
 Water. See also Ground water; Sea water.
      Deuterium abundance: 3-1625.
Deuterium and 0<sup>18</sup> concentrations, variations:
                                                                            Structural geology.
                                                                              Photogeologic techniques applied to mapping joints:
      3-2676, 3-2677.
Entropy and Gibbs free energy in range 10-1000°C.
and 1-250,000 bars: 3-524.
                                                                                           3-1109.
                                                                         Western Australia. See Australia.
                                                                         Williston basin.
                                                                              Carbonate analysis, Ordovician and Silurian sec-
tion: 3-1991.
      Geochemistry, calcium carbonate saturation:
                    3-3090.
                                                                              Corals, Mississippian Madison group: 3-1484.
        Calculation and use ion activity: 3-3089.
                                                                              Glen Ewen field, geology and reservoir character -
istics, Saskatchewan: 3-2797.
      Ion supply, factors influencing: 3-3344.
      Iron solution and transport, microbiologic fac-
                                                                              Mississippian correlation and subcrops, Saskatche-
                    tors: 3-3788.
                                                                                           wan: 3-2552.
      Minor element content: 3-3343.
                                                                              Mississippian-Pennsylvanian boundary: 3-1130. Ordovician and contiguous formations: 3-4023.
         Spectrochemical determination: 3-4140.
      Radioactivity sampling devices: 3-2822.
      Radon in natural waters, radioactivity: 3 Silica-water system, P-T diagram: 3-3760.
                                                                         Wind work.
                                                                              Alaska, Matanuska Valley, eolian deposits: 3-3229.
                                                                              Brazil-Uruguay, early Mesozoic wind patterns from
      Solubility in basaltic and granitic melts: 3-3004.
                                                                                            dune bedding, Botucatú sandstone:
 Tritium hydrology, Ottawa Valley: 3-1906.
Viscosity in clay systems: 3-2704.
Water, Underground. <u>See</u> Ground Water.
                                                                                            3-3619.
                                                                               Kansas, western, dune development and grading:
                                                                                            3-782.
 Weathering. See also Erosion.
                                                                               Movement playa scrapers by wind: 3-457. Sand movement: 3-4288.
      Antarctica, quartz diorite, Marble Point, McMurdo
                    Sound: 3-3980.
      Arctic environment, weathering and soil formation,
Alaska; 3-1095.
                                                                               U.S.S.R., eolian deposits, Central Asia: 3-1421.
                                                                               U.S., Great Plains, loess origin and source:
                                                                                            3-2181.
      Hawaii, rock weathering and clay formation: 3-912.
      Mineral and chemical alluviation, soils: 3-1779.
                                                                          Wisconsin.
                                                                              Cladoceran remains, lake sediments, Madison, eco-
logical significance: 3-1151.
Cross-lamination analysis, Upper Cambrian Franconia
formation: 3-1312.
      Pyritized carbonaceous shale, decomposition to
                    halotrichite and melanterite: 3-4161.
      U.S.S.R., weathered basalt crust, west Volynya,
      mineralogy: 3-2725.
Wisconsin, layer silicate clays, loess-derived
Tama silt loam: 3-2698.
                                                                               Diamonds: 3-2719.
                                                                               Layer silicate clays, chemical weathering, loess-
                                                                               Lead, shallow diggings, Grant and Lafayette counties: 3-1337.
                                                                                            derived Tama silt loam: 3-2698.
 Well and drill-hole logs. See also Cores.
      Colorado, El Paso County, Fountain, Jimmy Camp,
Black Squirrel valleys: 3-4211.
                                                                               Paleozoic and Pleistocene, central, guidebook:
         Huerfano County: 3-4212.
Prowers County: 3-2749.
                                                                                            3-2899.
                                                                               Saline water in bedrock aquifers, eastern: 3-3849.
         Yuma County: 3-2750.
                                                                               Saxeville meteorite: 3-3008.
       Indiana, well samples, Indiana Geological Survey:
                                                                          Wood, fossil. See Paleobotany.
Worms, Turbellaria, silicified, Miocene, Calico Moun-
                    3-982.
       Louisiana, L.L.&E., et al Well, Unit 1-L, No. 1
                                                                                            tains, California: 3-2265,
                    paleontological study: 3-3671.
       Pennsylvania, northwestern, well-sample descrip-
                                                                          Wyoming.
                                                                             Areas described.
                    tions: 3-3658.
                                                                               Buffalo-Lake DeSmet area, geology and coal re-
sources: 3-2511.
       South Carolina, Parris Island area: 3-1466.
      Washington, Columbia Basin Project area: 3-1329.
                                                                               Carlile quadrangle, geology and mineral deposits:
  West Indies.
                                                                                            3-2510.
      Aruba, Bonaire, Curação, marine terraces: 3-2189.
Barbados, exploration results, 1950-1958, stratig-
                                                                             Economic geology.

Petroleum, developments, 1960: 3-3519.
                    raphy and structure: 3-2214.
                                                                               Petroleum and natural gas fields: 3-1363.
Refractory-clay deposits: 3-4250.
       Pumice and pozzolan deposits, Lesser Antilles:
      3-637.
Soils, genesis, Tobago: 3-1434.
```

West Virginia.

Economic geology.

Dept. of Mines, annual report, 1959; 3-343.

Geohydrology.

Owl Creek area, Hot Springs County, geology and ground water: 3-3439.

Platte County, geology and ground water: 3-3438.

```
Wyoming - Continued
                                                                               trusion, Greenland: 3-2333.
    Wind River Range, chemical degradation on oppo-
site flanks: 3-3423
                                                                    Rare-earth combinations of type TRNb04: 3-3810.
                                                                    Silica, phase transformations: 3-1888.
                                                                    Spectrochemical analysis, application to light
    Earthquake effects, Yellowstone: 3-3327.
                                                                               elements in clay minerals and volcanic
  Historical geology.
    Cenozoic stratigraphy and structural geology,
northeast Yellowstone National Park:
                                                                                glass: 3-549.
                                                                    X-ray powder diffraction samples, planchet press
                                                                               and accessories for mounting: 3-3355.
                3-4044.
                                                               Xenoliths.
    Cretaceous, Mesaverde formation, Powder River ba-
                                                                   Australia, sedimentary xenoliths, analcite basalt intrusion, Sydney region: 3-1968.
                sin: 3-1141.
      Thermopolis shale, stratigraphy and micropaleon-
tology: 3-2238.
                                                                    Diamond-bearing eclogite: 3-3821.
    Cretaceous-Tertiary, type Lance formation: 3-2242.
                                                                    U.S.S.R., in diorite porphyry dikes, upper Yana
                                                                                region: 3-2729.
    Devonian, Beartooth Butte formation, paleogeo-
                graphic significance: 3-4027.
                                                               Yellowstone National Park. See National parks and
    Paleocene, Waltman shale and Shotgun members, Fort
                                                                               monuments.
                                                               Yttrium, behavior in magmatic and postmagmatic processs
                Union formation, Wind River basin:
                                                                               es: 3-3019.
                3-4046.
                                                               Yukon Territory:
    Pennsylvanian-Permian: 3-2154.
                                                                   Arctic bibliography, v. 9: 3-1013.
  Maps, Geologic.
    Bighorn dolomite and correlative formations:
                                                                 Areas described.
                                                                    Fort Liard and La Biche map-areas: 3-64.
                3-2124.
    Dutch John Mountain, Goslin Mountain quadrangles:
                                                                 Economic geology.
                                                                   Gold, soil testing, Klondike: 3-942.
                3-3192.
                                                                   Nickel deposits, Quill Creek and White River a-
reas: 3-2034.
    Igneous and metamorphic rocks, uranium deposits:
                3-61.
  Maps, Oil and gas
                                                                    Petroleum, Eagle Plains area, explorations:
                                                                               3-1358.
    North Fork oil field, Kaycee dome: 3-3949.
                                                                 Engineering geology.
Whitehorse Rapids power development: 3-1001.
  Mineralogy.
    Haggite and doloresite, crystal chemistry: 3-1919.
    Norsethite, BaMg(CO3)2, Green River formation:
                                                                 Historical geology.
                3-2689.
                                                                   Caledonian or Acadian granites, northern: 3-4052.
                                                                   Carboniferous-Permian, northern: 3-2233.
Quaternary, Engigstciak archeological site: 3-2565.
  Paleontology.
    Conodonts, Upper Devonian, Bighorn Mountains:
                3-4070.
                                                                 Maps, Geologic.
    Fossil rodent Palustrimus Wood: 3-3301.
                                                                   Finlayson Lake: 3-416.
    Permian sponge occurrence, Park City formation,
                                                                   Glenlyon: 3-718.
                stratigraphic implication: 3-3275.
                                                                   Nahanni region: 3-3567.
    Upper Cambrian faunas, trilobites, Wind River
Mountains: 3-1504.
                                                                   Quiet Lake: 3-417.
                                                                 Mineralogy.
Native zinc, Keno Hill: 3-3812.
  Petrology.
    Meade Peak phosphatic shale member, Phosphoria formation: 3-1988, 3-1996.
                                                                 Paleontology.
                                                                   Silurian trilobites, graptolites, brachiopods,
Prong Creek: 3-4065.
    Tertiary volcanic breccias, origin: 3-2344.
    Yellowstone Park, welded tuffs and flows, rhyolite
                                                                 Petrology.
                plateau: 3-1959.
                                                                   Recent volcanic ash deposit: 3-3414.
  Physiography.
                                                                 Physiography.
    Cody terrace, seismic evidence supporting alluvial
                                                                   Peel River, fluviomorphological features: 3-2521.
               origin: 3-1775.
                                                                 Structural geology.
Mayo district: 3-3248.
    Laramie Range, Cenozoic geomorphic development: 3-2160.
                                                               Zeolites.
  Structural geology.
    Beartooth Mountains: 3-4009.
                                                                   iceland, eastern, zeolite zones, basalts: 3-594.
    Precambrian rocks and Laramide structure, Bighorn
                                                                   U.S.S.R., laumontite, in conglomerate, western
                                                                     Transbaikal: 3-246.
Metastable K-feldspar and zeolite, ores Dalnet-
               Mountains: 3-1798.
    Sedimentary rocks, relation deformational fractures
                                                                               ayezhnyy deposit: 3-2029
                to regional and local structure: 3-1105.
                                                                   Zeolite facies, interpretation: 3-2643.
X-ray investigations.
    A.P.I. reference clay minerals, diffractometer pat-
                                                               Zinc.
                terns: 3-4154.
                                                                   British Columbia, H.B. mine, Salmo district:
    Amphibolite rocks, and constituent hornblendes:
                                                                                3-2032.
                3-3393.
                                                                      Mineral King mine, Purcell Range: 3-1336.
      Fluorescent X-ray spectrographic analyses:
                                                                      Reeves MacDonald operation, Salmo district:
                3-1972.
                                                                               3-2033.
    Anthracite and meta-anthracite, X-ray reflections:
                                                                     Revelstoke, Mastodon mine: 3-946.
                3-557.
                                                                      River Jordan deposit, Revelstoke: 3-4240.
    Calcite-dolomite ratio, carbonate rocks: 3-1988.
                                                                      Toby Creek, Mineral King mine: 3-945.
    Carbonate rocks, mineralogical analysis: 3-1259.
                                                                   Geochemical prospecting, use mercury halos: 3-3863.
    Chlorite, vermiculite, talc from dunite, North
                                                                    Illinois, northwestern, mineralogy and zoning
                Carolina: 3-1264.
                                                                               ores: 3-1705.
    Clay mineral analysis, Chlorox used in preparation of black shale: 3-1258.
                                                                     Structural analysis, zinc-lead district: 3-289.
                                                                   New Mexico, intrusion and ore deposition: 3-941.
Supergene alteration in limestone: 3-944.
    Davidite, X-ray crystallography: 3-4153.
    Diffraction technique, small samples: 3-3057.
                                                                    Tennessee, Mascot-Jefferson City district, geol-
    Hectorite-guanidines and montmorillonite-guani-
                                                                               ogy: 3-3871.
    dines, X-ray and infrared data: 3-2695. Larderellite: 3-3065.
                                                                     Ore deposits and sedimentary features: 3-2771.
                                                                   U.S.S.R., central Caucasus, volcanogenic stratum
    Lawsonite, North Berkeley Hills, California:
                                                                               as possible source: 3-2027.
               3-577.
                                                                     Distribution in minerals, Caledonian granitoids,
    Limestones, Indiana: 3-1655.
                                                                               Susamyr batholith, central Tien Shan:
    Metamict titanoniobates: 3-242.
                                                                                3-881.
    Mineral samples: 3-3357.
                                                                   Utah, Chief Oxide-Burgin area, East Tintic dis-
```


trict: 3-947, 3-948.

Phosphate, land pebble samples, Florida: 3-765.

Pyroxenes, exsolution phenomena, Skaergaard in-

Zircon.

In granite pegmatites, Hf/Zr ratio: 3-2653. Lead content, spectrochemical determination for Zirconium, in bauxite: 3-1608.



Ab	stract	Ab	stract
	3-1652	Anderegg, Ralph C	3-1308
	3-2775	Anders, Edward 3-214,	3-1598
	3-2572	3-2326, 3-3333,	
Abilene Geological Society	3-318	Anders, Robert B	3-1687
	3-3033	Anderson, Alfred L 3-940,	3-1/11
Abshire, Eleanor		Anderson, Alfred T., Jr	3-270
	3-717	Anderson, Francis D	3-3175 3-1003
	3-1183	Aliaci Solly III Kollifotti	3-813
Adams, John A.S		Anderson, Roger Y	3-2926
	3-1309	Anderson, Sidney B	3-2165
Adams, Leason H		Andrawis, Samir F	3-2603
Adams, W. Mansfield 3-2313, 3-2623, Adelman, Frank L		Andreasen, Gordon E	3-1546
	3-3867	Andreev, B.A	3-160
Afanasev, G.D 3-1289,		Andreeva, E.D	3-2731
Afanasev, N.L	3-2291	Andrews, Donald I	3-1463
Afanaseva, L.K	3-1965	Andrews . Henry N Jr	3-1840
Agnew, Allen F 3-965, 3-1379,	3-4285	Andrichuk, John M 3-104,	3-2549
Agocs, W.B.	3-1216	Annell, C.S	3-3330
Agranovsky, L.E	3-1871	Annotated Bibliography of Economic	
Agron, Sam L	3-2400	Geology	3-4233
Ahmad, Naseeruddin	3-3970	Anpilogov, A.P	3-3328
Aho, Aaro E	3-332	Anthony, John W	3-1964
Ahrens, L.H 3-1600,	3-1881	Antropov, P. Ya	3-640
3-3030, 3-3313,	3-3//9	Antypko, B.E.	3-3654
Aidinyan, R. Kh	3-3048	Appleman, Daniel E	3 - 561 3 - 3082
Aitken, James D	3-1058	Aramaki, Shigeo	3-864
Aitken, M.J.	3-2200	Arctic Institute of North America	3-1013
Akers, J.P		Arden, Daniel D., Jr	3-75
Aki, Keiiti 3-186, 3-1554, Aladatov, G.M	3-3900	Acthangelskaya, V.M.	3-2307
Alaska, Division of Mines and Minerals	3-3456	Arkhangelsky, A.I 3-1465,	3-2085
Albanese, John S	3-3389	Arkhangelsky, V.T	3-2304
Albers, John P.	3-3830	Arkhipov, S.A	3-1089
Alberta, Oil and Gas Conservation		Armon, William J	3-642
Board 3-2,	3-2858	Armstrong, Francis A.J	3-885
Alcock Frederick James 3-671 through	3-674	Armstrong, H.S	3-2218 3-369
Alekperov, R.A	3-3039	Armstrong, John E.	3-3044
	3-3085	Armstrong, Richard L	3-1992
	3-2672 3-242	Arnold, Chester A	3-148
Aleksandrov, V.B	3-972	Arnold, James R	3-3335
Alekseev, L.S.	3-326	Arnold, K.C.	3-3964
Alekseeva R F	3-3660	Arnold, R.W.	3-1435
Aleksin, A.A 3-121,	3-3236	Arntson, R.H.	3-528
Aleksin, A.G.	3-3461	Asano, Gorō	3 - 602 3 - 2947
Aleskovsky, V.B.	3-2767	Ash, Sidney R	3-1355
Aletan, George	3-2025	Ashimov, G.G	3-4282
Alexander, Charles S	3-2189 3-2966	Atherton Flwood	3-477
Algermissen, S.T.	3-3650	Atkins, F.R., Jr	3-2301
Aliev, A.G	3-3504	Atlasov. I.P.	2-4011
Allard, G	3-1063	Atrachanak I Va	3-2650
Allen, Clarence R	3-445	Auberger, Michel	3-1571
Allon DC	3-2623	Ault Wayne II	3-2342
Allen Glenn T. Jr.	3-3203	Austin, Charles R	3-4205 3-1630
Allen Victor T.	3-2417	Austin, S. Ralph	
Alling Harold I	3-2229	Austin, W.G.C	3-4280
Allicon, H.J.	3-3659	Averyanov, A.G.	3-3750
Allsonn, H.I.	3-2923	Axelrod, Daniel I 3-495, 3-2611,	3-2612
Alcon Leonard F	3-1557	Ayanov, V.M.	3-4189
Alter Dinemore	3-2857 3-3725	Azmon, Emanuel	3-2371
Alterman, Z	3-3468		
Altovsky, M.E.	3-3914	Baadsgeard, H.B 3-2256	, 3-4052
Altschuler, L.V.	3-3764	Raadsgaard, Peter H	3-7714
Amantov, V.A.	3-112	Rase Recking, L.G.M	3-20/4
American Association for the Advancement		Baba-Zade, B.K.	3-3438
of Science	3-3926	Babcock, Horace M	
American Commission on Stratigraphic	2 051-2	Back, William	3-3022
Namena latura	3-2543	Rader, Richard G	, 3-917
a contract Society	3-3183	Rado, John T.	3-2800
American Geological Institute 3-340, 3-666, 3-2527,	, , , , , ,	Raetcke, Gustav B	3-3078
3-000, 3-2327)))))	Randasarov. F.A	3-3084
American Society of Limnology and Oceanography Committee on Education and Recruitment	3-2106	Raile, Richard A	3-3673
		Railey, Edgar H	3-548
	, 3-3868	Bailed David M	3-265
Amirkhanov Kh. I		Bakakin, V.V. 3-1626 Baker, Arthur, 3d	3-344
, , , , , , , , , , , , , , , , , , ,	, , , , ,	Baker, Arthur A	3-289
Amsden, Thomas W	3-134	Baker, E.G.	3-30
Amstutz, G.C 3-96, 3-2021,	, 5-3054	Dakery Liu Titting,	

A	Abstract	A	bstract
Baker, E.T.	3-1685	Béland, Jacques	3-1060
Raker, F.J.	3-1096	Belcher, A.T	3-4296 3-825
Paker Ceorge	3-1246	Belenky, Ya. E	3-1803
Baker, Roger C	3-3859	Belichenko, V.G.	3-2724
Baker, Wilfred H	3-1019	Belknap, William, Jr	3-3491
Baker, William L 3-183,		Bell, Henry, 3d	3-3210
Baklakov, M.S.	3-2027 3-2646	Bell, Kenneth G.	
Balasanyan, S.1	3-282	Bell, Robert Joe	3-3208
Ball, H.W.	3-1911	Rell. Walter A	3-476
Ballakh, I. Ya		Belotelov, V.L. 3-2983, 3-2984,	3-3724
Ballman, A.A.	3-3372	Beloussoy, V.V 3-1444, 3-2195, 3-2915,	3-3631
Baltz, Flmer H 3-107,	3-1137	Belov, N.V 3-559, 3-562, 3-563,	3-1593
Balukhovsky, N.F	3-1117	3-1626, 3-1917, 3-3071,	3-3808
Bandy, Orville L 3-1184,	3-1187	Belt, Charles Banks, Jr	3-941
Banks, Harlan P	3-2284	Belyea, Helen R	3-751
Banks, Harvey O		Bemmelen, R.W. van	3-1920
Banks, Joseph E	3-314 3-3690	Benioff, Hugo	3-1555
Banks, M.R. Banks, Robert B		Benjamin, Ben M.	
Bannatyne, Barry B.		Bennett, Frank O	
Baragar, W.R.A 3-252,		Bennett, Gordon D	
Baranov, I.V.	3-3789	Bennett, W.P.	
Baranov, V.I 3-909, 3-2681, 3-3138,	3-3791	Benninghoff, William S	
Barby, B.E	3-3889	Bennison, Allan P	3-108
Barby, Boardman G	3-311	Benoit, F.W.	3-754
Bardack, David	3-3290	Benson, Bruce B 3-3796,	3-3797
Barghoorn, Elso S		Benson, David G.	
Barker, R. Wright Barkhatov, B.P.	3-2280 3-1461	Bentley, Charles R	3-2971
Barkley, Richard A		Berdichevsky, M.N.	3-834
Barks, Ronald E		Berg, Glen V.	3-3714
Barnes, H.L.		Berg, Joseph W., Jr 3-522,	
Barnes, W.H.	3-564	3-2626,	
Barnett, Paul R		Berg, Robert R 3-2151,	3-3955
Barrett, Edward	3-1131	Berge, Charles W	
Barrington, Jonathan	3-2777	Bergenback, R.E	
Barry, George S 3-2496,		Bergendahl, M.H.	-
Barshad, Isaac	3-2699	Berger, A.R.	
Barsukov, O.M.	3-824	Bergmann, H.J.	
Barth, Tom F.W	3-3770 3-3708	Bergsten, John M	
Bascom, Willard	3-2911	Berrangé, J.P.	
Baskakov, M.P.	3-267	Berry, Delmar W 3-3103,	
Baskova, Z.A		Berry, Leonard	3-1771
Bass, Manuel N	3-473	Berry, William B.N 3-1481,	
Bassett, H. Gordon	3-4026	Berryhill, Henry L., Jr 3-1397,	
Bataliev, A.D.		Berthelsen, Asger 3-2205, 3-3245,	
Bates, Charles C	3-4117	Beschel, R.E.	
Bates, Robert L		Bessonova, E.N.	
Båth, Markus 3-3718,	3-912	Best, Myron G	
Battey, M.H.	3-469	Beus, A.A 3-882,	3-2602
Batzel, Roger E	3-201	Beveridge, Alexander J.	3-1266
Baum, John L	3-1944	Bezborodova, I.V.	
Baxter, James W		Bhappu, Roshan B	
Bayes, Frances S		Bharadwaj, D.C 3-2285,	3-3260
Bayliss, P		Bibb, Thomas W., Jr.	3-3490
Bayuk, E.I. Bé, Allan W.H.		Bick, Kenneth F	3-72
Beals, Carlyle S.	3-4000	Bideaux, Richard A 3-1951,	3-3367
Beals, H.O.	3-4076	Bidgood, D.E.T. Bieber, C.L.	3-4096
Beamish, F.E.	3-3813	Bieberman, Robert A.	3-1651
Bear, Jacob 3-1674, 3-2380, 3-3917,	3-4200	Bigarella, João José	3-3619
Beardsley, Donald W	3-3274	Bigart, Homer	3-1729
Beaton, John L.	3-2465	Biggar, J.W	3-275
Beaty, Chester B	3-3616	Biggs, Maurice E	3-1876
Beck, Alan E	3-2962	Biggs, Paul	3-1363
Beck, Carl Wellington Becker, Bill	3-2695	Bilgrami, S.A 3-581.	3-590
Becker, G.W.	3-542	Bingham, James W.	3-2753
Becker, Herman F.	3-1005 3-1197	Biot. Maurice Anthony	3-2804
Becker, Joseph H	3-105	Birch, Francis	3-856
Beckmann, Jean Pierre	3-2246	Bird, J. Brian	
Becraft, George E 3-1037,	3-1038	Bird, M.B.	3-3624
3-2123,	3-2882	Birstein, J.A	3-1149
Bedinger, M.S.	3-4202	Bishop, E.W 3-764.	3-766
Beerbower Apres B	3-3940	Bisque, Ramon E 3-1989.	3-3538
Beerbower, James R	3-3836	Bissell, Harold J	3-4034
Behrendt, John C.	3-1082 3-1544	Bittinger, Morton W	3-277
Beiser, Arthur	3-3166	Bjorklund, Louis J	3-3855
	3 3100	Black, Craig C	3-3301

	ADSTRACT	n i	JS CI aC L
	2_2772	Brindley, George W 3-206,	3-3384
Black, P.T	3-2773	British Columbia, Dept. of Mines	3-963
Blackadar, Robert G 3-3176, 3-4015	3-4292	Broch, Olaf Anton	3-4150
Blais, Roger A		Brod, 1.0	3-986
Blake, Weston, Jr	3-4054	Broder, J.D.	3-1914
Blakemore, Page P	3-3442	Broding, R.A	3-1232
Blanc, Robert P	3-3227		
Bleakley, W.B	3-4261	Brodskaya, S. Yu 3-821,	2-709
Blinov, L.K	3-1255	Brodsky, Harold	3-11/17
Block, Douglas A	3-633	Broecker, Wallace S 3-200,	3-114/
Bloom, Arthur L 3-768	, 3-2529	Broedel, Carl H	3-3193
Bloss, F. Donald 3-1915	, 3-3352	Bromery, Randolph W 3-58, 3-420 through	
Bloxam, T.W		3-2127 through	
Blystone, Jerome R		3-3573 through	
Boardman, Richard S		Bromfield, C.S 3-3572,	3-3946
Bobrievich, A.P.	3-3821	Bronson, Roy D	
Bock, Wilhelm		Brooks, F.A	3-1614
Bode, Hans		Brooks, H.K	3-763
Boegly, W.J., Jr.	3-3162	Brooks, Norman H	3-3093
Design with the large transfer of the large	3-3918	Brooks, R.R 3-3030,	3-3779
Bogdanoff, John L		Brophy, John A	3-1770
Bogert, Bruce P	3-4165	Bross, Gerald L	3-1132
Bogokina, F.E	3-1730	Brown, A	3-4284
Bogolyubova, L.I	2-2124	Brown, A. Sutherland, see Sutherland-Brown,	
Bolino, August C	3-3134 3-2290	Atholl	
Bollman, Dorothy	3-2290	Brown, Andrew 3-3873,	3-3936
Bolt, Bruce A	3-3709	Brown, Bahngrell W	3-2897
Bolton, Thomas E 3-48	3-3675	Brown, C. Ervin	3-3204
Bonchkovsky, V.F.	. 3 - 3675	Brown, Charles W	
Bond, Robert B	. 3-924	Brown, Clair A	3-2614
Bondarchuk, B.G.	3-2426	Brown, Cyril B.	
Rondarenko, A.T. 3-82	J, 3-1854	Brown, N.L.	3-3758
Bonet, Federico	. 3-1519	Brown, R.J.E.	3-780
Bonini, William E	. 3-1//5	Brown, R.M.	3-1906
Borchert, Nal	. 3-2721	Brown, Randall E 3-2463,	
Borisenko, L.F 3-2028, 3-264	8, 3-3//2	Brown, Robert D., Jr.	3-1055
Porisenok I.A	1, 5-5025	Brown, Walter C	3-1026
Boriskie, Paul E	. 3-1/22	Brown, waiter t	3-807
Born. I.	. 3-1929	Browne, Ruth G.	3-2360
Borshchevsky, Yu. A	. 3-30/2	Brownlow, Arthur H	3-3487
Borsuk, A.M.	. 3~1209	Bruce, Donald D.	3-2590
Porwell Ernest H	. 3-3104	Bruhn, A.F	3-3734
Potvinkina, I.N	9, 3-17//	Brune, James N	3-1219
Rouget, Arthur J 3-2268, 3-25/	1, 3-2960	Brunelli, B.E.	3-2699
Rouha, V	. 3-3693	Brunton, George D	3-1774
Rounsall, F.J.	. 3-3120	Bryant, Bruce H	3-1069
Boucks . I.	. 3-1049	Bryant, Donald L	3-4037
Roundkamp, J.G.	. 3-2832	Bryant, Harvey L	3-298
Powon Roone M It.	. 3-2462	Bryant, Harvey L	3-248
Rowen Robert 3-1/60, 3-21/	1, 3-341/	Bryant, Stearns J	3-3382
Pour M.C.	. 3-4333	Brydon, J.E.	3-3111
David E B	. 3-1353	Bryner, Leonid	3-94:
Boyer, Robert E 3-303	3, 2-20/2	Buckland, F.C.	3-784
David - D.M.	. 3-3012	Buckman, Harry 0.	3-348
Prace William F.	10, 3~304/	Budd, Harrell 3-2075	3-1410
B La Valla Colina	. 3-1/02	Budding, A.J.	3-78
Bradbury, James C	17, 3-1/07	Budinger, Thomas F	
Brady, I.F.	. 3-150/	Buffington, Edwin C.	3-3711
- 1 N.7. C	3 7 / 04	Buffinton, P.G.	3-362
Bushlown P A 3-426 3-1390 3-313	アサトゥ コープンン	Bukhartsev, V.P.	3-11
		Bukiya, S.G.	
Branan, Clifford B., Jr.	. 3-310	Bulashevich, Yu. P	3-111
Brandon, L.V.	3-3097	Bulin, N.K 3-1862, 3-2986	3-375
m de Enjodrich	. 3-2168	Bullard, E.C.	
Branson, Carl C	20, 3-1134	Bullen, K.E.	3-371 3-364
3-1154, 3-116	3, 3-2582	Bumgarner, James G	3-304
Brant, Russell A	3-1364	Rune. V.I.	3-410
Brattstrom, Bayard H	3-3293	Bunker Carl M	3-3/5
Braun, T.H	3-174	Punting, R.T.	3-304
Brawner, C.O		Rurckle, I lovd H	3-140
Bray, Ellis E.	3-2056	Burckley, Raymond E	3-332
Bray, Ellis E	3-2801	Burgess, Curtis W., Jr.	3-351
Brazelton, W.F	3-307	Burgunker, Mark F.	3-240
Breger, Irving A 3-209, 3-2	. 3-2629	Durbett, Frank F	2-244
na-thoughth Leonid M	, , ,	Burley, B.J	2-220
Brennan, Robert	3-1074	Burlison, Dan M	2-717
Brant William R		Description W. I.	3-94
Brereton, Roy G	55. 3-3884	Durr S V	2 710
		Burshtar, M.S.	2-110
Proto Harlen / '~	737 2 11-1	Burtman, V.S.	2-114
		Rurton, Robert H	3-350
Deiges louis L. Ir		Rurvakovsky, L.A	2-07
nuites Beginald P		Busby, C.F.	3-392
nataba Normon E H	, , , , , , , , , , , , , , , , , , , ,	Busch, Daniel A.	3-426
Brindle, John E			

<i>*</i>	ADSTRACT	·	
Busch, W.L.	3-638	Carpenter, Robert H	3-241
Bush, A.F.		Carr. J.M.	3-94
Bush, Alfred L	3-1067	Carr. Michael H	3-3770
Rush J.B. 3-947	3-948	Carr, R.M.	3-1594
Butakova, E.L.	3-1970	Carrier, John B	3-42/
Butler, E. Ann	3-36/1	Carrington, Richard	3-101
Butler, H 3-4025, Butler, J		Carrington, Thomas J	3-3838
Butler, J.R 3-898,		Carruthers, C.A.	3-3179
Butler, Phillip E	3-1479	Carsey, J. Ben	3-3482
Butterlin, Jacques	3-1519	Carsola, Alfred J	3-3989
Butzer, Karl W 3-462,	3-1081	Carson, Charles E 3-456,	3-1420
Buyalov, N.I.	3-3108	Case, James B	3-3583
Bycroft, G.N 3-655,	3-656	Cassidy, M.M	
Byers, Frank M., Jr 3-1273,	3-2622	Cazalis, Pierre	3-2900
Byrne, C.J.) 2022	Cazeau, Charles J	3-1311
Cadigan, Robert A	3-1993	Cecioni, Giovanni O	3-115
Cadilla, José F	3-2043	Cederstrom, D. John 3-2810,	3-4209
Cady, Wallace M	3-474	Chaffee, Robert G	3-588
Cagle, F. William, Jr		Chakrabarty, S.K.	3-2621
Caldwell, Dabney W		Chalmers, Robert A	3-3375
Caldwell, Joseph M	3-648 3-1747	Chalyshev, V.I.	3-3839
California Association of Engineering	3-1/4/	Chandler, Marjorie E.J.	3-2612
Geologists	3-994	Chao, Edward C.T 3-544, 3-1632, 3-1744,	
California, Dept. of Water Resources	3-3098	Charlesworth, H.A.K 3-744, 3-1794,	3-3587
California, Division of Mines 3-618,		Charron, J.E	3-3425
California, Division of Oil and		Charters, A.C.	3-468
Gas	3-3142	Charygin, M.M.	3-1464
California, University, Radiation Laboratory, Livermore	2-2002	Chase, Armond B	
3-2993, 3-3155, 3-3158,		Chave, Keith E.	
Callaghan, Eugene		Chayes, Felix	3-2354
Callahan, Joseph T		Cheesman, R.L 3-2044,	3-2790
Callomon, J.H	3-4042	Chekunov, A.V	3-3633
Caloi, Pietro		Chemodanov, V.S.	3-3901
Cameron, Eugene N 3-2685,		Chenoweth, William L 3-3442,	
Cameron, J.B.		Chentsov, I.G.	3-1247
Camp, Charles L.		Cherdyntsev, V.V.	3-1/20
Campau, Donald E		Cheremensky, G.A	
Campbell, Arthur B	3-3598	Chernyshev, I.V.	3-2647
Campbell, F.H. III 3-1262,		Cherry, R.D	3-3013
Campbell, Finley A 3-1961,		Chesnokov, B.V.	3-624
Campbell, Graham S		Chesterman, Charles W 3-2353,	
Campbell, K.S.W	3-1492	Chetaev, D.N	3-1217
Campbell, Russell H.		Chinnery, M.A.	3-4079
Campbell, W.G.		Chizhikov, P.N.	3-3986
Campbell, William P., Jr.	3-288	Choate, Raoul	3-3127
Campenni, Louis G	3-3848	Chodos, Arthur A 3-1972,	
Canada, Dept. of Mines and Technical Surveys,		Chombart, Louis G	3-177
Geographical Branch	3-3555	Chow, Tsaihwa J 3-896,	
Canada, Geological Survey3-3 through	3-1 3-10	Chown, R.G.	3-3355
3-24 through		Christ, C.L	3-558
3-352 through		Churcher, C.S.	3-2566
3-376, 3-377,	3-378	Churkin, Michael, Jr	3-1505
3-381 through		Clabaugh, S.E	3-3833
3-676 through		Claire, C.N.	3-465
3-1382, 3-1387,		Clark, Dana K	3-2606
3-2859 through Cannon, Helen L	3-1698	Clark, David L 3-105,	
Cannon, R.S., Jr.	3-1618	Clark, Don R.	3-3400
Caputo, Michele 3-1568,		Clark, Evelyn N.	3-3522
Carder, Robert W	3-3932	Clark, Joan R 3-558, 3-561, 3-1935,	
Cardwell, G.T	3-2391	Clark, Lloyd A	3-1592
Carey, L.A	3-1001	Clark, Sydney P., Jr	3-2320
Carley, S. Warren	3-3970	Clark, Thomas H	3-3381
Carlson, Clarence G 3-2919, 3-2927, Carlson, Emery T	3-2928	Clarke, Arthur H., Jr	3-806
Carlson, Roland H.	3-3915	Clarke, Charles E	3-1521
Carman, E.P	3-4267	Clarke, R.T	3-149
Carmical, J.H	3-2437	Clayton, Robert N.	3-4144
Carmichael, lan	3-3015	Clegg, Kenneth E	3-3149
Carnahan, Veryle	3-1265	Clemens, William A. 3-2242	3-3207
Carnegie Institution of Washington 3-2101,	3-1:007	Cleveland, George B	3-3448
Carolina Geological Society	3-1070	Clinton, N. James	3-789
Carozzi, Albert V	3-3403	Closes M., J	3-958
Carpenter, G.L 3-2066,	3-3492	Cloud, William K.	3-3706

Ab	stract	Ab	stract
Coats, Robert R	3-3954	Cummings, L.C., Jr	3-3705
Cobb. Howard I.	3-297	Cummings, W.W	3-1330
Cobban, William A 3-152, 3-1500,	3-4061	Curl Rane !	3-1429
Colbert, Edwin H 3-140/,	3-2589	Curray, Joseph R. 3-1666,	3-16/0
Colby, Bruce Ronald 3-3398,	3-4201	Currie, K.I.	3-31/4
3010, 01111, 011	3-3243	Curry, Sharon	3-1443
	3-2714		
Cole, W. Storrs 3-810, 3-1839,	3-2602	Curtis, Neville M., Jr 3-1140, 3-1375,	3-2003
Colley, G.C.	3-4000	Cushing, Elliott.M	, 2005
	3-78 6 3-304 2	Dahlstrom, C.D.A	3-749
Collins, Peter		Dale, Hugh M	3-1841
Collins, T.C	3-2973	Dale, O.C.	3-3859
Colorado, Metal Mining Fund Board		Dale, Vernon B	3-4242
Colorado, Mineral Resources Board	3-1716	Dalguest, Walter W	3-3664
Colorado School of Mines	3-3535	Damon, Paul E 3-1829,	3-1909
Colton, Roger B 3-1035, 3-3614,	3-3945	Danchey, V.I.	3~2030
Colwell, Robert N	3-1380	Dane, Carle H	3-1408
Compton, Robert R 3-257,	3-601	Danes, Z.F	3-1542
Conant, Louis C	3-4029	Daniels, Farrington	3-4132
Condie, Kent C	3-3298	Dansgaard, W	3-1257 3-1196
Connally, G. Gordon	3-2340	Das, Pratima	3-953
Connell, James F.L	3-472	Davidson, C.F.	3-1731
Conover, Clyde S	3-2377	Davidson, Donald Thomas	3-1759
Conrad, Stephen G, 3-293,	3-3000	Davidson, Edward S	
Conselman, Frank B	3-770	3-3969,	3-3977
Coogan, Alan H 3-480,	3-4141	Davis, Fenelon F	3-3457
Cook, A.C	3-3674	Davis, George H	3-2741
Cook, D.R	3-948	Davis, Gregory A	3-5//
Cook, Earl F 3-95,		Davis, Margaret B	3-1843
Cook, Frank A 3-779,	3-3979	Davis, R.W.	3-2760
Cook Harold J.	3-2209	Navis, Robert F	3-3913
Cook, Kenneth L 3-3684,	3-369/	Davis, S.G.	3-3126 3-511
Cooke, I.B.	3-1/34	Davis, T. Neil	3-1346
Cooley, Maurice E 3-1987,	3-3010	Dawson, K.R 3-1596, 3-3408,	
Coonrad, Warren L.	2-2210	Dawson, T.A 3-982,	3-1808
Cooper, Byron N	3-135	Day A	3-3757
Cooper, G. Arthur	3-884	Deacon R.J.	3-3506
Cooper, William Clinton	3-2609	Nean, Rasil G.	3-3874
Congland Lawrence	3-247	Dean. James W	3-2061 3-3906
Coneland, M.J	3-2282	Deasy, George F	3-3481
Coneland R. J.	344005	DeBlois, Roland DeCarli, Paul S.	
Corbett. J.O	3-4236	de Castro, Honorato	3-3318
Corey, Allen F.	3-957 3-157	Necius, 1. Courtney	
Corpacius, Alexander Corte, Arturo E	3-3613	Decker, Robert W	3-3930
Corwin, John F.	3-1940	DeCook, Kenneth J	3-1686
Cottor P D	3-3433	Deere, Don II.	3-1009
Cotton C A	3-458	Defant, Albert	3-355 3-21
Courtemanche, Albert	3-2904	Defelice, J	
Courtright, James H	3-1821	DeFord, Ronald K	3-230
Courminar Harold L	3-2954	Deike, George H., 3d	
Cowan, M.K.	3-2062	de Josselin de Jong, G	3-20
Cowie, J.W	3-1214	Delayault Pohert F	3-240
Cox, Allan V. 3-1416 Craddock, Campbell 3-1416	3-2201	Del con I	3-101
0	3-37/4	Dalitain I S	2-1/0
0 t - D B	3-4146	Dellwig, Louis F	3-306 3-136
	3-300	Delong, Richard M	2-120
Craid Harmon	, 3-2677	Demidova, L.S.	
Crain lawrence C	2 22	Demirel, T	2-200
Cram Ira H	3-4275	Denicova M V	3-277
a lineary Bocc	3-3929	Donnen William H	2-222
C = 0 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1 = 1	3-43/0	ni Boynolds M	フーティフ
Constant Daul R	2 074	DeNover, John M 3-1912	, 2-2/4
Creager, Joe S	3-2489	D Coorgo W	2-170
Creasey, S.C.	3-3326	Neresiewicz, Herbert 3-510	, 2-202
Crews, William D		Derry, Duncan R.	
Crittenden, Max D., Jr 3-2891	9 2 1-11	Desautels, Paul E	
Cromia William	3 11	Despault, G.J.G.	, 00
Croneis, Carev	2 27/2	Dotling, leroy F	2 201
Committee Lorence Committee Committe	7 7070	Dottmann, Mary F	3-120
Crock Keith A.W	, , ,,	Doublack Morris	7-20
Crocky Cary W	2 /	Doviteyn, V.M.) -403
Cuose Whitman.	2 2/01	Davilin Enank I	יטד כ
a 11 laha C	2 -170	Daving PC	, , , , ,
Crowley, Frank A 3-2117, 3-2118		Description E	, , , , , , ,
Crozier, William D.	3-226	Dewan, J.T.	
CIOZIEI, WIIIIAM D. VIETI			

A	bstract	А	bstract
de Witt, Wallace, Jr		Duska, Leslie	3-2200
Dianov-Klokov, V.I	3-820	Dutcher, Lee C	3-925 3-1606
Diarov, M	3-3841	Dutra, C.V	3-2550
Diaz, Albert James Dibblee, Thomas W., Jr 3-1034, 3-2502,	3-3187	Duvall, Wilbur I.	3-4106
Dickens, H.B.	3-1733	Dyakanov, B.P.	3-1855
Dickey, Dayton D	3-2808	Dyer, C.F	3-4225
Diehl, Harvey C	3-3042	Dyer, John R	3-3500
Dietrich, Richard V 3-587,	3-3075	Dyson, James L	3-1401
Dikenshtein, G. Kh	3-5904	Dzvelaya, M.F.	2-1415
Diment, W.H.		Eade, K.E	3-414
Dimitrov, Str		Eakin, Thomas E	3-2013
Disbrow, Alan E	3-3947		3-4231
Ditmar, V.1	3-3639	Eames, F.E.	3-2601
Dix, C. Hewitt	3-1560	Eardley, A.J 3-124, 3-2363,	
Dmitriev, V.I		Eargle, D. Hoye Earthquake Engineering Research	3-3581
Dmitrieva, R.G.	3-2563		3-2459
Doan, David B 3-3547,	3-3549	Eastwood, G.E.P.	3-954
Dobrovolsky, V.V 3-2663,	3-3784	Eastwood, William P 3-2929,	
Dobryansky, A.F.		Eaton, Gordon P	
Dodd, Charles G		Eaton, Theodore H., Jr 3-1168,	
Dodson, Edward O		Echegoyén, S., José	
Doerr, Arthur H		Echols, Dorothy Jung	
Dolan, Edward M		Eckel, Edwin B 3-637,	
Doll, H.G	3-175	Eden, W.J	3-1367
Dolloff, Norman H.		Edie, Ralph W.	
Domarev, V.S.		Edmonton Geological Society 3-743, Efendiev, G. Kh	
Donaldson, Alan C		Egerton, W.G.	
Donaldson, J.A 3-379,	3-413	Ehlers, Ernest G	
Donaldson, J.H.	3-3180	Ehmann, W.D	3-227
Donath, Fred A	3-3242 3-3962	Eicher, Don L	
Donnell, John R 3-2161,		Einstein, H.A	3-3922
Donovan, D.T.		Eisenstatt, P.	3-1726
Dontsova, E.I		Elias, Maxim K 3-1120,	
Dorf, Erling	3-444	Eliseev, A.I	3-3845
Dorman, James Dorofeev, P.I.	3-188	Eliseev, V.I.	
Doskach, A.G.	3-150 3-3238	Elkins, Paul	
Douglas, R.J.W 3-63, 3-64,		Ellington, A.C	3-1523
Douglass, Raymond C	3-3308	Ellison, Samuel P., Jr.	
Douloff, Artel A	3-4097	Ells, Garland D	
Doumani, George A		Ellzey, Robert T., Jr	
Dow, Verne E		Elston, Wolfgang E	3-734
Downs, Theodore		Emeleus, C.H	
Drake, Avery A., Jr.	3-2883	Emelyanova, A.I.	3-1169
Drake, N. D'Arcy	3-967	Emerson, Alfred Edwards	3-3270
Dreimanis, Aleksis 3-2176, 3-3221,		Emerson, William K 3-1152,	3-1153
Drever, Harald I		Emery, K.O	3-3415
Droste, John B	3-2716	Emmons, R.C.	3-21/0
Drummond, James M	3-3589	Emmons, William H.	3-3167
Duane, David B	3-2554	Emrich, Grover H	3-1310
DuBar, Jules R 3-3274,	3-3035	Emslie, R.F.	
Dubinin, A.Z.	3-990	Enenshtein, B.S	3-3696
Duchesne, J	3-3341	Engelhardt, Donald W	3-1418
Duesterhoeft, W. Charles, Jr	3-2974	Englund, Kenneth J.	3-1756
Duffell, Stanley Duffy, J. Regis	3-2814	Enikeev, M.P.	3-3022
DuFresne, Ann	3-3762	Enzmann, Robert Duncan	3-1419
DuFresne, E.R	3-3333	Epstein, Samuel	3-4144
Dugas, Jean	3-3566	Erdman, J. Gordon	3-2057
Dugdale, Richard C	3-3345	Eremeev, V.P.	3-4184
Dugdale, Vera A	3-3345	Ergun, Sabri	3-557
Dunaev, V.A	3-1223 3-2658	Erickson, G.P.	3-3267
Dunbar, Carl O	3-4064	Ericson, David B	3-1997
Duncan, Craig	3-2418	Ermishkina, A.I.	3-2665
Dunham, Robert J	3-3444	Ernst, Wallace G	3-2350
Dunne, James A		Erofeev, N.S.	3-978
Duquette, Gilles	3-4142 3-3198	Esfandiary, Mary S.	3-4279
Duren, Jack D	3-3198	Eskova, E.M. Espach, Ralph H.	3-2654
Durham, J. Wyatt	3-3277	Espenshade, Gilbert H.	3-1363
Durkee, Edward F.	3-1078	Eternod Olvera, Yvette	3-2206
Durum, Walton H.	3-3343	Etheridge, Richard 3-1510,	3-2273

Abs	stract	Ab	stract
Ethington, R.L. Evans, Ernest D. Evans, Howard T., Jr. Eventov, Ya.S. Evernden, Jack F. 3-533, Evison, F.F. Evitt, William R. Ewing, Clair E. Ewing, John I. 3-198, Ewing, Maurice 3-3962,	3-2056 3-1919 3-3557 3-3052 3-3692 3-2941 3-4077 3-1585	Four Corners Geological Society Fournier, Robert 0. Foust, Roscoe T., Jr. Fowler, K.H. Foxworthy, Bruce L. Frank-Kamenetsky, V.A. Frankel, Larry Frarey, M.J. Fraser, D.C.	3-380 3-4241
Fagerstrom, John A. 3-1537, 3-1814, Fahrig, W.F. 3-62, Fails, Thomas G. Fairbairn, H.W. 3-3051, Fairbridge, Rhodes W. Fairchild, M.G. Fan, Pow-Foong Fanale, Fraser Fang, Tê-Liang Fanshawe, John R., II	3-373 3-110 3-3266 3-1103 3-3850 3-3931 3-1900 3-3819 3-2429 3-1312	Frebold, Hans Frechen, J. Frederickson, A.F. Frederickson, Edward A. Fredricks, R.W. Fremd, V.M. Frey, David G. Friedman, Irving Friedman, S.A. Friedmann, M.D. Friedmann, Sh.D.	3-3053 3-486 3-1648 3-2707 3-1159 3-1561 3-836 3-1151 3-3794 3-2122 3-1878 3-1877
Farnham, Lloyd L. Farquhar, Oswald C. Farrand, William R. Farvolden, R.N. Favolden, R.N. Fay, Robert O. 3-1155, 3-1156, 3-1158, 3-1161, 3-1486, 3-2576, 3-2577, 3-2578, Fayaz, Hashem Feder, Allen M. Fedorov, N.V. Fedorok, V.V.	3-4246 3-2105 3-1838 3-3424 3-525 3-1157 3-2575	Frischknecht, Frank C. 3-835, Fristrup, Børge Frölich, F. Frolova, A.V. Frondel, Clifford 3-569, 3-1931, 3-3376, Frost, Robert E. Frueh, Alfred J., Jr. Fry, John C. Frye, John C. Fryesinger, Galen Royer Fryxell, Fritiof M. Fuchs, Louis H.	3-3966 3-1588 3-855 3-3815 3-4157 3-4157 3-1567 3-3224 3-2701 3-3937 3-1702
Fehrman, R.G. Feller-Kniepmeier, M. Feofilaktov, V.D. 3-3707, Feofilova, A.P. Ferguson, Herman W. Ferguson, R.B. Feth, John H. Fettke, Charles R. Feulner, Alvin J.	3-181/ 3-2509 3-1723 3-529 3-3046 3-3658 3-2739	Fujikawa, Yasuo Fuller, A.O. Fuller, J.G.C.M. Funkhouser, John W. Furcron, A.S. Furnish, W.M. Fuzesy, L.M. Fyfe, William S. Fyles, James T. Fyles, John Gladstone Gabinet, M.P.	3-4023 3-2958 3-3133 3-4300 3-2552 3-2356 3-946 3-3972
Finkel, Herman J. Finks, Robert M. Finney, John W. Fireman, E.L. Firsoff, Valdemar A. Firsov, L.V. Fischer, Richard P. Fischer, William A. Fisher, David E. Fisher, Robert L. Fisk, Harold N.	3-3275 3-894 3-3768 3-1012 3-3816 3-3113 3-3327 3-3007 3-2191 3-3405 3-652	Gabrielse, Hubert 3-3/1, Gadd, Nelson R. Gadieva, T.M. Gagnon, George C. Gaiski, V.N. Gaither, L.Q. Gaither, V.U. Gallant, Robert P. Galle, O. Karmie Galloway, J.J. Galloway, Raymond A.	3-1000 3-3899 3-3342 3-4110 3-4259 3-1574 3-904 3-1252 3-3665 3-913 3-3651
Flandgan, Vinitian G. Flanagas, William G. Fleener, Frank L. Fleming, H.W. Flesch, G.D. Flinn, Edward A. Flint, Delos E. Flint, Richard Foster 3-2168, Flood, H. Flower, Rousseau H. Foley, Joseph Foley, Lyndon Lyman 3-938, 3-952, Folinsbee, R.E.	3-3080 3-4235 3-1617 3-508 3-3548 3-2368 3-3003 3-3281 3-272 3-1704	Gangi, Anthony F. Gapeeva, G.M. García Araya, Floreal Gardner, Frank J. 3-2048, Garetsky, R.G. Garland, G.D. 3-826, Garrels, Robert M. Gaskell, T.F. 3-2538, Gassmann, Fritz	3-115 , 3-2050 , 3-4270 3-118 , 3-4082 3-1244
Folinsbee, K.E. Fomina, L.S. Font-Altaba, M. Foose, Richard M. Forbes, J.C. Ford, T.H.L. Fornaseri, M. Fort Smith Geological Society Forward, Charles N. Foster, Helen L. Foster, Margaret D. Foster, Robert J. Foster, Roy W. 3-3190,	3-958 3-4009 3-1939 3-3079 3-231 3-3207 3-1099 3-2834 3-905 3-599	Gaucher, Edwin H. Gault, H.R. Gavrilov, L.I. Gavrish, V.K. Gay, P. Geertsma, J. Gelphman, Norman Ray Genensky, Samuel Milton General Electric Company, Hanford Atomic Products Operation, Richland, Washington 3-2324 Gerasimov, I.P.	3-1271 3-1209 3-1441 , 3-2333 3-2991 3-317 3-1369
Foster, Roy W		11	

Abstract Abstract Graf, Donald L. 3-536 through 3-540, 3-1990
Graham, Alan ... 3-1083
Graham, Joseph J. 3-2606, 3-3302
Granberry, Raymond James 3-3136
Grandi, L. 3-231
Granger, Harry C. 3-2407
Granquist, W.T. 3-2703
Grantz, Arthur 3-819
Gray, Carlyle 3-419, 3-3604
Gray, Don M. 3-2179
Gray, Henry H. 3-1202, 3-2505
Gray, Jane 3-777, 3-1842
Gray, Russell L. 3-3697
Grayzer, M.I. 3-2553
Green, Jack H. 3-3541
Green, Jesse R. 3-1647
Green, Jesse R. 3-1647
Green, Henry Morton 3-1516
Green, Seymour S. 3-914, 3-1260
Greenberg, Seymour S. 3-914, 3-1260 Graf, Donald L. 3-536 through 3-540, 3-1990 Goles, Gordon G. 3-217, 3-1598, 3-2326
Golovanov, I.M. 3-244
Golovina, I.F. 3-1880
Goncharova, T.Ya. 3-3872
Gonta, E.T. 3-2922
Goodell, H.G. 3-767
Goodlett, John C. 3-1783
Goodwin, A.M. 3-2145, 3-4244
Goodwin, William 3-2040
Gorbunov, N.I. 3-3390
Gorbunova, L.I. 3-1635
Gordon, Arthur 3-2531
Gordon, Arthur 3-2449
Gordon, Ellis D. 3-614, 3-2758
Gordon, W.A. 3-3309, 3-3310
Gore, Dorothy J. 3-2332
Gorelov, S.K. 3-3637
Goren, Dorothy J. 3-2332
Gorelov, S.K. 3-3637
Gorin, V.A. 3-309, 3-3478
Gorskaya, A.I. 3-1077
Gorskaya, A.I. 3-797, 3-3478
Gorsky, V.P. 3-797
Gottfried, David 3-3338
Gould, Howard R. 3-781
Govett, G.J.S. 3-3447
Gowert, Howard D. 3-59
Grabovsky, M.A. 3-721, 3-2019
Grachevsky, M.M. 3-1257
Graf, Anton 3-3680 Hagen, John C. 3-1695
Hahn, Glenn W. 3-2397
Hahn-Weinhelmer, P. 3-1899
Haites, T. Binnert 3-1113
Haiberg, Henry N. 3-4223
Halbertsma, H.L. 3-1130
Hales, A.L. 3-3748
Haley, Boyd R. 3-328
Hall, Clarence A., Jr. 3-466
Hall, E. 3-4207
Hall, Francis R. 3-722 through 3-732, 3-2752
Hail, Rosemary 3-698
Hall, Thomas O. 3-2961
Haller, John 3-4003, 3-4004
Halliday, William R. 3-1425, 3-2525, 3-2854

Ab	stract	Ab	stract
Halperin, E.I.	3-855	Helz, Armin W	3-3330
Halstead, E.C 3-2385,	3-2386	Hem, John D 3-3089,	3-3788
	3-1898	Hembree, Charles H	
Ham, William E		Hemstock, R.A	3-463
Hamelin, Louis-Edmond	3-788	Henderson, E.P	
	3-3349	Hendrickson, G.E	
	3-1307	Henkel, John H	3-2973
Hamilton, Jack H.		Henoch, W.E.S.	3-2521
Hamilton, Warren B 3-596, 3-2348,		,	3-3514
	3-628 3-3758	Henry, Vernon J	3-917 3-2311
Hampton, Delon		Herfindahl, Orris C	3-2401
Haney, W.A.		Heron, J	
Hansen, Wallace R 3-2140,	3-3192	Herrick, Eugene H	3-2884
Hantush, Mahdi S 3-278, 3-279,		Herrin, Eugene T	3-1558
Hanway, John J	3-1613		3-3539 3-2749
Hara, T Harbaugh, John W	3-1599 3-605	Hertlein, Leo G.	
	3-2754	Herz, Norman 3-1606,	3-3655
	3-1761	Hess, David C 3-1597,	3-3334
Harbour, R.L.	3-97	Hess, H.D	3-1261
	3-3580	Hessler, V.P 3-167, 3-168,	
	3-2390 3-1901	Heusser, Calvin J	
	3-1106		3-867
Hardin, George C., Jr	3-1106	Heyl, Allen V	
Hardt, William F		Hibbard, Claude W 3-776,	
Hargreaves, Arnold		Hibbs, Albert R	
Harker, Peter 3-479, Harksen, John C 3-1048, 3-2564,	3-4047	Hill, D.E	
Harland, W.B 3-4010,	3-4096		3-2965
Harmeson, Robert H		Hill, Gladwin 3-1795,	
Harrell, David C	3-3484	Hill, Mason L	3-92
(lattington) horacto of treeters	3-1075	Hill, Patrick Arthur	3-291/
Harris, Hobart B	3-2005 3-1105	Hill, Walter E., Jr 3-631,	3-3067
	3-1756	Hills, John M.	3-4036
Harris, P.G.	3-211	Hiltermann, Heinrich	3-1178
Harris, Reginald W 3-1193,	3-1194	Hiltrop, Carl L 3-997,	3-1654
Harris, T.M.	3~4075	Hinds, Frank J	3-1515
Harrison, A.E	3-658	Hinds, Norman E.A	3-1885
Harrison, J.M	3 - 341 3-1788		3-2964
Harrison, Jack L	3-2786	Hiss. W.L. 3-1280,	3-3409
Harrison, Richard Edes	3-3950	Hitchon, Brian	3-2063
Harrison, W.	3-1320	Hite, Robert J	3-796 3-3249
Harry, W.T	3-3394	Hixon, S.B	3-3184
Hart, S.R	3-4051 3-2110	Hoare, Richard D	3-484
Hart, Donald L., Jr.	3-2740	Hochstrasser, Urs	3-3726
Hartley, Robert P	3-2466	Hodason, Gardon W	3-305
Hartman, James A	3-959	Hodgson, Robert A	3-1702
Harvey, Ralph Leon	3-3209 3-4293	Hoering, Thomas C	3-3348
Harwood, T.A. Haskell, N.A.	3-1565	Hoff. Jerald H	3-1042
Hassan, Fl Saved Mohamed	3-3679	Hoffman, John P	3-2634
Unctings Fari I	3-1015	Hoffmann, Reinhard W	3-3384
Hatherton, T 3-1/2,	3-2628	Hofker, Jan 3-1188,	3-260/
Hattorclov-Smith. G	3-3300	Hogarth, D.D	3-3540
Haught, Oscar L. 3-319, 3-320, Haun, John D. 3-2148, 3-2156,	3-2237	Hollander, J.T.	3-2006
Haun, John D	3-4151	Holly, Frank	3-2524
Unikas Herbert F.	3-2403	Holm, Donald August	3-1091
Hawley, J.F	3-3366	Holmes, Charles R	3-3614
Hay, William W.	3-2243 3-204	Holmes, G. William	3-3974
Heacock, J.G	3-1308	Holon William T	3-1890
Healy, John H.	3-180	Holzmann, F.M 3-848,	3-849
Hoard Hugh C	3-1886	3-1874, 3-2980,	3-2335
Ueath James P	3-608	Honda, Masatake	3-1943
Habt May V	3-1100	Honstead, J.F	
Hedberg, Hollis D 3-1801, 3-3530, Heemstra, R.J	3-3463	Hood, James W	3-615
the man lilling A	3-2120	Hood Peter I	3-2297
11 Priice C	3-4002	Hoover, Karl V	3-3820
Haior K S	7 4120	Hoover, Linn	
	3-1003	Hooking MT	3-94/
Heimsch, Charles	3-1712	Hooking W R.	3-1675
Haidenman M A	3-150	Hoppin, Richard A	3-1/90
Hellner, Erwin	3-1929	Hopson, Clifford A:	2-12/3
	1-	1.2	

A	bstract	F	Abstrac
Horak, Ralph L	3-3511	Ito, Jun	
Horibe, Voshio	3-1625	Ivakin, B.N	3-187
Horitawa Kiyoshi	3-4288	Ivankin, P.F	3-386
Horn. William L 3-2387,	3-3099	Ivanov, M.A	3-369
Hornaday, Gordon R	3-3304	Ivanov, P.V	3-99
Horner, William J	3-1986	Ivanov, V.V	3-152
Horr, C. Albert	3-2668	Ivanova, G.F.	3-302
Hoskins, Hartley	3-3324	Ivanova, T.G.	
Hosterman, John W	3-3451	Ivanova, V.F.	3-86
Hotchkiss, Henry	3-1394	Ivanovsky, A.B 3-1453,	
Hough, Jean Ringier	3-1511	Ives, J.D 3-778,	
Hough, Van Ness D		3-2517, 3-2815,	
Housner, George W.	3-3714	Ives, Robert E	
Howard, Arthur David 3-663,	3-1431	Ives, William 3-631,	
Howard, Calhoun L.H	3-571	Izett, G.A	3-650
Howell, B.F., Jr.	3-2620	Jackson, Everett D	3-1962
Howell, Lynn G	3-165	Jackson, G.D	
Hower, John	3-2717	Jackson, J.E	
Howie, R.A	3-590	Jackson, M.L.	
Hoyt, Carroll L		Jacob, C.E 3-279,	
Hsu, K. Jinghwa		Jacobs, D.G.	
Hu, Chung-hung		Jacobs, J.A	3-3755
Hubbard, Harold A	3-1416	Jacobsen, George	3-4294
Hubbell, David W 3-3398,		Jacobsen, Peter, Jr	
Hubricht, Leslie	3-808	Jacobson, Jimmy J	3-2965
Hudson, Donald E 3-3706,		Jaeger, J.C.	3-1579
Hudson, Frank S	3-66	Jahns, Richard H	3-760
Hughes, Dudley J		Jain, S.	3-2972
Hughes, H. Edwin		Jamaica, Geological Survey Dept	3-1017
Hughes, N.F.	3-1203	Jambor, J.L.	
Hughes, Owen L	3-1470	James, Laurence B	3-3091
Hughes, Paul W	3-1259	Jamieson, John C 3-527,	3-2684
Hughes, R.J., Jr 3-464, 3-2475,		Janssen, Raymond E	3-3976
Hull, Frank M		Jardine, D	3-3479
Hulme, S.G		Jarvik, Erik	3-4066
Hülsemann, Jobst		Jastrow, Robert	3-3765 3-2560
Hungsberg, Ulrich		Jeletzky, J.A 3-1138, 3-2240, 3-3285,	
Hunkins, Kenneth L 3-191, 3-4120,		Jenkins, D. Graham	
Hunt, John M		Jenkins, Edward D	3-4211
Hunter, Hugh E 3-85,	3-1280	Jenkinson, Lewis F	3-3489
Hunter, Ralph E		Jenney, C.P	3-3883
Hunter, W	3-3769	Jennings, Charles W 3-55,	
Hunting Survey Corporation Ltd., Calgary,	2 (()	Jensen, Homer	3-3320
Alberta	3-667	Jensen, Willard C	3-2093
Hurley, Patrick M		Jewett, John M.	3-1833
Hussey, Keith M		Jilison, Willard Rouse 3-67,	
Hutchinson, C.A., Jr.		Jiménez de Abeledo, M.	3-578
Hutchinson, R.M 3-2157,		Jindra, Roy 1	3-2795
Hutchison, Charles S 3-1805,	3-3939	Jobert, Nelly	
Hutchison, Harold C		Jodry, Richard L	3-4014
Hyden, Harold J	3-2669	Joensuu, Oiva I.	
IGY World Data Center A	3-1846	Johns, Willis M 3-1403,	
Igelman, Kim		Johnson, Charles G	3-2804
Ignatova, L.I		Johnson, Gerald W 3-193,	
Ikornikova, N.Yu	3-3005	Johnson, Hamilton M.	3-178
Ilin, A.A.	3-984	Johnson, Henry S., Jr 3-1736,	
Ilina, N.S.	3-1611	Johnson, J. Harlan 3-1529,	3-1530
Illinois, State Geological Survey	3-3570	Johnson, Joe William	3-3165
3-3571, 3-3592 through		Johnson, M.R.W.	3-4191
Imlay, Ralph W.	3-563 3-3283	Johnson, Noye M	3-3364
Inerfield, Arthur J	3-1326	Johnson, Raiph G.	3-2723
Ingall, L.N	3-4083	Johnson, Robert B.	3-483 3-2476
Ingram, R.E	3-507	Johnson, Robert W., Jr.	3-3321
Innes, Morris J.S	3-3683	Johnson, Ross B 3-1137,	
International Oil Scouts Association	3-980	Jonas, Edward C 3-584,	3-2705
International Science Foundation	3-1376	Jones, Cecil L., Jr	3-101
International Symposium on the Origin of Life	3 000	Jones, David L 3-136,	3-3284
on the Earth, 1st, Moscow, 1957	3-800	Jones, J.D	3-1616
Irizarry, O.B.	3-1518 3-321	Jones, Paul H	3-2819
Irvine, Thomas N	3-2727	Jones, W.R.	3-2227
Irving, E 3-1547, 3-1851, 3-3689.	3-3690	Jordan, G.F	3-3622
Irwin, William P	3-3201	3-1360, 3-2558.	3-2811
Isaeva-Petrova, L.S	3-3668	Jorgensen, Donald G	3-4226
Iskenderov, M.A.	3-069	Teneral No. 14	

Ab	stract	At	stract
Joubin, Franc R	3-1703	Kiryushina, M.T	3-1277
Jousé, A.P.	3-146	Kish, George	3-742
Joyce, J. Wallace	3-815	Kistner, G.A	3-3768
Joyner, William B	3-1580	Kitaigorodsky, A.I	3-3803
Joysey, K.A	3-1182	Kittrick, J.A	3-4175
Judson, Sheldon	3-2369	Kizevalter, D.S	3-1790
Jumikis, Alfreds R		Kjellesvig-Waering, Erik N	3-4063
Jurain, G	3-234	Klassen-Neklyudova, M.V	3-3061
Jux, Ulrich	3-1506	Klein, Howard	3-3428 3-1469
	2 120	Kleiner, Yu.M	3~3071
Kabanov, K.A.	3-130	Knapp, William John	3-3003
Kachadoorian, Reuben	3-2833	Knechtel, Maxwell M	3-128
Kalita, A.P	3-2659	Knodell, John D., Jr.	3-3497
Kalyuzhny, V.A		Knopoff, Leon 3-187,	
Kamb, W. Barclay	3-1442	3-1562, 3-2631,	3-3736
Kan, E.K.	3-3900	Knott, S.T	3-3324
Kane, Martin F	3-1581	Knox, Sanka	3-1836
Kansas Geological Society 3-2067,	3-3957	Knudsen, William C	3-4119
Kansas, State Geological Survey	3-2471	Knutson, Carroll F	3-3143
Kapp, Hans E	3-3395	Ko, R	3-2324
Kapustinsky, A.F.	3-874	Kobayakawa, Mituko	3-1625
Karasik, M.A	3-1718	Kobayashi, N	3 - 3729 3 - 3908
Karo, H. Arnold	3-1741	Kobold, F	3-322
Karpoff, Boris S	3-2336	Koch, Lauge	3-3952
Karpov, P.A	3-1446	Koczy, F.F.	3-888
Karrow, Paul F 3-2143,	3-2458	Koepf, Ernest Henry	3-3136
Kaser, Kent S	3-3171	Kogan, R.M 3-1236,	3-1877
Kasyanova, M.S	3-3239	Kogan, S.D. 3-846,	3-3751
Katsura, Takashi	3-1932	Kogan, S.Ya.	3-1229
Katz, H.R.	3-4017	Kogan, V.D.	3-1699
Kauffman, Erle G.	3-143	Kogarko, I.N.	3-3029
Kaufman, R.I.	3-1737	Kohn, H.W.	3-1938
Vaufman W I	3-2829	Kohout F A	3-4206
Kaufmann, Godfrev F	3-3532	Kokubu, Nobuhide	3-1905
Kaula, William M	3-36//	Kolesnikova, V.N.	2=1:1004
Kay Marshall 3-2224;	3-2251	Kolmakov, M.V	3-1969
Kave, Clifford A	3-2520	Komarova, G.N.	3-3778
Kazansky, A.B.	3-1004	Komkov, A.I 3-3809,	
Kazenkina, G.A.	3-246	Komlev, L.V	3-3034
Kazinsky, V.A.	3-4081	Vanany V V	3-1850
Keech, Charles F 3-928	3-4046	Kandauskaya N V 3-2984	3-3/24
Keefer, William R	3-1108	V-10h: Vonii 3=1530	3-40/4
Kehn, Thomas M Keller, A. Samuel	3-2892	Vonivets V I	, 3~2501
Vallar George V	, 3-4105	Vonizacki Richard I	2-4/22
V-flor Walter D 3-1325, 3-1//9	, 5-209/	Konstantinov, M.M.	3-2996
Kelley, D.G 3-1030, 3-3131.	5~3455	Konstantinova, A.G. Konta, J	
Volley Vincent C	, 3-/03	Konta, J 3 27/3.	3-4094
Valling, G	3-19/9	Kopp, Otto C	3-4164
Volle TE	3-2000	PART E	3-2430
Kelly, William C 3-931, 3-1912, 3-2031	3-564	Vordo K B 3-14/0	, 3-3667
Kelsey, C.H.	2-1887	C D	373/04
Kennedy, George C 3-1591	3-3958	Vanishan Louis S	, 3-3417
Kennedy, Richard R. Kennedy, Vance C.	3-2408	Manables 1 A	2-124
	3-3999		
Kentucky Geological Society	7 1170	14 1 · · · · · · · · · · · · · ·	3-3807
warden Moustafa T	3-6333	14 1 Vit M	3-141
n1 E 1-545, 3-543	3-571	Koroleva, M.N. Kortsenshtein, V.N.	3-1678
3-1928, 3-2//5, 3-4///	,) -417	V Pohert M	3-795
Vacting Pohert V	, 3-3311	K	3-256
Value I Hode	7 7.01	Vanish V M	, ,000
	2 2100	Management A. V	ייווע כ
1 * 5 - 7 - d - Ch M	9 2 2010	Mantau IVan	2 41/2
Khalifeh, Y	. 3-3004	Machine V D	3-12/0
Khitarov, N.I	3-4018	Manager Manage	7-1741
1 M	J - J - 1	was land Frank F	2 122
	2 -2-1	Value Dobert 1	2 21-1
		Variables 0 1	2 1000
		Kovalsky, V.V. Kovda, V.A.	3-3237
			2 2771
		Variation itou.	3 201
		141 fm Vis N	, , , , ,
		K B	, , -, , ,
		Pulled Ernet H	, , ,,,,
		Van-ilmikova NV	. , , ,
King, Ruth Reece	3-3681	Kanakausku S A	, , , , , , , , ,
King-Hele, D.G	3-1671	Krause, Dale C	, ,,,,,,,,,,,
Kirkildin, boli		115	

A	bstract	· A	bstract
Krauskopf, Konrad B	3-3166	Laughton, A.S 3-1101,	3-1102
Krauss, Robert W.		Laurence, William L	3-664
Kravchenko, L.A.	3-881	Laurin, A.F.	3-757
Kreidler, William Lynn		Lauth, Robert E	3-2061
Kremp, G.O.W 3-1200,	3-1201	Laverdière, Camille	3-2904
Kretz, Rainh 3-1605, 3-1/55;	3-4133	Lavrov, M.M	3-2544
Krieger, R.A 3-609,	3-2384	Lawrence, Barbara	3-4593
Krinov, E.L	3-2536	Layat, C	3-4123
Krinsley, D.B	3-3971	Lazarev, G.E	3-3068
Krinsley, David H	3-261	Lazko, E.M 3-1279,	3-3317
Krone, R.B	3-3922	Leary, J.K	3-4174
Kropachev, A.M	3-2667	Lebedev, V.1	
Kruglov, S.S.	3-3834	Lee, Hulbert A	3-415
Kruglyakov, V.V.	3-822	Lee, K.Y 3-1041,	
Kruglyakova, G.I	3-4072	Lee, Patrick K	
Krutikhovskaya, Z.A.	3-499	Leech, G.B.	3-370
Krylov, A.Ya 3-127,		Lees, Alan	3-1816
Krylov, I.N.	3-3666	Leet, Florence J	3-3551
Krylov, N.A 3-1447,	3-1462	Leet, L. Don 3-330, 3-3156,	3-3551
Krylova, A.K.	3-106	Leeyus, L.A	3-3542
Krynine, Paul D	3-260	Lefever, Robert A	
Kucherenko, M.T	3-1818	Legget, Robert F 3-335,	
Kudrin, L.N	3-3635	3-3234, 3-3534,	
Kudryashova, V.I		LeGrand, Harry E 3-443,	
Kuhn, V.V		Lehmann, Ulrich	
Kulakova, L.S		Leighton, Freeman Beach	3-349
Kulikov, F.S.	3-989 3- 1460	Leighton, Morris M 3-448,	
Kullerud, Gunnar		LeMaitre, R.W	3-1946
Kulp, J. Laurence 3-1900,		Lemish, John 3-997, 3-1654,	
3-2568,		Lemon, R.R.H 3-2566,	
Kulp, W.K.	3-927	Lenz, Alfred C	
Kuman, V.E.	3-1645	Leonard, A. Byron	3-485
Kummel, Bernhard 3-1498, 3-2542, 3-2935,		Leonard, Alvin R 3-2396, Leonard, B.F.	3-932
Kunkel, Fred	3-920 3-1885	Leonards, G.A.	3-3914
Kupfer, Donald H.			3-2820
Kurata, Nobuo	3-617	Leonov, N.N.	3-840
Kuroda, P.K.	3-3763	Leonova, V.A	3-3804
Kurtev, P.I	3-3524	Leontev, V.M	
Kushiro, Ikuo 3-580,		Lepp, Henry	3-3377
Kutina, J	3-1628	Lerbekmo, John F	3-4196
Kuzhelov, G.K	3-499 3-1239	Lessig, Heber D	
Kuznetsova, T.A.	3-151	Letavin, A.I.	
	, , , ,	Letunova, S.V	
Labrador Mining and Exploration Co	3-413	Leutze, Willard P	
Lacy, W.C.	3-1754	Leve, Gilbert W 3-2009,	
Ladd, Charles C		Levenshteyn, M.L.	3-1799
Laevastu, Taivo 3-3041,		Levin, B.Yu	3-862
Laganá, Tito		Levinson, Stuart A	3-2950
Laidly, W.T.		Levitsky, P.I.	3-984
Laird, Wilson M 3-1016,		Levorsen, A.I	3-794
Lamakin, V.V.	3-3670	Levshin, A.L.	3-853
Lamar, J.E			3-1904
Lamey, Carl A		Lewis, Charles R	
Lamoreaux, P.E 3-612,		Lewis, J.F	3-3069
Lance, John F			3-1710
Lane, K.S.	3-300 3-1735	Libbry, W.F	3-1910
Lang, A.H		Licastro, P.H.	3-2620
Lang, Joseph W			3-2008
Lang, Solomon M 3-2398,		Lindquist, Clarence B	3-2851
Lange, Arthur L		Lingard, A.L.	3-1586
Langenheim, Ralph L., Jr 3-147, 3-475,		Linkov, E.M.	3-3704
Langston, Wann, Jr 3-2274,	3-4058	Linkova, T.1 3-1852,	
Lanning, Francis C	3-1015	Lippincott, Ellis R.	3-1455
Lapina, M.I	3-4088	Lipschutz, Michael E.	3-3359 3-3766
Lapwood, E.R.	3-3735	Lishman, John R.	3-3699
Larochelle, A	3-4147	Lisitzin, A.P.	3-1319
La Rocque, J.A. Aurèle	3-2270	Listova, L.P	3-207
Larsen, Esper S., Jr	3-3338	Little, H.W	3-2495
Larsen, Leonard H	3-1288	Littleton, Robert T	3-3439
Lathram, E.HLatimer, I.S., Jr	3-418 3-1199	Lizunov, N.V	3-2392
Latter, Albert L.	3-1199	Ljunggren, Pontus	3-3025
Lattman, Laurence H	3-3629	Lobanova, V.V.	3-1653
Latus, Thomas J	3-3480	Lochman-Balk, Christina 3-1504.	3-2222
Laughbaum, L. Ronald	3-1477	Lockwood, W.N.	3-450

Ab	stract	Ab	stract
	3-2715		3-3199
Loeblich, Alfred R., Jr 3-2608,		McGhee, Ed	3-4257
3-2943, 3-2944,		McGill, Peter C	3-4069
Løken, Olav	3-3032 3-2515	McGrik, Lon S., Jr	3-961
	3-2547		3-2287
Lombard, David B.		McGugan, Alan 3-2232, 3-2557,	
Lomsky, Josef		McGuinness, J.L	
Long, A.T., Jr			3-3153
	3-1646		3-1238
Longman, 1.M 3-155,	3-162 3-598	Mackay, J. Ross	3-3299
Loofbourow, R.L.	3-1369		3-2452
	3-3521	MacKenzie, G.S 3-672,	
Loranger, D.M 3-2235,		McKeown, Francis A	3-2808
Lositskaya, I.F	3-2670	MacKevett, E.M., Jr	3-290
Loughnan, F.C 3-586,			3-3505 3-2388
	3-2059 3-2830	McKillop, Donald H	
Love, J. David		MacLaren, J.W	3-2457
Lovering, T.S 3-947, 3-1700,	3-2706	McLaughlin, Thad G	3-4212
Lovett, F.D.	3-1270		3-2111
Low, Doris	3-2610	McLean, James D., Jr	3-1466
	3-2704	McLearn, Frank H	3 - 3662 3 - 1650
Lowell, James D	3-2226	McLeod, Richard R	3-3941
Lowerstam, Heinz A	3-33 47 3 - 2299	McMaster, Robert L	3-1305
Lowry, Wallace D	3-2228	McMaster, William M	3-2746
	3-3844	McMillan, Neil J	3-2183
Lugn, Alvin Leonard	3-2181	McMullen, C.C	3-3798
Lukyanov, A.V	3-1785	McNair, A.H.	3-4007 3-2071
Lum, Daniel 3-3701,	3-4086	McNeal, Robert P	3-1835
Lunar and Planetary Exploration Colloquium	3-2856	Macpherson, J.D	3-520
Lund, Ernest H	3-3374	Macqueen, R.W	3-3251
Lundelius, Ernest L., Jr	3-1509	McTaggart, Kenneth C	3-3248
Lunev, B.S	3-1776	McVay, T.N	3-1334
Lure, A.M	3-287	Maehl, Richard H.	3 - 2920 3 - 862
Lusczynski, Norman J	3-1676 3-863	Maeva, S.V	3-2797
Lustig, E.N	3-3907	Magee, J.B	3-1336
Lutts, B.G	3-3606	Magill, Elwin A	3-1340
Tutz. H. I	3-454	Maher, John C	3-4019
1 vov. M.S	3-3888	Majewske, O.P	3-773 3-139
Lyakhov, B.M	3-1211	Makarenko, D.E	3-936
Lyashenko, A.1.	3-1456 3-2120	Maki, Arthur	3-2174
Lydon, Philip A	3-3484	Maksimov, M.I.	3-3462
Lyons, Jeanne M.	3-3268	Maksimov, S.P 3-977,	3-3901
Lyons, S.C.	3-2694	Malavassi Vargas, Enrique 3-3307,	3-3312 3-2641
Lytle, William S 3-1361, 3-3507,	3-3896	Malinin, S.D	3-2679
	3-2178	Mallory, William Wyman	3-2153
Mabey, Don R.	3-3615	Malov. N. N	3-1880
McBeth, Frank H	3-1784	Maloviteky, Va P.	3-992
McCallum Henry D	3-3995	Malauga D P	3-3109
McCammon Helen	3-2616	Malyutina, Z.A. Mamedov, Kh.S	3-3806
W.C. Bichard R	3-1985	Wandanian Joseph A	3-30/3
McCaslin, John C 3-2080,	3-42/2	Mandra, York T.	3-22/7
McCauley, Camilla K		Mankin, C.J 3-1258, 3-1264, 3-1295,	2 2/20
McCauley, John F	3-4134	Manka E M	3-140
McClymonds, Neal E	3-4037	Mann, Virgil I.	3-4085 3-1737
McCord, Wallace R	3-2431	Mansur, Charles I. Manukalova-Grebenyuk, M.F.	3-1129
McCrady, Allen D	3-2938	Manukaiova-Grebenyuk, M.T.	3-2511
McCrossan, Robert George	3-2372 3-1694	Marakuchev. A.A.	3-268
McDivitt, James F.	3-3015	Handock Edwin S	3-203
McDonald, Alison	3-1000	Marck Charles F	3-2456 3-2015
u.b1d Donald E	3-807	Marine Wendell	3-869
MacDonald, Gordon A	3-1955	Markham, N.L	3-4020
) L) U))	2 2027	Markova, N.G.	3-1812
MacDonald, Gordon J.F 3-3730, 3-3765,	3-4126	Markovsky, N. I	3-3146
McDonald, H.R.	3-955	Hadenard Ellen I	3-3106
MacDonald, William D.	3-4028	100 January 1000 June 1000 July 1000	3-1957
McDougall lan	3-4182	Mounh Owen T	,) 1020
NegDougall F	3-2640	Marshall, Royal R 3-1597, 3-3334. Martin, Gene B	3-1452
W-F-wlon Edward, Ir	3-1146	Wartin I John	3-4005
Haraniana H.M	3-2090 3-3545	Martin Daul S	3-1176
THE TOTAL OF THE PROPERTY OF T	3-901	Martin, R. Torrence	3-2700
McGavock, E.H.			

A	bstract		
Martin, Rudolf 3-973,	3-2049	Miller, George H	3-2052
Martinez, Anibal R	3-1728	Miller, Halsey W., Jr 3-1831,	3-1837
Martinez, Joseph D	3-771	Miller, John P	3-2842
Martyanov, N.N.	3-1644	Miller, John T	3-3603
Martynova, T.A 3-1850,	3-4094	Miller, Loye 3-2275,	
Martz, Walter H., Jr	3-3485	Miller, Lynn M	3-918
Marussi, Antonio	3-3678	Miller, Maynard M	3-3973
Maryland, Bureau of Mines	3-3905	Miller, Robert A	3-3580
Mashkovich, K.A	3-3898	Miller, Robert D	3-4053
Maslov, V.P.	3-1528		3-2769
Mason, Brian H 3-212, 3-1891,	3-1892	Millman, Anthony P	3-572 3-790
3-1893, 3-2327,	3-3300	Millman, Peter M	3-1021
Mason, Curtis C 3-1684,	3-1000	Milton, Charles 3-2337,	
Mason, Ronald G 3-4090,	3-3519	Milton, Daniel J.	3-4168
Masterson, James A	3-900	Milton, W. Bryan	3-3407
Mather, A.L.		Mina Uhink, Federico	3-3520
Mathews, David L	3-3385	Minakami, Takeshi 3-4179,	
Mathews, W.H.	3-1828	Minato, Masao	
	3-1797	Mineral Research Society of California	3-2334
Matson, Robert E		Mining World	3-2762
Matthes, François E	3-84	Mink, J.F.	3-926
	3-3331	Mirchink, M.F 3-3525, 3-3626,	3-3745
	3~512	Mironov, S.1	3-3559
Matthews, William H., III	3-814	Miroshnikov, L.D	3-3642
Matzke, Richard H	3-3629	Mirtskhulava, Ts.E	3-81
Maughan, Edwin K 3-2154,	3-3944	Mishchenko, K.S	3-1926
Maurer, William C		Mishin, V.M	3-824
Mawdsley, J.B		Mississippi Geological Society	3-1763
Maxwell, Bruce W	3-3855	Missouri, Division of Geological Survey and	
Maxwell, W.G.H 3-1491,		Water Resources	3-2102
May, David V		Mitchell, R.S.	3-1262
Mayeda, Toshiko		Mitchell, Richard S 3-249, 3-901,	
Maync, Wolf		Miyake, Yasuo	
Mchedlishvill, P.A	3-120	Mizyuk, L.Ya.	3-1859
Meador, Jimmie G		Modelevsky, M.Sh.	
Mears, Brainerd, Jr		Moench, Robert H	
Meave T., Edgardo			3-2766
Medvedev, V.Ya		Mokhova, E.N.	3-827
Meents, Wayne F	3-2879	Molloy, Martin W 3-549,	3-4154
Meidav, Tsvi	3-182	Molotova, L.V 3-1866, 3-1869,	
Meinschein, W.G.	3-2060	Monakhov, F.I	3-4113
Meisler, Harold	3-450	Montgomery, Edwin H	3-2838
Meister, Robert	3-3733		
Melhorn, Wilton N		Montoya, Maria del Carmen Perrilliat	3-3508 3-1493
Melik-Pashaev, V.S.		Mookherjee, Asoke	3-3781
Mellersh, H.E.L.		Moor, G.G	3-258
Mellis, Otto	3-4136	Moore, Clyde H., Jr.	3-3649
Melton, Mark A 3-1773, 3-1781,	3-3975		3-2674
Menard, Henry W 3-83, 3-1114, 3-1318,		Moore, David G	
Meng, Hsiang-Hua		Moore, Fred E	3-2160
Menke, C.G.		Moore, George W	3-1422
Menzies, Robert J		Moore, H.R	3-3083
Merewether, E. Allen 3-56, 3-57,	3-61		3-1973
Merklin, R.L.	3-121		3-3853
Mero, John L			3-3909
Merrill, Glen K 3-2068, 3-2880,		Moore, Raymond C	
Merrill, William M.		Moore, Robert	
Merritt, C.A.		Moorhouse, W.W.	
Merritt, W.F.		Morey, George W	3-4135
Mertie, John B., Jr.	3-4149	Morozova, V.G 3-119,	
Messina, Angelina R	3-1523	Morrill, Philip	3-588
Messmer, J.H		Horris, H.T.	3-3438
Metcalfe, Bob		Morris, Henry Madison, Jr.	3-947
Meyboom, Peter 3-2378.	3-2381		3-3927
Meyer, Gerald	3-4230	Morrison, Lawrence S.	3-3422
Meyer, Robert P	3-3737		3-1540
Meyrowitz, Robert 3-3351,	3-4148		3-1775
Michigan Basin Geological Society	3-2899		3-4213
Michigan, Geological Survey		Moxham, R.L.	
Division 3-1268.	3-3885		3-535
Michigan, University, Great Lakes Research		Moyer, Paul T., Jr.	3-3581
Division	3-2472		3-758
Middleton, G.V 3-3035, 3-3036,	3-3411	Mráz, L.	3-1022
Mikhailov, A.S	3-3038	Mrose, Mary E 3-1919, 3-1935, 3-1937,	3-2680
Miklukho-Maklai, A.D	3-1517	Muan, Arnulf 3-871, 3-2642	3 -1, 1 2/:
Milashev, V.A	3-3656	Muchiberger, William R 3-1405,	3-1411
Mileshina, A.G	3-3467	3-1412. 3-1787	3-2202
Milhous, H.C	3-3509	Mueller, Robert F.	3-2671

Ab	stract	A	bstract
Muir, 1.D	3-1966	Association	3-2162
Muir, K.S	3-283	New Mexico Geological Society	3-1404
Muir-Wood, Helen	3-135	New Mexico, Institute of Mining and	3-4252
Mukhitdinov, G.N	3 - 3780 3 - 965	Technology	7 7272
Mullens, Thomas E	3-437	Geological Survey	3-2839
Muller, Ernest H	3-2903	Newcome, Roy, Jr	3-284
Mulligan, Robert 3-625,		Newell, Norman D	3-606
	3-2813	Newton, Joseph 3-3077, Newton, R	3-3037
Mumpton, Frederick A	3-1883 3-2010	Niblett, E.R 3-170,	
	3-1753	Nichol, lan	3-3112
Munger Map Book	3-2490	Nicholls, G.D	3-1250
Munk, Walter H		Nichols, Donald R	3-3991
Murata, K.J	3-839	Nichols, Robert L 3-88, 3-282,	3-3846
Murdoch, Joseph 3-2722, 3-3375,		Nicholson, John H	3-772
Murphey, Byron F 3-2312,		Nickel, Ernest H	3-575
Murray, Grover E 3-1658, 3-2245,		Nicolaysen, L.O	3-2924
Murray, Haydn H	3-2694	Nielsen, D.R	3-275 3-2796
Murthy, V. Rama	3-1621	Nier, Alfred O	3-221
	3-3145	Niering, William A	3-1082
nester mer, mer entre en	3-3189	Nieschmidt, Constance L	3-2124
Myachkin, V.I	3-850	Niino, Hiroshi	3-2375 3-1473
Myers, Alfred T		Nikonov, V.F	3-233
Myers, Arthur J	3-801	Nile, Stephen W	3-4107
Tryers, deorge 3	,	Nitecki, Matthew H	3-1314
Nafe, John E	3-516	Niyogi, Dipankar	3-1983 3-1796
Nagibina, M.S 3-1142,	3-1448	Noble, Donald C	3-2413
Nagy, Bartholomew 3-301, 3-306, 3-1587, Nairn, A.E.M 3-1851,	3-3342	Noble, James A 3-2351;	3-2352
Nairne, Virginia	3-2455	Noble, John B	3-1330
Nalivkin, D.V 3-103,	3-2166	Nobles, Laurence H	3-3967 3-3233
Nalivkina, E.B	3-2357	Nogina, N.A	3-1572
Narayanaswami, S	3-1576 3-943	Nordauist. John M	3-2624
National Academy of Sciences-National Research		Norford, B.S.	3-2267
Council 3-1006, 3-1007, 3-1745,	3-3987	Norris, A.W	3-63 3-3997
National Academy of Sciences-National Research	3-345	Norris, Kenneth S	3-1///
Council, Committee on Oceanography National Academy of Sciences-National Research		Norris Robert M. 3-907	3-1777
Council, Space Science Board	3-2855	North Dakota, Geological Survey 3-1378	, 3-2434 , 3-3892
National Academy of Sciences-National Research		Norton, Matthew F	
Council, Subcommittee on Nuclear Geo-	3-3006	Nosov, G.I	3-4105
National Advisory Committee on Research in the		Nosow, Edmund	3-3494 3-1341
Geological Sciences, Ottawa	3-13//	Nova Scotia, Dept. of Mines	3-2470
National Petroleum Bibliography 3-1362,	3-2492	Novikova. A.S 3-1118	, 3-4012
National Research Council, Committee on Stratigraphy, Permian Subcommittee	3-1133	Novorossova, L.E	3-3778 3-2662
National Research Council, Highway Research		Novoselova, A.V	
Roard	3-3543	Noves, Alvin Peter, Jr	3-10/2
National Research Council of Canada, Associate	3-3545	Nozdrin P. I.	3-2041
Committee on Soil and Snow Mechanics National Speleological Society 3-2163,		Nuffield, F.W.	3-552
Naughton, John J.	5-0/5	Nutt, David C	3-3723
Naumov. G.B.	3-2651 3 - 546		
Navias, Louis	3-1356	Oakes, David T	3~2711
Nazarkin, L.A. Neale, E.R.W. 3-2114,		Oana, Shinya	3-3412
Neavel, Richard C	2-422/	Oborn, Eugene T	, 3-3305
Nachanie C V	3-203	O'Brien. Christian Arthur Edgar	3-221
Neilson, James M 3-2087,	3-3646	Ochoterena F., H	3-300
Nekhoroshev, G.V	2010	O'Connor, Howard G.	3-2896 3-999
at 1 During M	3-2301	Odell, R.T	3-387
Nolcon Paul	2 2777	off Theodore	2"41V
at 1 D Milliam	3 71 22	Ogata, Akio	, 3-420
Nelson, Samuel J	0 000	Ogienko, V.S	3-3864 3-374
Ness Morman E	3-3730	Ogurtsov, K.I	, , ,,,,
Nestaranta, G.V.	2 2022	Genlagy	3-360
Necuetavlova N.G.	3-3107 3-1335	nhio, Dept. of Natural Resources	5-204
Netreba, A.V	3-161	Ohio, Division of Geological Survey	3-73 3-389
	3-2407	Ohio. Division of Water	3-422
Norman Bobort B	3-2090	Ohle Frnest !	5-4//
Nevada Water Conference, 14th, Carson City, 1960	3-4218	Okamura, R.T.	2-122
New England Intercollegiate Geological		O'Keefe, John Ar	, , , , ,
Hart England			

Abstract Abstract Olcott, Gordon W. 3-3055
Oliver, Jack E. 3-195, 3-1583, 3-2627
Olkha, V.V. 3-2030
Ollerenshaw, N.C. 3-3251
Olsen, Edward J. 3-2359, 3-3379
Olsen, Stanley J. 3-2592
Olshansky, Ya.I. 3-208
Olsson, Axel A. 3-2584
Onodera, Seibe 3-171
Ontario, Dept. of Mines 3-11 through 3-53 Paterson, Norman R. 3-1210, 3-1238 3-3315, 3-4078 Patten, Eugene P., Jr. 3-2382
Patterson, Claire C. 3-1619, 3-1621
Patterson, J.R. 3-2207, 3-4022
Patterson, Reid 3-3496
Pavlenko, A.S. 3-1285, 3-3019
Pavlova, T.G. 3-4188
Payne, Max B. 3-1066 Pavlenko, A.S.
Pavlova, T.G.
Pearce, D.W.
Pavlova, T.G.
Pearre, Nacy C.
Pavlova, T.G.
Pearre, Nancy C.
Pavlova, S. Pearre, Nacy G.
Pearre, Nancy C.
Pavlova, S. Pearre, Nacy G.
Pearson, W.J.
Pearre, Nancy C.
Pavlova, S. Pearre, Nacy G.
Pearson, W.J.
Peck, Ralph B.
Peck, Ralph B.
Peckham, Alan E.
Peckham, Alan E.
Pedder, A.E.H.
Peckham, Alan E.
Perlova, S. Elmer L.
Palletier, Bernard R.
Perlova, S. Perlova, Nacy G.
Perlomova, V.G.
Perlomova, V.G.
Perlomova, V.G.
Perlomova, V.G.
Perlomova, V.G.
Perry, J. Kent
Perry, 3-19 through 3-53 3-381 through 3-410 3-676 through 3-715 3-676 through 3-715 3-1031, 3-1032, 3-1383 3-1384, 3-1385, 3-1386, 3-1748 3-1749, 3-1750, 3-1751, 3-2099 3-2480 through 3-2488 3-2875, 3-2876, 3-2877, 3-3564 3-2875, 3-2876, 3-2877, 3-3564
Ontario, Fuel Board 3-2100
Ontoev, D.O. 3-3814
Opdyke, N.D. 3-3691
Oppenheimer, Carl H. 3-3601
Orlegon, Dept. of Geology and Mineral
Industries 3-2103
Oriel, Steven S. 3-2155
Orkild, P.P. 3-3601
Orlov, V.I. 3-3611
O'Rourke, J.E. 3-2780
Orr, Robert D. 3-745
Orville, P.M. 3-254
Osborne, F.L., Jr. 3-1677
Osipova, G.A. 3-2645
Osmond, John C. 3-3474
Osmundsen, John A. 3-593, 3-647, 3-1832
Ostenso, Ned A. 3-2971
Osterwald, Frank W. 3-1115, 3-3874
Ostrows, John H. 3-3297, 3-3297
Ostrown, Meredith E. 3-585, 3-1976, 3-3257
Ostroumov, E.A. 3-2889, 3-3787
Ostrovsky, I.A. 3-3760
Overstreet, William F. 3-1669
Ovchinnikov, L.N. 3-1038
Ozerova, N.A. 3-3863 Ontario, Fuel Board 3-2100 Petersile, I.A. 3-1249
Peterson, Donald W. 3-1637
Peterson, Nels P. 3-1389
Peterson, P. 3-505
Peterson, Warren L. 3-2158
Petroleo Interamericano 3-1056
Petroleum Information Corp., Denver,
Colorado 3-719
Petroxa, G.N. 3-2295
Petrushevsky, B.A. 3-510
Petrzhak, K.A. 3-878
Pettjlohn F.J. 3-1298
Pewé, Troy L. 3-453, 3-2514
Peyronnin, Chester A., Jr 3-1739
Peyton, Garland 3-3132, 3-3169
Pfister, A.J. 3-1343
Pfluke, John H. 3-1860
Pharr, Richard F. 3-249, 3-1936
Phemister, T.C. 3-2362
Phillips, J.A. 3-1578
Phillips, J.A. 3-1578
Phillips, J.A. 3-1579
Phillips, J.A. 3-1589
Phillips, J.A. 3-159
Philney, Robert A. 3-2989
Phinney, Robert A. 3-2989
Picard, M. Dane 3-309
Pickell, J.J. 3-204
Pierce, Charles
Pierce, G.R. 3-1806, 3-2265
Pierce, G.R. 3-1806, 3-2265
Pierce, G.R. 3-1806, 3-2265
Pierce, W. Dwight 3-2265
Pierce, W. Dwight 3-2265
Pierce, G.R. 3-2887, 3-2882
Pinc, Clyde A. 3-2885, 3-2886, 3-2887, 3-2882
Pinc, Clyde A. 3-2885, 3-2886, 3-2887, 3-2882
Pinc, Clyde A. 3-1724
Pinkley, George R. 3-2074
Pinus, G.V. 3-2728, 3-3824
Piotrovsky, G.L. 3-4158 Paffengolts, K.N. 3-1076
Pakiser, Louis C. 3-1581
Palmer, Katherine Van Winkle 3-3282
Palmer, Phyllis 3-2421
Palmquist, W.N., Jr. 3-722 through 3-732 Palmquist, W.N., Jr. 3-722 through 3-732 3-2752
Panassenko, G.D. 3-1228, 3-4108
Pangborn, Mark W., Jr. 3-3928
Pap, A.M. 3-1642
Parham, Walter E. 3-630
Park, Charles F., Jr. 3-2782
Park, R. 3-2331, 3-3831, 3-4142
Parker, Ben H. 3-4299
Parker, Frank L. 3-2824
Parker, John M., III 3-2439
Parker, P.L. 3-3348
Parker, P.L. 3-3348
Parker, Robert H. 3-3796
Parker, Robert H. 3-3998
Parkin, D.W. 3-3769
Parkin, D.W. 3-3769
Parry, L.G. 3-164
Parsons, G.E. 3-2419
Parsons, G.E. 3-2449
Pasechnik, I.P. 3-2988
Patchett, J.E. 3-552
Patchick, Paul F. 3-906
Pates John B. 3-806, 3-3043
Paterson, M.S. 3-3044
Paterson, M.S. 3-3043
Paterson, M.S. 3-3043
Paterson, M.S. 3-3043
Paterson, M.S. 3-3043
Paterson, M.S. 3-3244 3-2752

	Ab	stract	Ab	stract
	Piper, Arthur M	3-922	Raasch, Gilbert O 3-3951,	
	Pirkle, E.C.	3-960	Rabbitt, John Charles	
	•	3-3672	Rabinovich, A.V.	3-4016
	Pistorius, Carl W.F.T		•	3-112
		3-2427		3-2286
		3-1753		3-4238
	·	3-1144	Radkevich, E.A	
		3-1121	Radosłovich, E.W	3~556
		3-2073	Radushev, V.I.	3-245
		3-3829	Radzhabov, M.M 3-1867,	
		3-1793	Raff, Arthur D 3-4090,	
		3-1203	Rahm, David A	
	Ploch, Richard A	3~494 3~1857	Rainwater, Frank H	1
		3-4128		3-1567
		3-1476		3-2196
	Pocock, Stanley A.J	3-747	Ramirez, Leon F 3-426, 3-1398,	
	Podyapolsky, G.S 3-2314,		Ramsahoye, L.E	3-4203
	Poetsch, Ernst			3-1981 3-3923
	, -3,	3-1960 3-3354		3-2250
	Poland, Joseph F	3-3541	Rantsman, E. Ya	3-87
	Poldervaart, Arie 3-253,			3-1889
	Pollack, Jerome M	3-1984		3-2379
	Pollack, Sidney S	3-2703		3-3870
	Pollock, James P	3-2409	Rapoport, M.B	
		3-3601	Rarick, R. Dee	3-1752
	Pomeroy, Paul W	3-195 3-210		3-1503
	Ponmer, Alfred M 3-209, Ponder, Herman		Rasmussen, William C	3-2751
	Poole, J.L 3-196,		Ratcliffe, C.A	3-2464
		3-428	Ratté, James C	3-295
	Popenoe, H.L	3-3486	Rattigan, J.H.	3-937 3-4016
	Popenoe, W.P.	3-117	Ravich, M.G	3-2104
	Popov, E.I	3-1207 3-2309	Ray, Satyabrata3-1271,	
	Popov, V.M	3-1978		3-2464
	Porter, Stephen C	3-2894	Read, Charles B	3-107
-	Pospelov, G.L.	3-1112	Read, William F	3-3008
	Pospelova, G.A	3-823		3-1727
	Post, Austin S	3-76	Reavely, George H	3-1813
	Potter, Donald B	3-956	Reece, Alan	3-4234
: 1	Potter, Paul Edwin 3-3150, 3-3257,	3-419/	Reed. Bruce	3-2/8/
	Powers, Howard A	3-1179	Reed. Charles A 3-804,	3-1170
	Poźaryska, Krystyna Pranglin, John A	3-4262	Reed, George W	3-216 3-4202
	Pratt, Walden P	3-2227	Reed, J.E	3-3040
3	Pray, Lloyd G	3-2507	Reeder, H.O	3-613
	Prentiss, David	3-188	Reeder, William G	3-2276
	Press, Frank 3-180, 3-194,	3-199	Rees, O.W	3-642
1	3-1575, 3-2633, 3-2992, Prest, V.K	3-3181	Peeside John B., Jr	3-152
٠.	Price, Charles E.	3-2000	Reeves, Corwin C., Jr 3-2801,	3 - 573
	Price, Don	3-3436	Reichen, Laura E	3-654
	Drice, W. Armstrond	3-3417	Paichert, William H.	3-660
	Pride R.W.	3-3429	poid Polland P	3-3127
	Proctor, Paul Dean	3-2477 3-1127	Reimann, Irving G	3-45/5
	Prokofev, V.A	3-2541	Point Fract	3-452 3-1532
	Decuty CE	3-2899	Reiser, Ralph	3-2194
	Pryor Wayne A	2-412/	Poice Remard W.	3-3515
	Dudoukina I A	3-3011	Poiton, Paul H.	3-471
	Dudouking 7 V.	3-1324	Pokharsky, V.1-	3-2649
	Puffett, Willard P 3-1052, 3-1053,	3-797	Pemington, D.B.	3-744
	Pugh, Derek C. Purcell, Tom E.	3-1141	Pemson, Irwin	3-4204 3-883
	Duri Warhans S	3-1525	Rengarten, E.V	3-2461
	Dutaling loan	3-3303	Possarch Council of Alberta	3-2098
	Dutage William C	3-21//	Pachatayak, N.D.	3-1656
	D	ラー1 フム サ	Pouce William D	3-3452
	B. Edeau Coordo	2 1277	Pay Robert W	3-3901
	Pve Willard D 3-1391;	3-296	Povroad, Carl R	3-1521 3-1778
	Pyle, Howard C.		Reynolds, Doris L	
			Poynolds, R.C., Jr.	2-2/0/
	2 21.52 2-21.51	3-3455	Peranov. I.A.	3-1451
	Quebec, Dept. of Mines 3-3453, 3-3454,	3-2113	Phodos Howard S	3-6314
	Quinn, Harold A	3-2781	Dhadar Mary Louise	3-1309
	municipal M M	2-3303	Pice. Salem J	3-2147
	Qureshy, M.N.	3-2150	Richard, B.H.	7

A	bstract	A	bstract
Richard, Kenyon E	3-1821	Rostovtsev, K.O	3-3648
Richard, Kenyon E		Rostovtsev, N.N	3-3903
Richards, Francis A	3-3797	Roswell Geological Society	3-3502
Richards, Horace G 3-2186,		Roth, Eldon S	3-3230
Richards, Leverett G.	3-1769	Roth, Julius	3-4282
Richards, Paul W	3-2124	Roth, Robert I	3-98
Richards, T.C.	3-3744	Rothrock, David P	3-2152
Richardson, E.V.	3-3420	Round, G.F	3-3037
Richardson, Everett E		Rouse, Glenn E	3-1828
Richardson, K.A	3-1608	Rowe, P.P	3-276
Richmond, Gerald M.	3-77	Rowe, Robert B	3-4249
Richter, Robert W.		Rowell, J.A	3-211
Ricke, Werner	3-1589	Rowland, Norma M	3-2714
Ricketts, Carl E.		Rowley, Elmer B	3-908
Ricketts, tari E	3-3871	Roxtrom, Eric	3-2763
Ricketts, James E		Roy, Amalendu 3-970, 3-1541, 3-2053,	3-2972
Ridge, John D	3-1338	Roy, Rustum 3-1590, 3-1883, 3-1922,	3-3373
Riecken, F.F	3-1433	Roy, Supriya	3-589
Riedel, William R.	3-1143	Rozanov, Yu.A	3-1786
Rikhter, G.D.		Rozentsvit, A.O	3-1971
Rikhter, V.G.	3-3638	Roznichenko, Yu.V.	3-3743
			3-4278
Riley, Christopher		Rudich, E.M	3-2915
Riley, George C 3-668,	3-890		3-1875
Riley, J.P.	3-1233	Rudolph, William E	3-838
Rimmer, W.G.		Rudy, Harold R.	3-3590
Rinehart, John S	3-15/1	Ruhe, Robert V.	
		Rukhin, L.B.	3-446
Ringwood, A.E 3-225, 3-1245, 3-1595,		Rumanova, 1.M	
Ripun, M.V		Runge, E.C.A.	3-1612
Risser, Hubert E 3-636,		Runnels, Russell T 3-635,	
Ritchie, E.A		Rush, Richard W.	
			3-1248
Robeck, Raymond C		Rusinov, L.A.	3-291
		Rusnak, Gene A 3-1303,	
Roberson, Charles E	3-584	Russell, Donald E.	
		Russell, R.D.	3-3049
Roberts, Carlyle J		Russell, W.A.C.	
Roberts, J.C.		Ruthberg, Stanley	3-3353
Roberts, P.H	3-2281	Ruxton, Bryan P.	
			3-86
Roberts, Wendell L		Ryabkov, N.V.	
Robertson, Forbes 3-1913, 3-2341, Robinson, Donald J		Rybakov, F.F.	3-1980
Robinson, G.C.		Rykunov, L.N 3-2994,	
Robinson, G.D.		Ryling, Roy W.	3-3849
Robinson, Rex J 3-886,		Ryzhenko, L.M	3-621
Robinson, S.C.			2 0000
Robitaille, Benoît		Sable, Edward G.	3-2550
Roby, R.N.		Sabol, Joseph W.	3-812
Rocky Mountain Association of	3-1/1/	Sabourin, R.J.E.	3-759
Geologists	3-3000	Sachs, Francis L	3-2778
Rod, Emile			3-4038
Roddick, J.A.		Sackett, William M	3-541
Rode, T.A.		Sadler, A.G.	3-3386
Rodermund, C.G.		Sadlick, Walter	
Rodis, Harry G 3-3432, 3-4216,		Said, Rushdi 3-1119, 3-2603,	
		Sainsbury, Cleo L 3-951, 3-3953,	
Roethlisberger, Hans		St. Jean, Joseph, Jr 3-2264,	
Rogers, John J.W 3-598,	3-1967	St. John, Bill	
Rogers, R.G	3-3512	Saks, V.N.	
Rogers, Wiley S.		Salamuni, Riad	3-3619
Rold, John W.		Salas, Guillermo P	3-1018
Rollo, J.R 3-2389,		Salikhov, A.G.	3-816
Roman, Irwin		Salisbury, John W 3-2535,	
Romanova, Mary A		Salmon, Merlyn L 3-2403,	
Romberg, Frederick E		Samoilovich, S.R.	3-2615
Romer, Alfred S 3-114,		Samsonov, S.K.	3-1533
Ronov, A.B 3-915, 3-2665,		Samsonov, V.V.	3-3902
Rosauer, E	3-1649	Sanborn, Albert F.	3-432
Rose, Edward R.	3-1712	Sandberg, Charles A	3-4027
Rose, Harry J., Jr 3-1908,	3-1/13	Sandell, E.B.	3-1599
Rose, Walter D	3-2370	Sanders, John E 3-1809,	
Rose, William D.		Sanderson, L.	3-4248
Rosenfeld, John L 3-1240, 3-2212,	3-721	Sandia Corporation, Sandia Laboratory, Albu-	
Roshka, V.Kh	3-1/10	querque, New Mexico 3-3912, 3-3915,	
Rosholt, John N., Jr 3-1830,	3-140	Sandidge, John R	3-4274
Ross, Charles A	3-2//6	Sando, William J 3-1484.	3-1485
Ross, Clarence S	3-3412	Sanford, Allan R.	3-3713
Ross, Clyde P 3-68,	3-2738	Sanford, Thomas H., Jr 3-2747.	3-3568
Ross, June R.P. Phillips 3-1487,	3-2035	Sangster, A.G	3-1841
Ross, Reuben James, Jr.	3-1802	Sapozhnikov, D.G	3-243
Rost, F.	3-1802	Saprykina, T.V	3-3032
,	3-1033	Sargent, John D	3-2293

Author Index

Ab	stract	Ab	stract
	3-1294	out, cames by treet, tr	3-1963
	3-3009	School Strain Control of the Control	3-1499
Sarmanov, Oleg V			3-3235 3-1827
Sarmiento-Soto, Roberto	3-1490	Comonomics it is a second contract to the cont	3-1027
	3-2044	Semikhatov, M.A.	3-1807
Saskatchewan, Dept. of Mineral Resources,		Sen, Sisir K	3-531
	3-2432	Congress, Mear Control Control	3-2978
Sass, Daniel B		Senko-Bulatny, I.N	3-4125 3-2460
Sato, Motoaki	3-892 3-519	Serdyüchenko, D.P.	3-2783
Satterly, J	3-431	Serebryakov, V.A	3-1284
Saul, LouElla Ranklin	3-4056	Sergeev, A.I	3-1353
Saul, Richard B	3-4056	deigeer, Line tooter to the to	3-1333
Savage, Donald E	3-493		3-3056 3-3817
Savarensky, E.F	3-3612	Sevier, Richard P	3-3489
Savinova, E.N 3-2657,	3-3028	Sevon, William D 3-1046,	3-1049
Savinsky, 1.D	3-4124	Shabynin, L.I	3-1344
Savolanti, A.O.M	3-543	Shaffer, Bernard L	3-2946 3-998
Sayanov, V.S	3-1634 3-170	Shamina, O.G 3-851, 3-1868,	3-2990
Scandinavian Council for Applied	3 ., 0	Shamrai, I.A	3-245
Research	3-661	Shapley, A.H.	3-497
Schackne, Stewart	3~967	Sharp, Robert P 3-1624,	3-524
Schaeffer, Bobb 3-1167,	3-3291	Sharp, W.E	3-2725
Schaeffer, Frederick E	3-2165 3-1189	Shats, M.M.	3-877
Schaeffer, Oliver A	3-222	Shaver Robert H	3-2548
Schaller, Waldemar T.	3-2690	Shaw, D.M	3-3337
Schaub, Yu.B 3-2302, 3-2976,	3-4101	Shaw, William H.R	3-237 3-1719
Scheidegger, Adrian E 3-1094, 3-2182, 3-2806, 3-3225,	3-219/	Shcherbakov, D.I.	3-1350
Schlottmann, Jerome D		Shcherbina, V.V	3-3771
Schmalz, Robert F.	3-2540	Shchukin, L.S	3-440 3-2018
Schmeck, Harold M., Jr 3-1206,	3-2916,	Shea, Edward PShea, F.S	3-3196
3-34/19	3-4131	Shedd, A. Neal	3-2853
Schmidt, Richard A	3-2506	Shedlovsky, J.P.	3-2328
Schnabel, R.W.	3-720	Sheinman, A.B	3-1353
Schneer, C.J.	3-1890	Shelburne, Orville B., Jr	3-2508 3-4288
Schneider, Allan F.	3-3610	Shenard Anna O	3-2/06
Schneider, Robert	3-4217	Shepard, Francis P 3-1657, 3-1660,	3-1663
Schoff, Stuart I.	3-3854	3-1665, 3-1669,	3-3400
scholl, David W	3-3988	Sheppard, Richard A	3-1302 3-419
Schonf. James M	3-2002	Sheptunov, V.I.	3-3470
Schrader, C.D.	3-3752 3-3404	Shemwood, C.B.	3-3428
Schreiber, Joseph F., Jr	3-335	Sheynmann, Yu.M.	3-1122
Schultz, C. Rertrand	3-3600	Shi, Ping-Chou Shifflett, Elaine	3-3390 3-1185
Schultz Gwen M.	3-2901	Shilkina, I.A.	3-3651
Cohulze Reinhard	3-3680 3-1734	Chinada Cucumu	3-583
Schumann, J.E		Chimbonov N E	3-3828
Cohurr Cam H	3-966	Chinal Carl I	3-3934 3-900
Schwartz, George M	3-3387	Shipp, R.F	3-1725
Cohwarzacher, Walter	3-4198 3-2504	Shmonin, L.I.	3-2636
Schwarze, David Martin	3-192	Chahalay S D	3-1345
co:ontific Conference on the Disposal Of		Shoemaker, Eugene M. 3-2204, Shor, George G., Jr. 3-521,	3-253/
Badianativa Wastes, Monaco, 1959	3-2821	Shor, George G., Jr 3 3213	3-1732
Sclar, Charles B 3"3"/4/3 3"1323.	3-4161 3-1274	Chatte Reynald A	3-4031
Coppe I H	3-3441	Charmall Arnold	3-1514
Scott, Bill C	, 3-2158	Chailman 4 A	3-988
3-2100° (CoC + C + C + C + C + C + C + C + C + C	, , 10,,	Shreveport Geological Society 3-1762 Shrewsbury, James B	3-2054
Scott, James H	3-2997 3-2004	Chterenhera I.F	3-327
Contt John C	3-1661	Shubnikov. A.V.	3-551
Scudder, George D.		chufflebarger, Thomas F., Jr	3-3211 3-3795
Couli Porton to	3-1292	Shukolyukov, Yu.A	3-3656
Cbrooks David S	2 . 222	Chuluatev. S.A	3-860
C Dould M	9 2 20 1	Chumeky, P.A.	3-3607
Cample Ered in	3-3925	Chamber Coords	3-1230
Sears, Mary	3-1628	Chur A S	3-1301
	3-1825	Shurbet, D.H. Shurkin, K.A.	3-10-10
o I - w Cust C	3	T W	7.7072
	3-1313	Character A M 3=2000; 3=2013	9 7 7 100
Seidov, A.G Seki, Yôtarô	2 . 2 . 2	Sidorenko, E.F 3-2339	, 3-4102
Seki, locato		23	

Abstract

	3-2289	Society of Economic Paleontologists and	
Sidorov, A.A	3-137	Mineralogists, Pacific Section 3-1066,	3-3202
Sidorova, N.P.	2-2965	Society of Petroleum Engineers, AIME	3-980
Siems, Peter L.	3-3865	Socolow, Arthur A 3-500,	
Sigafoos, Robert S	3-3000	Sohl, Norman F	3-1164
Signer, P	3-221	Sohn, I.G	3-1524
Silberling, Norman J	3-3287	Sokolov, V.N.	
Silvey, William D	3-4140	Sokolova, N.T.	3-3825
Sim, Victor Wallace 3-785,	3-2519	Sokolskaya, A.N.	
Simmons, Ernest G	3-1662		
Simms, Frederick E., Jr	3-4032	Sokolskaya, A.V.	3-3286
Simon, Jack A	3-3150	Solliday, James R	3-3200
Simonenko, T.N.	3-3903	Solodov, N.A 3-3018,	3-3702
Simonett, David S	3-782	Solomasov, A.N.	3-3753
Simonetta, Alberto M	3-802	Solonenko, V.P.	3-1861
Simonov V I 3-1593.	3-1923	Solórzano Marín, Roberto	3-4253
Simons, Elwyn L 3-490, 3-1173, 3-1174,	3-1512	Solovev, S.L	3-3/11
Simpich, Frederick, Jr	3-591	Soloveva, R.N.	3-850
Simpson, Eugene S	3-2828	Sōmiya, Shigeyuki	
Simpson, George Gaylord 3-805, 3-1409,	3-3265	Sorem, Ronald K	
Simpson, Howard E	3-1414	Sorensen, Harry O	3-3855
Simpson, T.A.	3-1675	Sørensen, Henning	3-2335
Sims, Paul K	3-3445	Sorokhtin, O.G	3-865
Sinclair, William C		Sorokina, E.G	3-2039
Singer, S. Fred	3-223	Sourirajan, S	3-1591
Sinhaseni, Prapas	3-890	South Dakota, State Geological Survey	3-1379
Sinitsyn, V.M.	3-1421	South Texas Geological Society	3-1073
Sinkankas, John 3-3802,	3-3818	Southeastern Geological Society	3-761
Sinnokrot, Ali A	3-3465	Soward, Kenneth S	3-334
Siple, George E 3-435,	3-3102		3-1293
Sissons, J.B.		Spieker, Edmund M	3-2241
Skeeters, W.W		Spiridonov, A.I.	3-442
Skibitzke, Herbert E		Springer, Karl J	3-930
Skilling, G.F		Sproule, J.C.	3-4269
Skillman, Margaret W		Sreenivas, B.L 3-1590,	
Skinner, Hubert C	3-1437	Stacey, F.D 3-163, 3-166,	
Skipp, Betty A.L.	3-1815	Stackler, W.F.	3-1208
Sklyar, V.T.		Stadnichenko, Taisia M	3-3340
Skuryat, A.N.		Stafford, Philip T.	
Skvortsov, A.F.		Stalker, Archibald M.	
Slack, Howard A.		Stallman, Robert W	
Slavin, V.I.			
Slepnev, Yu.S.		Stam, J.C.	
Slichter, Louis B 3-1225,		Stanfield, K.E.	
Slivko, M.N		Stankevich, E.F.	
Sloan, Robert E.		Stanley, Herbert M., Jr.	
Sloss, L.L.		Stanley, Kirk W	
Smiley, Terah L.	3-2110	Staplin, Frank L	
Smirnov, A.I.	3-2110	Starik, 1.E 3-877, 3-2644,	
Smirnov, V.I 3-621, 3-2046, 3-2792,		Starikova, L.M.	
Smit, D.C		Starke, John M., Jr 3-1125,	
Smith, Charles H.	3-2991	Starodubrovskaya, S.P	
		Starostina, Z.M	
Smith, D.G.W	3-2254	Startsev, V.I	
Smith Dornall 0	3-3965	Stauder, William V 3-513, 3-514, 3-515,	3-3720
Smith, Derrell A	3-1359	Stauffer, Heinz 3-3011,	3-3767
Smith, F. Gordon 3-2734,	3-3332	Stearman, Jack 3-1688 through	3-1693
Smith, Fred L	3-2450	Stearns, Richard G 3-262,	3-3837
Smith Gerould H	3-983	Steers, J.A	
Smith, Gerould H		Stegena, L	
Smith, Howard 3-2066,		Stehli, Francis G 3-3278,	
Smith, J.R	3-1063	Steinbrugge, Karl V	3-465
Smith, K.G.	3-3130	Steinhart, John S	3-3737
Smith, K.G.		Stensio, Erik	3-4067
Smith, L.N.	3-1449	Stepanenko, A.F	3-2545
Smith, Merritt B	3-799	Stepanov, V.P 3-816,	3-1215
Smith, Neal J.	3-350	Stephens, John J	3-123
Smith, Ned M.	3-3401	Sterling, Clarence I., Jr	3-2393
Smith, Robert L 3-916,		Sterling, Philip J.	3-1707
Smith, William H.	3-3151	Stern, Thomas W 3-1908, 3-3050.	
Smith, William O		Sternberg, R.W	3-1975
Smitheringale, W.G.	3-429	Stevan, Lee J	3-2184
Smolin, P.P.	3-1282	Steven, Thomas A 3-295,	
Smout, A.H.	3-2601	Stevens, C.M.	3-214
Snelgrove, A.K.	3-1029	Stevens, Curtis	3-1362
Snell, Joan B	3-1767	Stevens, Edmund	3-4276
Snow, Brian	3-1655	Stevens, Rollin E.	3-548
Snyder, George L	3-3943	Stevenson, Frank J.	
Sobolev, B.P.	3-2662	Stevenson, 1.M 3-1059,	3-304
Sobolev, N.D	3-4185	Stevenson, John S.	3-2201
Sobolev, V.S	3-1348	Stevenson, Robert E 3-1043, 3-1044,	3-1050
Soboleva, N.V	3-3811	Stewart, C.R 3-1043, 3-1044,	3-1050
Society of Economic Paleontologists and		Stewart, Harris R. Jr.	3-2328
Mineralogists, Gulf Coast Section	3-3212	Stewart, Harris B., Jr 3-1103,	
		3-3622,	3-3990

АЬ	stract	АЬ	stract
Stewart, J.W.	3-2744	Tabulevich, V.N	3-2985
Stewart, John H	3-3113	Taft, William H	
	3-1343	Tague, Glenn C	
	3-3050		3-944
	3-3752	Takeuchi, Hitoshi	3-2292
Stinson, Melvin C	3-4156 3-316	Tamrazyan, G.P 3-325,	
Stipp, Thomas F	3-3190	Tamura, T	
Stirton, R.A	3-491		3-2621
Stockwell, C.H	3-670	Tanner, William F 3-89, 3-460, 3-461,	
Stokes, William Lee 3-2590,	3-219	3-1352, 3-1370, 3-1436, 3-1780, Tappan, Helen 3-2608, 3-2942, 3-2943,	
Stotl, Walter C	3-3119		3-2289
Stone, Charles G	3-1707		3-3640
Stone, M	3-4183	fairing, belle treeters treeters to the contract to the contra	3-1547
Stoneley, Robert	3-3726	Tasch, Paul 3-1526, 3-1531, 3-2946, 3-2948,	
Stonhill, L.G	3-235 3-2207	Tateiwa, Iwao	
Stott, Donald F 3-427, 3-2236,		Tator, Benjamin Almon	3-348
Stott, P.M	3-166	Taubeneck, William H	3-253
Stout, Martin L	3-2366	Tauson, L.V	3-2001
Stout, Thompson M	3 - 3600 3 - 3992	Taylor, F.C 3-2248, 3-3178,	3-3563
Stout, Wilber Straaten, L.M.J.U. van	3-4194	Taylor, H.P., Jr 3-2351,	3-2352
Straczek, John A	3-1930	Taylor, Omer J	3-1958
Strakhov, V.N	3-1212	Taylor, S.R 3-229, 3-1881, 3-3012,	3-232
Strand, Rudolph G	3-55	Tedrow, J.C.F	
Stratfull, Richard F	3-1765 3-2465	Teichert, Curt	3-2935
Strauss, Michael	3-1004	Teodorovich, G.I 3-109, 3-2737,	3-3339
Strelkov, S.A	3-4038	Terada, K	3-3059
Stricklin, Fred I., Jr.	3-1090	Terasmae, Jaan 3-1087, Terriere, Robert T	3-436
Strimple, Harrell L 3-133, 3-1162, 3-2579,	3-1160	Texas, Agricultural and Mechanical College	, ,,,-
Stringham, Bronson	3-1697	System, Water Research and Information	
Strunz, H	3-4160	Center	3-4228
Struxness, E.G	3-2826	Texas, Board of Water Engineers Texas, University, Bureau of Economic	3-3856
Stubbins, John B	3-4245 3-1922	Geology	3-2841
Stubičan, V Stuckey, Charles W., Jr	3-1467	Texas, University, Civil Engineering Research	
Stuckey, Jasper L	3-3886	Laboratory, Austin	3-2460
Stumm, Erwin C.	3-3276	Texas, University, Geological Society	3 - 2898 3 - 4068
Subba Rag. M	3-271	Thalmann, Hans E	3-1602
Subramanyam, V	3-2819 3-1468	Thiel George A	3-3387
Sudarikov, Yu.A	3-583	Thode Harry G	3-238
Sugimura, Yukio	3-2682	Thomas, A. Ralph	3-3517 3-2374
Sugisaki, Ryuichi	3-1324	Thomas, G.E	3-2705
Sukachev. V.N	3-3963	Thomas, George R	3-3495
Sukhov, I.M	3-3493	Thomas, H.F.	3-2745
Cullivan, F.R.	3-2940	Thomas Harold F	3 - 2399 3 - 1662
cullivan Walter 3-501, 3-1853, 3-201/	3-2329	Thomas, William H	3-1002
3-2513, 3-3168, 3-3220, 3-3003,	3-41//	Thompson, Raymond M	
Summerson, C.H	3-1942	Thomason Ted	3-3054
Sundarman lack A	3-1267	Thomas 6 3-12541	3-3041
Cumping I V	3-3020	Thomson, James E	3-294
Suslay, S.P.	3-2193 3-1327	3-2424, 3-20/5,	3-319/
Suter, MaxSutherland-Brown, Atholl	3-2788	Thomson, Robert D 3-639,	3-3887
Suvorov. A.I.	3-1791	TI Charles P	3-55/
Suvarova. A.V.	3-1235	Thorsteinsson, R	3-1428
Cyctov R S	3-831 3-2730	Threadgold, lan M	3-2685
Sviridov, V.V	3-4073	Thurst tas. F.T.	3-2908
Swain, Frederick M 3-1902, 3-2949, Swann, David H	3-2260	Thussen-Rornemisza, Stephan	3-1208 3-2810
Swanson, F.R.	3-1351	Tibbitts, G.C., Jr	3-2588
Swanson, Howard Fugene	3-3370	Tilbonium PA	3-3663
Cunnean Vernon F.	3-4029 3-75	T:	3-3840
Swartz, Daniel H	3-1672	Tilley C.F 3-12/4, 3-1300, 3-4343,	3-3081 3 - 560
Currency Wolfgang V 3"10/0;	3-2907	Tilling, Robert	3-200
C amov Honey N	2 22	Timergazin, K.P.	3-911
Common E.C	3-3537 3-1263	Timefeet G I	3-1611
e: fa Elleworth R	3-2693	Timofeev. P.P.	3-3605
Swineford, Ada	3-3634	Timoshin VII.V.	3-2982 3-495
0 14-14 Canada S	3-3370	Ting, William S	3-3513
a	, ,	Tinner H W	3-3173
T-11-baccon Florida, 1900	2 121-	Tischler, Herbert	3-475
Sysoev, V.A.	12		
	77	1	

A	bstract	A	bstract
Titkov, N.1	3-3154	National Water Resources 3-4208,	3-4215
Titley, Spencer R		U.S. Dept. of the Interior	3-4291
Tittle, Charles William		U.S. Engineer Dept., Garrison District	3-4290
Titze. Heinz	3-888	U.S. Geological Survey 3-54,	3-60
Tkachenko, B.V	3-4020	3-741, 3-1010,	
Tleuberghenova, G	3-909	3-1392, 3-1681, 3-1682,	3-1683
Tocher, Don 3-183, 3-184, 3-185,	3-465	3-2002, 3-2121, 3-2125,	3-2493
Todd, David K 3-16/4,	3-391/	3-2494, 3-2834, 3-3185,	
Todd, Ruth 3-2595, 3-2596, 3-2597,	3-2610	3-3548, 3-3549, 3-3550, U.S. Library of Congress, Reference	3-4210
Toksöz, Sadik	3-1671 3-4114	Dept	3-3930
Tolstoy, Ivan Tomashevskaya, I.S		U.S. Snow, Ice and Permafrost Research	7 373-
Tomita, Töru	3-600	Establishment	3-2902
Tomkeieff, S.I.		Unklesbay, A.G 3-2585,	3-2936
Tomlinson, C.W.	3-108	Uotila, Urho A	3-498
Tomson, I.M	3-4238	Urusovskaya, A.A	3-3061
Tooker, Edwin W	3-3584	Ushakov, S.A	3-3685
Toomey, Donald F 3-2598,	3-2600	Ushko, K.A.	3-3668
Toporets, S.A		Ustiev, E.K	3-3823
Toth, Alfred M	3-923	Utgaard, John	3-2581
Toulmin, Lyman D	3-612	Vacquier, Victor	3-3996
Toulmin, Priestly, 3d 3-2255, Tourtelot, Harry A	3-2733	Vagina, G.P	3-1636
Tozer, E.T 3-792, 3-2959, 3-4006,		Vainshtein, E.E	
Tracey, Joshua I., Jr.		Vakhrushev, V.A	3-3125
Trainer. Frank W	3-3229	Valentine, Grant M	3-292
Trauger, Frederick D	3-2757	Valentine, James W	3-3273
Traverse, Alfred 3-1148,	3-2956	Vallas, H.A	3-3498
Trefethen, Joseph M		Vallentyne, J.R.	3-1616
Tremaine, Marie		van Andel, Tjeerd H 3-1659,	
Tremblay, Leo-Paul		Vance, Maurice M	3-3172
Tripolnikov, V.P	3-3669	Van Den Berg, Jacobvan der Goot, H.A	3-3092
Trofimuk, A.A.		Van Dilla, Marvin A.	3-220
Troitskaya, V.A		van Geldern, J.	3-3460
Trumbull, James		Van Houten, Franklyn Bosworth	3-604
	3-4040	Van Melle, F.A	3-4118
Trusheim, F	3-94	Van Sant, Joel N	3-4250
		van Valen, Leigh	3-803
	3-2986	Varentsov, M.I.	3-3639
Tsimelzon, 1.0.	3-3319	Varlamov, I.P.	3-122
Tsuboi, Chuji	3-3682 3-243	Variance, S.P.	3-3325
	3-2729	Vasiley V. M.	3-978
	3-3544	Vasilev, Yu.M	3-2029
Tucker, R.C		Vassilev, Yu.1 3-1869, 3-1870,	
Tugarinov, A.I	3-2925	Veber, V.V 3-979,	
Tullos, F.N	3-3705	Vedernikova, G.A	3-1643
Tulsa Geological Society		Venevtsev, Yu.N	3-1918
	3-2290	Venkatachala, B.S	3-2285
Tupper, William M 3-1622,		Verbolova, N.V.	3-3790
Turekian, Karl K		Verboloz, S.E.	3-255
Turnbull, William D		Vereshchagin, V.N.	3-3148
Turner, Daniel S		Vernon, R.H.	3-3756
Turovsky, S.D		Vernon, Robert O 3-762,	
Tuttle, O. Frank 3-597,	3-1242	Vestine, Ernest H.	3-817
Tuzikov, R.P.		Vetter, Richard C	3-344
Tweto, Ogden		Vidrine, Louis O	3-3498
Tyapkin, K.F.		Vierthaler, Arthur A	3-2719
Tyutina, N.A	3-543	Viksne, Andris	3-1570
174611103 14-14	3-3047	Viktorov, S.V 3-2765, 3-2846,	
Uchio, Takayasu	3-2599	Vilkov, N.V.	3-832
Uhlig, Herbert H	3-1896	Vine, James D	3-1111
Ulomov, V.I	3-847	Vinogradov, A.P 3-879, 3-895, 3-2675, 3-3799, 3-3800,	3-915
Umemoto, Shunji	3-1903	Vinogradov, P.A	3-3695
United Nations, Water Resources Development		Visher, Frank N	3-926
Centre	3-3421	Vissarionova, A.Ya	3-3645
U.S. Air Force, Cambridge Research Center,	0.16	Vistelius, Andrew 8 3-1475,	3-1954
Geophysics Research Directorate	3-4077	Vladimirov, N.P 3-828, 3-2975.	3-4100
U.S. Army, Corps of Engineers	3-1373	Vlisidis, Angelina C	3-2690
U.S. Army, Corps of Engineers, Committee on	3-4209	Voegeli, Paul Thomas	3-2749
Tidal Hydraulics	3-1368	Voicht Parry	3-837
U.S. Army, Corps of Engineers, Tulsa	5 . 300	Voight, Barry	3-1696
District	3-1738	Volarovich, M.P	3-93
U.S. Beach Erosion Board	3-4288	Volkov, 1.1	3-3786
U.S. Bureau of Mines 3-964.	3-2062	Volkov, V.P	3-3028
U.S. Bureau of Reclamation 3-333,		Vologdin, A.G	3-131
U.S. Coast and Geodetic Survey	3-181	von Engeln, O.D.	3-3625
The state of the s		Varabey C.C.	2 . 2.

Abstract Abstract Weimer, Robert J. 3-2148, 3-2156, 3-2237 Weinberg, A.K. 3-3686
Weir, Charles E. 3-3359
Weir, Gordon W. 3-737, 3-1052, 3-1053
3-1054, 3-2414, 3-3191 Weir, Gordon W. 3-737, 3-1052, 3-1053
3-1054, 3-2414, 3-3191
Weiss, Herbert V. 3-3040
Weiss, L.E. 3-3244
Weiss, Malcolm P. 3-1810
Weist, William G., Jr. 3-2750
Wells, John D. 3-1388, 3-2493
Wells, Lloyd C. 3-3858
Wenk, Eduard 3-4045
Wescott, E.M. 3-167, 3-168, 3-1550
West, Alvin E. 3-1071
West, Lewis R. 3-2747
West, Robert 3-2174
West, Sam W. 3-3435
West Texas Geological Society, Ground Water
Committee 3-3437

 Wasgé, Karl M.
 3-3263

 Wada, Koji
 3-1927

 Waddell, D.E.
 3-1159

 Wadsworth, Albert H., Jr.
 3-2799

 Wager, L.R.
 3-1278, 3-2346

 Wagner, James K.
 3-1458

 Wagner, James K.
 3-1458

 Walger, James K.
 3-1458

 Walger, James K.
 3-1458

 Walt, Robert L.
 3-3101

 Walter, Robert L.
 3-3101

 Walter, Robert L.
 3-3101

 Walter, David D.
 3-1339

 Walker, David D.
 3-1339

 Walker, Frank H.
 3-1752

 Walker, George P.L.
 3-594

 Walker, John E.
 3-3935

 Walker, Theodore R.
 3-2001

 Wall, J.H.
 3-811, 3-2605

 Wallace, J.D.
 3-3196

 Waller, Harry O.
 3-1520

 Waller, Roger M.
 3-3426

 Wallis, James R.
 3-2184

 Walple, B.P.
 3-2259

 Walters, Kenneth L.
 3-1323

 Walters, Kenneth L.
 3-1323

 Walton, John
 3-2286

 Walton, William R.
 3-1323</ West, Lewis R. 3-2747
West, Robert 3-2174
West Texas Geological Society, Ground Water Committee 3-3437
Westeylinia, Dept. of Mines 3-343, 3-3533
Westgate, R. 3-2803
Westelmer, Jerome M. 3-2555
Westland, A.D. 3-3813
Westleyl, Harold 3-4148
Wetherill, G.W. 3-125
Wetzel, Otto 3-2952
Weyl, Peter K. 3-1282
Whealer, Dooley P., J. 3-1822
Wheeler, Beorge Y. 3-174
Wheeler, Dooley P., J. 3-3128
Wheeler, Harry E. 3-1287
Wheeler, Harry E. 3-2220
Wheeler, Harry E. 3-2338, 3-3377
Whittomb, John C., Jr. 3-338, 3-3377
Whittomb, John C., Jr. 3-3927
White, George W. 3-1480
White, J.F. 3-1940
White, J.F. 3-1940
White, J.F. 3-1940
White, William B. 3-1427
White, William B. 3-1427
Whitthow, Jesse W. 3-3204
Whittington, Harry B. 3-3269
Wier, Charles E. 3-1629
Williams, Ronald 3-69, 3-1393, 3-1394, 3-218
Williams, Ronald 3-69, 3-1393, 3-1394, 3-218
Williams, Sidney A. 3-1891, 3-1892, 3-1893, 3-218
Williams, Scott J. 3-269
Williams, Sidney A. 3-269, 3-316
Williams, Sidney A. 3-60, 3-1947, 3-1951
Williams, Sidney A. 3-1949, 3-2272
Williams, Sidney A. 3-1947, 3-1951
Williams, Sidney A. 3-1949, 3-2273
Williams, Sidney A. 3-1949, 3-2273
Williams, Sidney A. 3-1958, 3-2273
Williams, Sidney A. 3-1958, 3-2253
Williams, Sidney A. 3-1958, 3-2253
Williams, Sidney A. 3-1947, 3-1951
Williams, Sidney A. 3-1949
Williams, A. 3-2231, 3-289
Williams, A. 3-2231, 3-2231
Williams, Robert U. 3-2231, 3-2231
Wilson, James Lee 3-2231, 3-2231
Wilson, Robert U. 3-2231, 3-2254 Waagé, Karl M. Washington, Division of Water Resources
Watanabe, Takeo
Waters, A.C.
Watkins, J. Lloyd
Watkins, James G.
Watkins, W.T.
Watson, Robert
Watt, P.A.
Wayland, Russell G.
Wayne, William J.
Weaver, Charles E. 3-299,
Weaver, John D.
Webb, Frank S.
Webb, Robert W.
Weber, J.R.
Weber, J.R.
Weber, J.R.
Weber, A.H.
Webster, A.H.
Webster, Robert
Webster, T.F.
Wedepohl, Karl Hans
Weeks, Ludlow J.
Weihaupt, John G.
Weiler, M.R. 3-3276 3-2945 3-2579 3-1540 3-506 3-2411 3-1820 3-2708 3-3213 3-70 3-3822 3-3440 3-4084 3-3036 3-1884 3-2718 3-826 3-1897 3-375 3-439 3-2324

A	bstract	At	stract
Winkler, Erhard M 3-1085,	3-1696	Yoder, E.J	3-2443
Winkler, Helmut G.F.	3-3829	Yon, J.W., Jr	3-767
Winkler, Helmut G.F	3-3854	Voung. Addison	3-774
Winograd, Isaac J	3-2002	Young, E.J 3-574,	3-3445
Winslow, John D 3-1002,	3-1,205	Young, Keith 3-1072,	3-2271
Winsnes, Thore S	3-4295	Young, L.M 3-1295,	3-2736
Wise, Charles D	3-1192	Young, L.M	3-286
Wiseman, John D.H.	3-1143	Young, Richard A	3-3406
Witherspoon, D.F.	3-3086	Young, Ruth	
Witkind, Irving J	3-933	Young, Thomas R	3-2450
Wlotzka, Frank	3-3759	Young, W.L	3-430
Wolf, Karl H 3-1297,	3-1300	Youngs, E.G	3-1673
Wolfe, C. Wroe 3-1916,	3-2907	Yudin, G.T	3-992
Wolff, G.A.	3-1914	Yudin, M.I.	3-1283
Womack, William A., Jr.	3-3512	Yungul, S.H 3-1543, 3-1549,	3-4098
Wong, H.D.	3-1040	Tangary office transfer and the second	
wong, M.D.	3-2076		3-4085
Wood, George R		Zablocki, Frank S	
Wood, Gordon H., Jr.	3-1100	Zacher, Edwin G	3-465
Wood, Horace E., 2d	3-2591	Zadnik, Valentine E	3-1316
Wood, Lawrence C	3-2006	Zagarmistr, A.M	3-834
Wood, Paul A		Zaitsev, L.P	3-1873
Wood, Perry R	3-2748	Zakharina, G.V	3-3237
Woodbury, Angus M 3-339,	3-2854	Zakharov, E.E	3-4232
Woodcock, Alfred H	3-1638	Zamarenov, A.K	3-793
Woodcock, J.R	3-3200	Zangerl, Rainer	3-2272
Woodhouse, Charles Douglas	3-907	Zavyalov, V.D.	3-857
Woodland, Mary Vogt	3-251	Zaytsev, 1.K	3-616
Woodring, W.P.		Zeigler, John M 3-481, 3-1291,	
Woodruff, Seth D		Zekkel, Ya.D.	3-441
Woods, J.P	3-4254	Zeller, Edward J 3-897.	
Woodside, W	3-205	Zen, E-an 3-474, 3-1764, 3-1941, 3-2361,	
Woodslie, Robert A 3-2793, 3-3117,			
Woodward, Herbert P.		Zenkevitch, L.A	3-1149
Woolf, Donald Oliver		Zhabin, A.G.	3-3780
		Zharkov, V.N 3-2318,	
Woollard, George P		Zhdanov, M.A.	3-3476
Worden, John A	3-100	Zhdanova, G.I	3-2847
Wosinski, Jean A	3-2397	Zheru, M.I	3-1286
Wray, John L		Zhilkin, N.G	3-1332
Wright, H.E., Jr	3-3216	Zhilyaeva, V.A	3-2295
Wright, Harold D		Zhirov, K.K 3-2647, 3-2678,	3-3027
Wrucke, Chester T 3-3572, 3-3946,		Zhizhina, M.S	3-1811
Wuensch, Bernhardt J	3-555	Zhuravleva, I.T	3-132
Wyllie, M.R.J.	3-176	Ziegler, W.H.	3-747
Wyllie, P.J		Zies, Emanuel G	3-2354
Wynne-Edwards, H.R	3-413		3-2012
Wyrick, Granville G	3-3430	Zimmerman, Paul A	3-129
			3-4255
Yakubov, T.F 3-3231,	3-3232	Zlobin, B.I 3-3017,	
Yakushevskaya, I.V			3-3066
Yalcin, A.S.		Zoltai, Tibor	3-567
Yang, Julie Chi-Sun 3-872,			
Yanov, E.N		Zones, C.P 3-4219,	
Yasenev, B.L.		Zoppis Bracci, Luigi 3-3960, 3-4239,	
Yavnel, A.A.		Zubov, 1.P	3-991
Yedlosky, Robert J.			3-3785
Yehle, Lynn A.		Zumberge, James H 3-3220,	
Yingst, Parke 0 3-646,		Zverev, S.M	3-852
		Zvyagin, B.B 3-565,	
Yochelson, Ellis L 3-138,		Zybin, K.Yu	
3-1496,	3-1497	Zykov, S.1 3-258,	3-2678

